

State	City/town/country	Source of flooding	Location	#Depth in feet above ground. *Elevation in feet. (NGVD)	
				Existing	Modified
			Approximately 1,000 feet upstream of 86th Street (at limit of detailed study). At ponding area west of 94th Street and south of Central Avenue.	None	*5,133
		Arroyo B-B	Approximately 650 feet downstream of Unser Boulevard.	None	*5,169
			Just upstream of 86th Street	#1	*5,081
			Approximately 400 feet upstream of 90th Street.	#1	*5,105
			Approximately 1,900 feet upstream of 90th Street (at limit of detailed study).	#1	*5,135
		Arroyo B-C	Shallow flooding between Stinson Street and 300 feet upstream of 75th Street.	#1	*5,171
			Just upstream of Unser Boulevard	None	*5,080
			Approximately 80 feet downstream of 86th Street.	#1	*5,079
			Approximately 240 feet downstream of 94th Street.	#1	*5,093
			Approximately 1,050 feet upstream of 94th Street (at limit of detailed study).	#1	*5,120
			Shallow flooding between Unser Boulevard and Abeyta Road.	#1	*5,140
		Ponding Area 18		*5,076	#1
		Ponding Area	Along Trujillo Road approximately 500 feet east of Bataan Drive.	*5,010	*5,009
		Ponding Area	Along Dennison Road approximately 500 feet east of Bataan Drive.	*5,011	*5,009
		Ponding Area	North of Eucariz Avenue approximately 500 feet east of Bataan Drive.	*5,011	*5,009
		Ponding Area	Along Yerba Road south of Eucariz Avenue.	None	*5,008
		Ponding Area	Between Coors Boulevard and Corona Drive and between Redlands Road and Pheasant Avenue.	None	*5,002
				*4,999	*5,100

Maps are available for inspection at One Civic Plaza NW, Albuquerque, New Mexico.

Send comments regarding Bernalillo County to The Honorable Albert Valdez, Chairman, Bernalillo County Board of Commissioners, One Civic Plaza NW, Albuquerque, New Mexico 87103.

Send comments regarding the City of Albuquerque to The Honorable Martin J. Chavez, Mayor, City of Albuquerque, P.O. Box 1293, Albuquerque, New Mexico 87103.

(Catalog of Federal Domestic Assistance No. 83.100, "Flood Insurance.")

Dated: February 9, 1996.

Richard W. Krimm,

Acting Associate Director for Mitigation.

[FR Doc. 96-3852 Filed 2-20-96; 8:45 am]

BILLING CODE 6718-04-P

44 CFR Part 67

[Docket No. FEMA-7168]

Proposed Flood Elevation Determinations

AGENCY: Federal Emergency Management Agency, FEMA.

ACTION: Proposed rule.

SUMMARY: Technical information or comments are requested on the proposed base (1% annual chance) flood elevations and proposed base flood elevation modifications for the

communities listed below. The base flood elevations are the basis for the floodplain management measures that the community is required either to adopt or to show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

DATES: The comment period is ninety (90) days following the second publication of this proposed rule in a newspaper of local circulation in each community.

ADDRESSES: The proposed base flood elevations for each community are available for inspection at the office of the Chief Executive Officer of each community. The respective addresses are listed in the following table.

FOR FURTHER INFORMATION CONTACT: Michael K. Buckley, P.E., Chief, Hazard Identification Branch, Mitigation

Directorate, 500 C Street, SW., Washington, DC 20472, (202) 646-2756.

SUPPLEMENTARY INFORMATION: The Federal Emergency Management Agency (FEMA or Agency) proposes to make determinations of base flood elevations and modified base flood elevations for each community listed below, in accordance with section 110 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and 44 CFR 67.4(a).

These proposed base flood and modified base flood elevations, together with the floodplain management criteria required by 44 CFR 60.3, are the minimum that are required. They should not be construed to mean that the community must change any existing ordinances that are more stringent in their floodplain management requirements. The community may at any time enact stricter requirements of its own, or pursuant to policies established by other

Federal, state or regional entities. These proposed elevations are used to meet the floodplain management requirements of the NFIP and are also used to calculate the appropriate flood insurance premium rates for new buildings built after these elevations are made final, and for the contents in these buildings.

National Environmental Policy Act

This proposed rule is categorically excluded from the requirements of 44 CFR Part 10, Environmental Consideration. No environmental impact assessment has been prepared.

Regulatory Flexibility Act

The Associate Director, Mitigation Directorate, certifies that this proposed rule is exempt from the requirements of the Regulatory Flexibility Act because proposed or modified base flood elevations are required by the Flood Disaster Protection Act of 1973, 42

U.S.C. 4104, and are required to establish and maintain community eligibility in the National Flood Insurance Program. As a result, a regulatory flexibility analysis has not been prepared.

Regulatory Classification

This proposed rule is not a significant regulatory action under the criteria of section 3(f) of Executive Order 12866 of September 30, 1993, Regulatory Planning and Review, 58 FR 51735.

Executive Order 12612, Federalism

This proposed rule involves no policies that have federalism implications under Executive Order 12612, Federalism, dated October 26, 1987.

Executive Order 12778, Civil Justice Reform

This proposed rule meets the applicable standards of section 2(b)(2) of Executive Order 12778.

List of Subjects in 44 CFR Part 67

Administrative practice and procedure, Flood insurance, Reporting and recordkeeping requirements.

Accordingly, 44 CFR part 67 is proposed to be amended as follows:

PART 67—[AMENDED]

1. The authority citation for part 67 continues to read as follows:

Authority: 42 U.S.C. 4001 et seq.; Reorganization Plan No. 3 of 1978, 3 CFR, 1978 Comp., p. 329; E.O. 12127, 44 FR 19367, 3 CFR, 1979 Comp., p. 376.

§ 67.4 [Amended]

2. The tables published under the authority of § 67.4 are proposed to be amended as follows:

State	City/town/county	Source of flooding	Location	#Depth in feet above ground. *Elevation in feet (NGVD)	
				Existing	Modified
Alabama	Oneonta (City) Blount County.	Dry Creek	Approximately 0.4 mile downstream of Pocoda Drive.	None	*785
			At U.S. Route 231	None	*850

Maps available for inspection at the Oneonta City Hall, 202 Third Avenue East, Oneonta, Alabama.

Send comments to The Honorable Danny G. Hicks, Mayor of the City of Oneonta, City Hall, 202 Third Avenue East, Oneonta, Alabama 35121.

Florida	Monroe County (Unincorporated Areas).	Gulf of Mexico	Approximately 600 feet northwest of intersection of Evergreen Avenue and Evergreen Terrace.	*9	*13
			Approximately 370 feet northwest of intersection of Evergreen Avenue and Evergreen Terrace.	*9	*11
		Torch Ramrod Channel ..	Approximately 700 feet north of the intersection of Mariposa Road and Lesronde Drive along Lesronde Drive.	*11	*8
			Approximately 1,000 feet north of the intersection of Mariposa Road and Lesronde Drive along Lesronde Drive.	*11	*10

Maps available for inspection at the Monroe County Growth Management Building, 2798 Overseas Highway, Marathon, Florida.

Send comments to Mr. James Roberts, Monroe County Administrator, 5100 College Road, Wing 2, Room 212, Key West, Florida 33040.

Massachusetts ...	Nantucket (Town) Nantucket County.	Atlantic Ocean	At Great Point	*15	*10
			Approximately 0.2 mile from Great Point.	None	*7
			At the shoreline approximately 160 feet south of the intersection of Clifford Street and Nonatum Avenue.	*23	*9
			Approximately 150 feet east of the intersection of Adams Street and Nobadeer Avenue.	*10	*7
			At the southern portion of Miacomet Pond.	*7	*8
			At Hummock Pond	*8	*7
			Nantucket Sound	*8	*7

State	City/town/county	Source of flooding	Location	#Depth in feet above ground. *Elevation in feet (NGVD)	
				Existing	Modified
Maps available for inspection at the Nantucket Building Commissioners Office, 37 Washington Street, Nantucket, Massachusetts. Send comments to Mr. Arthur Desrocher, Chairman of the Town of Nantucket Board of Selectmen, 16 Broad Street, Nantucket, Massachusetts 02554.					
Michigan	Hartland (Township) Livingston County.	North Ore Creek	At Parshallville Road	None	*909
			At Fenton Road	None	*966
Maps available for inspection at the Hartland Township Office, 3191 Hartland Road, Hartland, Michigan. Send comments to Mr. Don Rhodes, Hartland Township Supervisor, 3191 Hartland Road, Hartland, Michigan 48353.					
New York	Geneseo (Town) Livingston County.	Jaycox Creek	At Lima Road	None	*815
			Approximately 2.79 miles upstream of Lima Road.	None	*1001
Maps available for inspection at the Geneseo Town Office, 119 Main Street, Geneseo, New York. Send comments to Mr. W. Harold Stewart, Supervisor of the Town of Geneseo, 119 Main Street, Geneseo, New York 14454.					
New York	Geneseo (Village) Livingston County.	Jaycox Creek	Approximately 75 feet downstream of downstream corporate limits.	None	*822
			Approximately 330 feet upstream of Seminole Avenue.	None	*867
		Genesee River	At downstream corporate limit	None	*557
			At upstream corporate limit	None	*558
Maps available for inspection at the Geneseo Village Office, 119 Main Street, Geneseo, New York. Send comments to The Honorable Richard B. Hatheway, Mayor of the Village of Geneseo, Village Office, 119 Main Street, Geneseo, New York 14454.					
New York	Hague (Town) Warren County.	Lake George	Entire shoreline within community	None	*321
Maps available for inspection at the Town of Hague Community Center, Route 8, Hague, New York. Send comments to Mr. Daniel Belden, Supervisor of the Town of Hague, P.O. Box 509, Hague, New York 12836.					
New York	Lake George (Village) Warren County.	Lake George	Entire shoreline within community	None	*321
Maps available for inspection at the Village of Lake George Administrative Building, Amherst Street, Lake George, New York. Send comments to The Honorable Robert M. Blais, Mayor of the Village of Lake George, P.O. Box 791, Amherst Street, Lake George, New York 12845.					
New York	Lewis (Town) Lewis County.	East Branch Mohawk River.	Approximately 0.47 mile downstream of State Route 26.	None	*1457
			Approximately 0.74 mile upstream of State Route 26.	None	*1499
Maps available for inspection at the Lewis Town Clerk's Office, 791 Main Street, West Leyden, New York. Send comments to Mr. Dale Rybicky, Lewis Town Supervisor, P.O. Box 228, West Leyden, New York 13489.					
Ohio	Montgomery County (Unincorporated Areas).	Lilly Creek	Approximately 100 feet downstream of downstream corporate limits.	*778	*780
			At upstream corporate limits	*785	*786
Maps available for inspection at the County Planning Commission, 451 North Third Street, Dayton, Ohio. Send comments to Ms. Vicki Pegg, President of the Board of County Commissioners, 451 North Third Street, Dayton, Ohio 45422-1260.					
Ohio	Riverside (City) Montgomery County.	Lilly Creek	Approximately 200 feet upstream of Byesville Boulevard.	*770	*768
			Approximately 132 feet downstream of Harshman Road.	*786	*787
		Shallow Ponding Area (Zone AH).	Approximately 700 feet northwest of the intersection of Byesville Boulevard and Fairfax Avenue.	*767	*766
			Approximately 500 feet north of intersection of Glendean Avenue and Springfield Avenue.	None	*766

State	City/town/county	Source of flooding	Location	#Depth in feet above ground. *Elevation in feet (NGVD)	
				Existing	Modified
		Shallow Flooding Area (Zone AO).	Just south of intersection of Springfield Pike and Fairfax Avenue.	*768	*767
			North side of intersection of Fairfax Avenue and Derwent Drive.	*772	*767
			South side of intersection of Fairfax Avenue and Derwent Drive.	*772	#2
			North side of intersection of Fairpark Avenue and Fairfax Avenue.	*773	#2

Maps available for inspection at the City Hall, 1791 Harshman Road, Riverside, Ohio.

Send comments to The Honorable Kenneth Curp, Mayor of the City of Riverside, 1791 Harshman Road, Riverside, Ohio 45424.

Pennsylvania	Conewago (Township) Adams County.	Slagle Run	At downstream corporate limits	None	*522
			At county boundary	None	*539

Maps available for inspection at the Conewago Township Building, 350 Third Street, Hanover, Pennsylvania.

Send comments to Conewago Township Building, 350 Third Street, Hanover, Pennsylvania 17331.

(Catalog of Federal Domestic Assistance No. 83.100, "Flood Insurance.")

Dated: February 9, 1996.

Richard W. Krimm,

Acting Associate Director for Mitigation.

[FR Doc. 96-3853 Filed 2-20-96; 8:45 am]

BILLING CODE 6718-04-P

44 CFR Part 67

[Docket No. FEMA-7164]

Proposed Flood Elevation Determinations

AGENCY: Federal Emergency Management Agency, FEMA.

ACTION: Proposed rule.

SUMMARY: Technical information or comments are requested on the proposed base (1% annual chance) flood elevations and proposed base flood elevation modifications for the communities listed below. The base flood elevations are the basis for the floodplain management measures that the community is required either to adopt or to show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

DATES: The comment period is ninety (90) days following the second publication of this proposed rule in a newspaper of local circulation in each community.

ADDRESSES: The proposed base flood elevations for each community are available for inspection at the office of the Chief Executive Officer of each community. The respective addresses are listed in the following table.

FOR FURTHER INFORMATION CONTACT:

Michael K. Buckley, P.E., Chief, Hazard Identification Branch, Mitigation Directorate, 500 C Street, SW., Washington, DC 20472, (202) 646-2756.

SUPPLEMENTARY INFORMATION: The Federal Emergency Management Agency (FEMA or Agency) proposes to make determinations of base flood elevations and modified base flood elevations for each community listed below, in accordance with section 110 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and 44 CFR 67.4(a).

These proposed base flood and modified base flood elevations, together with the floodplain management criteria required by 44 CFR 60.3, are the minimum that are required. They should not be construed to mean that the community must change any existing ordinances that are more stringent in their floodplain management requirements. The community may at any time enact stricter requirements of its own, or pursuant to policies established by other Federal, state or regional entities. These proposed elevations are used to meet the floodplain management requirements of the NFIP and are also used to calculate the appropriate flood insurance premium rates for new buildings built after these elevations are made final, and for the contents in these buildings.

National Environmental Policy Act

This proposed rule is categorically excluded from the requirements of 44 CFR Part 10, Environmental Consideration. No environmental impact assessment has been prepared.

Regulatory Flexibility Act

The Associate Director, Mitigation Directorate, certifies that this proposed rule is exempt from the requirements of the Regulatory Flexibility Act because proposed or modified base flood elevations are required by the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and are required to establish and maintain community eligibility in the National Flood Insurance Program. As a result, a regulatory flexibility analysis has not been prepared.

Regulatory Classification

This proposed rule is not a significant regulatory action under the criteria of section 3(f) of Executive Order 12866 of September 30, 1993, Regulatory Planning and Review, 58 FR 51735.

Executive Order 12612, Federalism

This proposed rule involves no policies that have federalism implications under Executive Order 12612, Federalism, dated October 26, 1987.

Executive Order 12778, Civil Justice Reform

This proposed rule meets the applicable standards of section 2(b)(2) of Executive Order 12778.

List of Subjects in 44 CFR Part 67

Administrative practice and procedure, Flood insurance, Reporting and recordkeeping requirements.

Accordingly, 44 CFR part 67 is proposed to be amended as follows: