

ENVIRONMENTAL PROTECTION AGENCY**40 CFR Part 268**

[EPA #530-296-002; FRL-5681-4]

RIN 2050-AD38

Land Disposal Restrictions: Correction of Tables; Treatment Standards for Hazardous Wastes and Universal Treatment Standards**AGENCY:** Environmental Protection Agency (EPA).**ACTION:** Technical amendment of final rule.

SUMMARY: On April 8, 1996, EPA published Land Disposal Restrictions Phase III; Final Rule and Partial Withdrawal and Amendment of Final Rule, including the complete tables "Treatment Standards for Hazardous Wastes" at § 268.40, and "Universal Treatment Standards" at § 268.48. The Agency is today publishing updated and corrected versions of these two tables, incorporating all revisions to the treatment standards promulgated since the Phase III Final Rule. The updated tables also incorporate additional technical corrections which the Agency is making today, including the removal of treatment standards for the 25 waste codes whose listings were vacated by the November 1, 1996 court decision, *Dithiocarbamate Task Force v. Environmental Protection Agency* (DTC Court Case), *F.3d (D.C.Cir. November 1, 1996)*. These corrected tables will eliminate confusion as to what levels of treatment must be achieved by the regulated community as they comply with the LDR requirements.

EFFECTIVE DATE: This rule is effective on February 19, 1997.

ADDRESSES: Supporting materials are available for viewing in the RCRA information Center (RIC), located at Crystal Gateway One, 1235 Jefferson Davis Highway, First Floor, Arlington, VA. The Docket Identification Number is F-96-PH3F-FFFFF. The RCRA Docket is open from 9 a.m. to 4 p.m. Monday through Friday, except for Federal holidays. The public must make an appointment to review docket materials by calling (703) 603-9230. The public may copy a maximum of 100 pages from any regulatory document at no cost. Additional copies cost \$0.15 per page.

FOR FURTHER INFORMATION CONTACT: For general information contact the RCRA Hotline at (800) 424-9346 (toll free) or (703) 920-9810 in the Washington, DC metropolitan area. For information on

this document contact Shaun McGarvey (5302W), Office of Solid Waste, 401 M Street, S.W., Washington, DC 20460, (703) 308-8603.

SUPPLEMENTARY INFORMATION:**I. Reasons and Basis for Today's Amendment**

The Agency has received comments from the regulated community and State agencies pointing out mistakes in the "Treatment Standards for Hazardous Wastes" table at 40 CFR 268.40 and the "Universal Treatment Standards" table at 40 CFR 268.48, published in the April 8, 1996 Land Disposal Restrictions (LDR) Phase III Final Rule (61 FR 15566) that were not addressed by Phase III: Technical correction of final rule (June 28, 1996, 61 FR 33680). Today's amendment addresses these comments, makes further technical corrections where necessary, and incorporates all revisions and corrections made since the Phase III Final Rule into complete and updated versions of these tables.

Today's amendment corrects all the errors that are considered appropriate for correction without notice and comment. The Agency is aware of certain other issues or problems that may be addressed at a later time, with notice and comment as appropriate. An example is that the rules currently specify that compliance with LDR standards is measured using "grab samples" (see 40 CFR 268.40, the table "Treatment Standards for Hazardous Wastes", footnote 5). We note that some data used to develop standards for some of the constituents required for K061 were derived from composite samples from high temperature metal recovery (HTMR) facilities, and it would not be appropriate to require HTMR facilities to comply with the standards for those constituents using grab samples. We plan to correct this problem in the near future.

II. Incorporating Revisions Since the LDR Phase III Final Rule

The updated versions of the tables, "Treatment Standards for Hazardous Wastes" and "Universal Treatment Standards" incorporate the following revisions and corrections which have been promulgated since the Phase III Final Rule, the last time the complete tables were published in the Federal Register.

A. Partial Withdrawal of Phase III: April 8, 1996

The revisions of the standards for characteristic waste codes D001-D003 and D018-D043 that were promulgated in the Partial Withdrawal were superceded by the Phase III Technical

Correction. Therefore, the treatment standards for these waste codes as they appeared in the Partial Withdrawal do not appear in today's updated tables.

B. Phase III Technical Correction: June 28, 1996

This rule implemented the following changes to the "Treatment Standards for Hazardous Wastes" table at § 268.40:

- Removal of entries for codes which were considered for listing at one time but were never finalized: K140, P187, P193, P195, P200, U360-U363, U368-U371, U374, U380, U388, U397-U399, U405, U406, U408.

- Correct revision of standards for the following waste codes: D001, D002, D012-D043, F006, F007, F010, K008, K108, and P093.

Please note that revisions to the "Treatment Standards for Hazardous Wastes" table for the following waste codes were either partially incorrect or were superceded by the Carbamate Emergency Rule or the vacature of the hazardous waste listing due to the DTC Court Decision: D003, F037, F039, K006, K062, K108, K156-K161, P196, P202, P205, U277-U278, U365-U366, U375-U379, U381-U387, U389-U396, U400-U404, U407, U409-U411.

Also note that although footnotes 8 and 9 were added to the treatment standard table by the June 28 Technical correction, the position of footnote 9 in the table and the text of footnote 8 are being modified by today's rule, as described further below.

This rule also implemented the following changes to the "Universal Treatment Standards" table at § 268.48:

- Revision of standards for the following constituents: A2213, Butylate, EPTC, Molinate, Pebulate, Prosulfocarb, Triallate, and Vernolate. Note that the UTS standard for Cycloate was also revised, but this constituent was later removed from the UTS list due to the DTC Court Decision.

C. Emergency Revision of Carbamate Standards: August 26, 1996

This rule implemented the following changes to the "Treatment Standards for Hazardous Wastes" table at § 268.40:

- Revision of all carbamate waste codes except K156.

Please note that the treatment standard for K156 and the second date specified by footnote 10 in the Emergency Revision included errors which are corrected in today's rule.

The Emergency Revision also promulgated the following change to the "Universal Treatment Standards" table at § 268.48:

- Addition of footnote 6 to the Universal Treatment Standard table for

all carbamate constituents added to the UTS table by the Phase III rule.

III. New Technical Corrections to Treatment Standards for Hazardous Wastes and Universal Treatment Standards

The Agency is today promulgating the following technical corrections to the "Treatment Standards for Hazardous Wastes" table at § 268.40:

- On November 1, 1996, the DTC Court Decision vacated the listing of the following 25 waste codes: K160, U277, U365–U366, U375–U379, U381–U386, U390–U393, U396, U400–U403, U407. Therefore, since these wastes are no longer listed as hazardous, they are not subject to LDR prohibitions (assuming they do not exhibit a characteristic; if they do exhibit a characteristic, they would be covered under the prohibition for that characteristic). For this reason, EPA is removing the treatment standards for these waste codes from the treatment standard table.

- The text of footnote 9, "These wastes, when rendered nonhazardous and then subsequently injected in a Class I SDWA well are not subject to treatment standards," applies to all subcategories of wastes codes D001–D003 (except for radioactive high level D002), and D012–D043. Therefore, the position of all citations of footnote 9 in the table are being moved from the columns containing the treatment standards for wastewaters and nonwastewaters to the "Waste Code" column of the table. The text of footnote 8 is also being simplified to apply only to wastes managed in CWA or CWA-equivalent systems. Footnote 9 applies to all wastes for which footnote 8 applies; thus, it is no longer necessary for footnote 8 to apply to wastes managed in Class I SDWA wells.

- The standards for D003 now correctly reflect the preamble language from the Phase III final rule (61 FR at 15568–15569), which states that the requirement to meet § 268.48 standards does not apply to the reactive sulfides, unexploded ordnance, and reactive cyanides subcategories.

- For F037, the Phase III Technical Correction mistakenly reported the standard for Acenaphthene in nonwastewaters as 3.4 mg/l. This standard is now being corrected to read "NA".

- For F039, the Phase III Technical Correction mistakenly reported the standard for Acenaphthylene in nonwastewasters as "NA". This standard is now being corrected to read "3.4 mg/l".

- For K006, the Phase III Technical Correction mistakenly reported the

standard for Lead in nonwastewaters from the "hydrated" subcategory as "3.7 mg/l TCLP". This standard is now being corrected to read "NA".

- For K062, the Phase III Technical Correction mistakenly reported the standard for Nickel in nonwastewaters as "5.0 mg/l TCLP". This standard is now being corrected to read "NA".

- For K088, the Phase III Final Rule mistakenly omitted footnote 7 from the entries for "Cyanide (Total)" and "Cyanide (Amenable)" in the common name column. Footnote 7 is now being added to these entries.

- For U003, the alternate standard for Acetonitrile in nonwastewaters is now being corrected to read "38 mg/l".

- For U190, the additional language "(measured as Phthalic acid or Terephthalic acid)" is being added to the common name for Phthalic acid with CAS number 85–44–9.

- For F027 and F028, all numerical treatment standards for these codes in the Phase III Final Rule were incorrect. The standards for all constituents are now being corrected to the concentrations that appeared in the Phase II Final Rule.

- For U027, the treatment standard for bis(2-Chloroisopropyl)ether in wastewaters is being corrected to read "0.055 mg/l".

- For K156, the treatment standard for Acetonitrile (CAS 78–05–8) in nonwastewaters has been corrected to read "38 mg/l".

- Footnote 10 to the treatment standard table is today being corrected to read as follows: "Between August 26, 1996, and August 26, 1997, the treatment standard for this waste may be satisfied by either meeting the constituent concentrations in this table or by treating the waste by the specified technologies: combustion, as defined by the technology code CMBST at § 268.42 Table 1 of this Part, for nonwastewaters; and, biodegradation as defined by the technology code BIODG, carbon adsorption as defined by the technology code CARBN, chemical oxidation as defined by the technology code CHOXD, or combustion as defined as technology code CMBST at § 268.42 Table 1 of this Part, for wastewaters." This change corrects a minor discrepancy as to the dates during which the alternative treatment standards for carbamate wastes remain in effect.

The Agency is today promulgating the following technical corrections to the "Universal Treatment Standards" table at § 268.48:

- Cycloate and 3-Iodo-2-propynyl n-butylcarbamate were only regulated constituents for waste codes U386 and U375, respectively. Since the listing of

these two waste codes were vacated by the DTC court decision, the Agency is today removing these constituents from the Universal Treatment Standards table.

IV. Rationale for Immediate Effective Date

Today's amendment does not create any new regulatory requirements; rather, it restates and clarifies requirements already in effect by correcting a number of errors in the April 8, 1996 final rule and withdrawal notice, the June 28, 1996 technical correction, and the August 26, 1996 emergency revision of the carbamate standards. For these reasons, EPA finds that good cause exists under section 3010(b)(3) of RCRA, 42 U.S.C. 9903(b)(3), to provide for an immediate effective date. See generally 61 FR at 15662. For the same reasons, EPA finds that there is good cause under 5 U.S.C. 553(b)(3) to promulgate today's corrections in final form and that there is good cause under 5 U.S.C. 553(b)(3) to waive the requirement that regulations be published at least 30 days before they become effective.

V. Analysis Under Executive Order 12866, the Unfunded Mandates Reform Act of 1995, the Regulatory Flexibility Act, and the Paperwork Reduction Act

Under Executive Order 12866, this action is not a "significant regulatory action" and is therefore not subject to review by the Office of Management and Budget. In addition, this action does not impose annual costs of \$100 million or more, will not significantly or uniquely affect small governments, and is not a significant federal intergovernmental mandate. The Agency thus has no obligations under sections 202, 203, 204 and 205 of the Unfunded Mandates Reform. Moreover, since this action is not subject to notice-and-comment requirements under the Administrative Procedure Act or any other statute, it is not subject to section 603 or 604 of the Regulatory Flexibility Act.

VI. Submission to Congress and the General Accounting Office

Because there is good cause to forego notice-and-comment procedures, the rule also may take effect upon promulgation without prior submission of the rule to the Congress. 5 U.S.C. section 808. EPA will thereafter submit the rule to Congress, as required by 5 U.S.C. 801(a).

List of Subjects in 40 CFR Part 268

Environmental protection, Hazardous waste, Reporting and recordkeeping requirements.

Dated: January 13, 1997.

Elliott Laws,

Assistant Administrator, Office of Solid Waste and Emergency Response.

For the reasons set forth in the preamble, title 40, chapter I of the Code

of Federal Regulations is amended as follows:

PART 268—LAND DISPOSAL RESTRICTIONS

1. The authority citation for part 268 continues to read as follows:

Authority: 42 U.S.C. 6905, 6912(a), 6921, and 6924.

Subpart D—Treatment Standards

2. Section 268.40 is amended by revising the table “Treatment Standards for Hazardous Wastes” to read as follows:

§ 268.40 Applicability of treatment standards.

* * * * *

BILLING CODE 6560-50-P

TREATMENT STANDARDS FOR HAZARDOUS WASTES			NOTE: NA means not applicable		
WASTE CODE	WASTE DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	REGULATED HAZARDOUS CONSTITUENT	CAS ² Number	Concentration in mg/l ³ ; or Technology Code ⁴	NONWASTEWATERS
D001 ⁹	Ignitable Characteristic Wastes, except for the §261.21(a)(1) High TOC Subcategory.	NA	NA	DEACT and meet §268.48 standards ⁸ ; or RORGS; or CMBST	DEACT and meet §268.48 standards ⁸ ; or RORGS; or CMBST
	High TOC Ignitable Characteristic Liquids Subcategory based on 40 CFR 261.21(a)(1) - Greater than or equal to 10% total organic carbon. (Note: This subcategory consists of nonwastewaters only.)	NA	NA	NA	RORGS; or CMBST
D002 ⁹	Corrosive Characteristic Wastes.	NA	NA	DEACT and meet §268.48 standards ⁸	DEACT and meet §268.48 standards ⁸
	Radioactive high level wastes generated during the reprocessing of fuel rods. (Note: This subcategory consists of nonwastewaters only.) D002, D004, D005, D006, D007, D008, D009, D010, D011	Corrosivity (pH)	NA	NA	HLVIT
		Arsenic	7440-38-2	NA	HLVIT
		Barium	7440-39-3	NA	HLVIT
		Cadmium	7440-43-9	NA	HLVIT
		Chromium (Total)	7440-47-3	NA	HLVIT
		Lead	7439-92-1	NA	HLVIT
		Mercury	7439-97-6	NA	HLVIT
		Selenium	7782-49-2	NA	HLVIT
		Silver	7440-22-4	NA	HLVIT
D003 ⁹	Reactive Sulfides Subcategory based on 261.23(a)(6). Explosives Subcategory based on 261.23(a)(6), (7), and (8).	NA	NA	DEACT	DEACT and meet §268.48 standards ⁸

TREATMENT STANDARDS FOR HAZARDOUS WASTES			NOTE: NA means not applicable		
WASTE CODE	WASTE DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	REGULATED HAZARDOUS CONSTITUENT	WASTEWATERS	NONWASTEWATERS	
	Common Name	CAS ² Number	Concentration in mg/l ³ ; or Technology Code ⁴		Concentration in mg/kg ⁵ unless noted as "mg/l TCLP"; or Technology Code ⁴
	Unexploded ordnance and other explosive devices which have been the subject of an emergency response.	NA	NA	DEACT	DEACT
	Other Reactives Subcategory based on 261.23(a)(1).	NA	NA	DEACT and meet §268.48 standards ⁸	DEACT and meet §268.48 standards ⁸
	Water Reactive Subcategory based on 261.23(a)(2), (3), and (4). (Note: This subcategory consists of nonwastewaters only.)	NA	NA	DEACT and meet §268.48 standards ⁸	DEACT and meet §268.48 standards ⁸
	Reactive Cyanides Subcategory based on 261.23(a)(5).	Cyanides (Total) ⁷	57-12-5	Reserved	590
		Cyanides (Amenable) ⁷	57-12-5	0.86	30
D004	Wastes that exhibit, or are expected to exhibit, the characteristic of toxicity for arsenic based on the extraction procedure (EP) in SW846 Method 1310.	Arsenic	7440-38-2	5.0	5.0 mg/l EP
		Arsenic; alternate ⁶ standard for nonwastewaters only.	7440-38-2	NA	5.0 mg/l TCLP
D005	Wastes that exhibit, or are expected to exhibit, the characteristic of toxicity for barium based on the extraction procedure (EP) in SW846 Method 1310.	Barium	7440-39-3	100	100 mg/l TCLP
D006	Wastes that exhibit, or are expected to exhibit, the characteristic of toxicity for cadmium based on the extraction procedure (EP) in SW846 Method 1310. Cadmium Containing Batteries Subcategory. (Note: This subcategory consists of nonwastewaters only.)	Cadmium	7440-43-9	1.0	1.0 mg/l TCLP
D007	Wastes that exhibit, or are expected to exhibit, the characteristic of toxicity for chromium based on the extraction procedure (EP) in SW846 Method 1310.	Chromium (Total)	7440-47-3	5.0	5.0 mg/l TCLP
D008	Wastes that exhibit, or are expected to exhibit, the characteristic of toxicity for lead based on the extraction procedure (EP) in SW846 Method 1310.	Lead	7439-92-1	5.0	5.0 mg/l EP

WASTE CODE	TREATMENT DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	TREATMENT STANDARDS FOR HAZARDOUS WASTES		NOTE: NA means not applicable
		REGULATED HAZARDOUS CONSTITUENT	WASTEWATERS	
	WASTE DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	Common Name	CAS ² Number	Concentration in mg/l ³ ; or Technology Code ⁴
	Lead; alternate ⁵ standard for nonwastewaters only	Lead	7439-92-1	NA
	Lead Acid Batteries Subcategory (Note: This standard only applies to lead acid batteries that are identified as RCRA hazardous wastes and that are not excluded elsewhere from regulation under the land disposal restrictions of 40 CFR 268 or exempted under other EPA regulations (see 40 CFR 266.80). This subcategory consists of nonwastewaters only.)	Lead	7439-92-1	NA
	Radioactive Lead Solids Subcategory (Note: these lead solids include, but are not limited to, all forms of lead shielding and other elemental forms of lead. These lead solids do not include treatment residuals such as hydroxide sludges, other wastewater treatment residuals, or incinerator ashes that can undergo conventional pozzolanic stabilization, nor do they include organo-lead materials that can be incinerated and stabilized as ash. This subcategory consists of nonwastewaters only.)	Lead	7439-92-1	NA
D009	Nonwastewaters that exhibit, or are expected to exhibit, the characteristic of toxicity for mercury based on the extraction procedure (EP) in SW846 Method 1310; and contain greater than or equal to 260 mg/kg total mercury that also contain organics and are not incinerator residues. (High Mercury-Organic Subcategory)	Mercury	7439-97-6	NA
				IMERC; OR RMERC

WASTE CODE	TREATMENT DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS		NOTE: NA means not applicable NONWASTEWATERS
		Common Name	CAS ² Number	Concentration in mg/l ³ ; or Technology Code ⁴	Concentration in mg/kg ⁵ unless noted as "mg/l TCLP"; or Technology Code ⁴	
	Nonwastewaters that exhibit, or are expected to exhibit, the characteristic of toxicity for mercury based on the extraction procedure (EP) in SW846 Method 1310; and contain greater than or equal to 260 mg/kg total mercury that are inorganic, including incinerator residues and residues from RIMERC. (High Mercury-Inorganic Subcategory)	Mercury	7439-97-6	NA		RIMERC
	Nonwastewaters that exhibit, or are expected to exhibit, the characteristic of toxicity for mercury based on the extraction procedure (EP) in SW846 Method 1310; and contain less than 260 mg/kg total mercury. (Low Mercury Subcategory)	Mercury	7439-97-6	NA		0.20 mg/l TCLP
All D009 wastewaters.		Mercury	7439-97-6	0.20	NA	
	Elemental mercury contaminated with radioactive materials. (Note: This subcategory consists of nonwastewaters only.)	Mercury	7439-97-6	NA		AMLGM
	Hydraulic oil contaminated with Mercury Radioactive Materials Subcategory. (Note: This subcategory consists of nonwastewaters only.)	Mercury	7439-97-6	NA		IMERC
D010	Wastes that exhibit, or are expected to exhibit, the characteristic of toxicity for selenium based on the extraction procedure (EP) in SW846 Method 1310.	Selenium	7782-49-2	1.0	5.7 mg/l TCLP	
D011	Wastes that exhibit, or are expected to exhibit, the characteristic of toxicity for silver based on the extraction procedure (EP) in SW846 Method 1310.	Silver	7440-22-4	5.0	5.0 mg/l TCLP	
D012 ⁹	Wastes that are TC for Endrin based on the TCLP in SW846 Method 1311.	Endrin	72-20-8	BIODG; or CMBST	0.13 and meet §268.48 standards ⁸	
		Endrin aldehyde	7421-93-4	BIODG; or CMBST	0.13 and meet §268.48 standards ⁸	

TREATMENT STANDARDS FOR HAZARDOUS WASTES		NOTE: NA means not applicable			
WASTE CODE	WASTE DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	REGULATED HAZARDOUS CONSTITUENT	WASTEWATERS	NONWASTEWATERS	
	Common Name	CAS ² Number	Concentration in mg/l ³ , or Technology Code ⁴	Concentration in mg/kg ⁵ unless noted as "mg/l TCLP" ⁶ , or Technology Code ⁴	
D013 ⁹	Wastes that are TC for Lindane based on the TCLP in SW846 Method 1311.	alpha-BHC	319-84-6	CARBN, or CMBST	0.066 and meet §268.48 standards ⁸
		beta-BHC	319-85-7	CARBN, or CMBST	0.066 and meet §268.48 standards ⁸
		delta-BHC	319-86-8	CARBN, or CMBST	0.066 and meet §268.48 standards ⁸
		gamma-BHC (Lindane)	58-89-9	CARBN, or CMBST	0.066 and meet §268.48 standards ⁸
D014 ⁹	Wastes that are TC for Methoxychlor based on the TCLP in SW846 Method 1311.	Methoxychlor	72-43-5	WE TOX or CMBST	0.18 and meet §268.48 standards ⁸
D015 ⁹	Wastes that are TC for Toxaphene based on the TCLP in SW846 Method 1311.	Toxaphene	8001-35-2	BIO DG or CMBST	2.6 and meet §268.48 standards ⁸
D016 ⁹	Wastes that are TC for 2,4-D (2,4-Dichlorophenoxyacetic acid) based on the TCLP in SW846 Method 1311.	2,4-D (2,4-Dichlorophenoxyacetic acid)	94-75-7	CHO XD, BIO DG, or CMBST	10 and meet §268.48 standards ⁸
D017 ⁹	Wastes that are TC for 2,4,5-TP (Silvex) based on the TCLP in SW846 Method 1311.	2,4,5-TP (Silvex)	93-72-1	CHO XD or CMBST	7.9 and meet §268.48 standards ⁸
D018 ⁹	Wastes that are TC for Benzene based on the TCLP in SW846 Method 1311.	Benzene	71-43-2	0.14 and meet §268.48 standards ⁸	10 and meet §268.48 standards ⁸
D019 ⁹	Wastes that are TC for Carbon tetrachloride based on the TCLP in SW846 Method 1311.	Carbon tetrachloride	56-23-5	0.057 and meet §268.48 standards ⁸	6.0 and meet §268.48 standards ⁸

TREATMENT STANDARDS FOR HAZARDOUS WASTES		NOTE: NA means not applicable	
WASTE CODE	WASTE DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	REGULATED HAZARDOUS CONSTITUENT	WASTEWATERS
		CAS ² Number	Concentration in mg/l ³ , or Technology Code ⁴
D020 ⁹	Wastes that are TC for Chlordane based on the TCLP in SW846 Method 1311.	Chlordane (alpha and gamma isomers)	57-74-9 0.0033 and meet §268.48 standards ⁸
D021 ⁹	Wastes that are TC for Chlorobenzene based on the TCLP in SW846 Method 1311.	Chlorobenzene	108-90-7 0.057 and meet §268.48 standards ⁸
D022 ⁹	Wastes that are TC for Chloroform based on the TCLP in SW846 Method 1311.	Chloroform	67-66-3 0.046 and meet §268.48 standards ⁸
D023 ⁹	Wastes that are TC for o-Cresol based on the TCLP in SW846 Method 1311.	o-Cresol	95-48-7 0.11 and meet §268.48 standards ⁸
D024 ⁹	Wastes that are TC for m-Cresol based on the TCLP in SW846 Method 1311.	m-Cresol (difficult to distinguish from p-cresol)	108-39-4 0.77 and meet §268.48 standards ⁸
D025 ⁹	Wastes that are TC for p-Cresol based on the TCLP in SW846 Method 1311.	p-Cresol (difficult to distinguish from m-cresol)	106-44-5 0.77 and meet §268.48 standards ⁸
D026 ⁹	Wastes that are TC for Cresols (Total) based on the TCLP in SW846 Method 1311.	Cresol-mixed isomers (Cresylic acid)(sum of o-, m-, and p-cresol concentrations)	1319-77-3 0.88 and meet §268.48 standards ⁸
D027 ⁹	Wastes that are TC for p-Dichlorobenzene based on the TCLP in SW846 Method 1311.	p-Dichlorobenzene (1,4-Dichlorobenzene)	106-46-7 0.090 and meet §268.48 standards ⁸
D028 ⁹	Wastes that are TC for 1,2-Dichloroethane based on the TCLP in SW846 Method 1311.	1,2-Dichloroethane	107-06-2 0.21 and meet §268.48 standards ⁸
D029 ⁹	Wastes that are TC for 1,1-Dichloroethylene based on the TCLP in SW846 Method 1311.	1,1-Dichloroethylene	75-35-4 0.025 and meet §268.48 standards ⁸

Concentration in mg/kg⁵
unless noted as "mg/l
TCLP", or Technology
Code⁴

Concentration in mg/l³,
or Technology Code⁴

CAS² Number

Common Name

Treatment/Regulatory Subcategory¹

TREATMENT STANDARDS FOR HAZARDOUS WASTES

WASTE CODE	TREATMENT DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	TREATMENT STANDARDS FOR HAZARDOUS WASTES		NOTE: NA means not applicable
		REGULATED HAZARDOUS CONSTITUENT	WASTEWATERS	
	Common Name	CAS ² Number	Concentration in mg/l ³ ; or Technology Code ⁴	NONWASTEWATERS
D030 ⁹	Wastes that are TC for 2,4-Dinitrotoluene based on the TCLP in SW846 Method 1311.	2,4-Dinitrotoluene	121-14-2 and meet §268.48 standards ⁸	Concentration in mg/kg ⁵ unless noted as "mg/TCLP"; or Technology Code ⁴
D031 ⁹	Wastes that are TC for Heptachlor based on the TCLP in SW846 Method 1311.	Heptachlor	76-44-8 and meet §268.48 standards ⁸	140 and meet §268.48 standards ⁸
		Heptachlor epoxide	1024-57-3 and meet §268.48 standards ⁸	0.066 and meet §268.48 standards ⁸
D032 ⁹	Wastes that are TC for Hexachlorobenzene based on the TCLP in SW846 Method 1311.	Hexachlorobenzene	118-74-1 and meet §268.48 standards ⁸	0.055 and meet §268.48 standards ⁸
D033 ⁹	Wastes that are TC for Hexachlorobutadiene based on the TCLP in SW846 Method 1311.	Hexachlorobutadiene	87-68-3 and meet §268.48 standards ⁸	10 and meet §268.48 standards ⁸
D034 ⁹	Wastes that are TC for Hexachloroethane based on the TCLP in SW846 Method 1311.	Hexachloroethane	67-72-1 and meet §268.48 standards ⁸	5.6 and meet §268.48 standards ⁸
D035 ⁹	Wastes that are TC for Methyl ethyl ketone based on the TCLP in SW846 Method 1311.	Methyl ethyl ketone	78-93-3 and meet §268.48 standards ⁸	30 and meet §268.48 standards ⁸
D036 ⁹	Wastes that are TC for Nitrobenzene based on the TCLP in SW846 Method 1311.	Nitrobenzene	98-95-3 and meet §268.48 standards ⁸	36 and meet §268.48 standards ⁸
D037 ⁹	Wastes that are TC for Pentachlorophenol based on the TCLP in SW846 Method 1311.	Pentachlorophenol	87-86-5 and meet §268.48 standards ⁸	14 and meet §268.48 standards ⁸
				7.4 and meet §268.48 standards ⁸

WASTE CODE	TREATMENT DESCRIPTION AND TREATMENT REGULATORY SUBCATEGORY ¹	TREATMENT STANDARDS FOR HAZARDOUS WASTES		NOTE: NA means not applicable
		REGULATED HAZARDOUS CONSTITUENT	WASTEWATERS	
CAS ² Number	Concentration in mg/l ³ ; or Technology Code ⁴	Concentration in mg/kg ⁵ unless noted as "mg/l TCLP"; or Technology Code ⁴	NONWASTEWATERS	
D038 ⁹	Wastes that are TC for Pyridine based on the TCLP in SW846 Method 1311.	Pyridine	110-86-1 0.014 and meet §268.48 standards ⁸	16 and meet §268.48 standards ⁸
D039 ⁹	Wastes that are TC for Tetrachloroethylene based on the TCLP in SW846 Method 1311.	Tetrachloroethylene	127-18-4 0.056 and meet §268.48 standards ⁸	6.0 and meet §268.48 standards ⁸
D040 ⁹	Wastes that are TC for Trichloroethylene based on the TCLP in SW846 Method 1311.	Trichloroethylene	79-01-6 0.054 and meet §268.48 standards ⁸	6.0 and meet §268.48 standards ⁸
D041 ⁹	Wastes that are TC for 2,4,5-Trichlorophenol based on the TCLP in SW846 Method 1311.	2,4,5-Trichlorophenol	95-95-4 0.18 and meet §268.48 standards ⁸	7.4 and meet §268.48 standards ⁸
D042 ⁹	Wastes that are TC for 2,4,6-Trichlorophenol based on the TCLP in SW846 Method 1311.	2,4,6-Trichlorophenol	88-06-2 0.035 and meet §268.48 standards ⁸	7.4 and meet §268.48 standards ⁸
D043 ⁹	Wastes that are TC for Vinyl chloride based on the TCLP in SW846 Method 1311.	Vinyl chloride	75-01-4 0.27 and meet §268.48 standards ⁸	6.0 and meet §268.48 standards ⁸

WASTE CODE	TREATMENT DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS		NOTE: NA means not applicable Concentration in mg/kg ⁵ unless noted as "mg/l TCLP", or Technology Code ⁴	NONWASTEWATERS
		Common Name	CAS ² Number	Concentration in mg/l ³ , or Technology Code ⁴	Concentration in mg/l ³ , or Technology Code ⁴		
F001, F002, F003, F004, & F005	F001, F002, F003, F004 and/or F005 solvent wastes that contain any combination of one or more of the following spent solvents: acetone, benzene, n-butyl alcohol, carbon disulfide, carbon tetrachloride, chlorinated fluorocarbons, chlorobenzene, o-cresol, m-cresol, p-cresol, cyclohexanone, o-dichlorobenzene, 2-ethoxyethanol, ethyl acetate, ethyl benzene, ethyl ether, isobutyl alcohol, methanol, methylene chloride, methyl ethyl ketone, methyl isobutyl ketone, nitrobenzene, 2-nitropropane, pyridine, tetrachloroethylene, toluene, 1,1,1-trichloroethane, 1,1,2-trichloroethane, 1,1,2-trichloro-1,2,2-trifluoroethane, trichloroethylene, trichloromonofluoromethane, and/or xylenes [except as specifically noted in other subcategories]. See further details of these listings in § 261.31	Acetone	67-64-1	0.28	160		
		Benzene	71-43-2	0.14	10		
		n-Butyl alcohol	71-36-3	5.6	2.6		
		Carbon disulfide	75-15-0	3.8	NA		
		Carbon tetrachloride	56-23-5	0.057	6.0		
		Chlorobenzene	108-90-7	0.057	6.0		
		o-Cresol	95-48-7	0.11	5.6		
		m-Cresol (difficult to distinguish from p-cresol)	108-39-4	0.77	5.6		
		p-Cresol (difficult to distinguish from m-cresol)	106-44-5	0.77	5.6		
		Cresol-mixed isomers (Cresylic acid) (sum of o-, m-, and p-cresol concentrations)	1319-77-3	0.88	11.2		
		Cyclohexanone	108-94-1	0.36	NA		
		o-Dichlorobenzene	95-50-1	0.088	6.0		
		Ethyl acetate	141-78-6	0.34	33		
		Ethyl benzene	100-41-4	0.057	10		
		Ethyl ether	60-29-7	0.12	160		
		Isobutyl alcohol	78-83-1	5.6	170		
		Methanol	67-56-1	5.6	NA		

WASTE CODE	TREATMENT DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS		NONWASTEWATERS
		Common Name	CAS ² Number	Concentration in mg/l ³ ; or Technology Code ⁴	Concentration in mg/kg ⁵ unless noted as "mg/l TCLP"; or Technology Code ⁴	
	Methylene chloride	Methylene chloride	75-9-2	0.089	30	
	Methyl ethyl ketone	Methyl ethyl ketone	78-93-3	0.28	36	
	Methyl isobutyl ketone	Methyl isobutyl ketone	108-10-1	0.14	33	
	Nitrobenzene	Nitrobenzene	98-95-3	0.068	14	
	Pyridine	Pyridine	110-86-1	0.014	16	
	Tetrachloroethylene	Tetrachloroethylene	127-18-4	0.056	6.0	
	Toluene	Toluene	108-88-3	0.080	10	
	1,1,1-Trichloroethane	1,1,1-Trichloroethane	71-55-6	0.054	6.0	
	1,1,2-Trichloroethane	1,1,2-Trichloroethane	79-00-5	0.054	6.0	
	1,1,2-Trichloro-1,2,2-trifluoroethane	1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	0.057	30	
	Trichloroethylene	Trichloroethylene	79-01-6	0.054	6.0	
	Trichloromonofluoromethane	Trichloromonofluoromethane	75-69-4	0.020	30	
	Xylenes-mixed isomers (sum of o-, m-, and p-xylene concentrations)	Xylenes-mixed isomers (sum of o-, m-, and p-xylene concentrations)	1330-20-7	0.32	30	
F003 and/or F005 solvent wastes that contain any combination of one or more of the following three solvents as the only listed F001-5 solvents: carbon disulfide, cyclohexanone, and/or methanol. (formerly 268-41(c))		Carbon disulfide	75-15-0	3.8	4.8 mg/l TCLP	
F005 solvent waste containing 2-Nitropropane as the only listed F001-5 solvent.		Cyclohexanone	108-94-1	0.36	0.75 mg/l TCLP	
F005 solvent waste containing 2-Ethoxyethanol as the only listed F001-5 solvent.		Methanol	67-56-1	5.6	0.75 mg/l TCLP	
		2-Nitropropane	79-46-9	(VETOX or CHOXD) fb CARBN, or CMBST	CMBST	
		2-Ethoxyethanol	110-80-5	BIODG; or CMBST	CMBST	

TREATMENT STANDARDS FOR HAZARDOUS WASTES

NOTE: NA means not applicable

TREATMENT STANDARDS FOR HAZARDOUS WASTES		NOTE: NA means not applicable				
WASTE CODE	WASTE DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS		NONWASTEWATERS
		Common Name	CAS ² Number	Concentration in mg/l ³ , or Technology Code ⁴		
F006	Wastewater treatment sludges from electroplating operations except from the following processes: (1) Sulfuric acid anodizing of aluminum; (2) tin plating on carbon steel; (3) zinc plating (segregated basis) on carbon steel; (4) aluminum or zinc-aluminum plating on carbon steel; (5) cleaning/stripping associated with tin, zinc and aluminum plating on carbon steel; and (6) chemical etching and milling of aluminum.	Cadmium	7440-43-9	0.69	0.19 mg/l TCLP	Concentration in mg/kg ⁵ unless noted as "mg/l TCLP", or Technology Code ⁴
		Chromium (Total)	7440-47-3	2.77	0.86 mg/l TCLP	
		Cyanides (Total) ⁷	57-12-5	1.2	590	
		Cyanides (Amenable) ⁷	57-12-5	0.86	30	
		Lead	7439-92-1	0.69	0.37 mg/l TCLP	
		Nickel	7440-02-0	3.98	5.0 mg/l TCLP	
		Silver	7440-22-4	NA	0.30 mg/l TCLP	
F007	Spent cyanide plating bath solutions from electroplating operations.	Cadmium	7440-43-9	NA	0.19 mg/l TCLP	
		Chromium (Total)	7440-47-3	2.77	0.86 mg/l TCLP	
		Cyanides (Total) ⁷	57-12-5	1.2	590	
		Cyanides (Amenable) ⁷	57-12-5	0.86	30	
		Lead	7439-92-1	0.69	0.37 mg/l TCLP	
		Nickel	7440-02-0	3.98	5.0 mg/l TCLP	
		Silver	7440-22-4	NA	0.30 mg/l TCLP	
F008	Plating bath residues from the bottom of plating baths from electroplating operations where cyanides are used in the process.	Cadmium	7440-43-9	NA	0.19 mg/l TCLP	
		Chromium (Total)	7440-47-3	2.77	0.86 mg/l TCLP	
		Cyanides (Total) ⁷	57-12-5	1.2	590	
		Cyanides (Amenable) ⁷	57-12-5	0.86	30	
		Lead	7439-92-1	0.69	0.37 mg/l TCLP	
		Nickel	7440-02-0	3.98	5.0 mg/l TCLP	
		Silver	7440-22-4	NA	0.30 mg/l TCLP	

TREATMENT STANDARDS FOR HAZARDOUS WASTES		NOTE: NA means not applicable			
WASTE CODE	WASTE DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	REGULATED HAZARDOUS CONSTITUENT	CAS ² NUMBER	CONCENTRATION IN MG/L ³ ; OR TECHNOLOGY CODE ⁴	NONWASTEWATERS
F009	Spent stripping and cleaning bath solutions from electroplating operations where cyanides are used in the process.	Cadmium Chromium (Total) Cyanides (Total) ⁷ Cyanides (Amenable) ⁷ Lead Nickel Silver	7440-43-9 7440-47-3 57-12-5 57-12-5 7439-92-1 7440-02-0 7440-22-4	NA 2.77 1.2 0.86 0.69 3.98 NA	0.19 mg/l TCLP 0.86 mg/l TCLP 590 30 0.37 mg/l TCLP 5.0 mg/l TCLP 0.30 mg/l TCLP
F010	Quenching bath residues from oil baths from metal heat treating operations where cyanides are used in the process.	Cyanides (Total) ⁷ Cyanides (Amenable) ⁷ Cadmium Chromium (Total) Cyanides (Total) ⁷ Cyanides (Amenable) ⁷ Lead	57-12-5 57-12-5 7440-43-9 7440-47-3 57-12-5 57-12-5 7439-92-1	1.2 0.86 NA 2.77 1.2 0.86 0.69	590 NA 0.19 mg/l TCLP 0.86 mg/l TCLP 590 30 0.37 mg/l TCLP
F011	Spent cyanide solutions from salt bath pot cleaning from metal heat treating operations.	Cadmium Chromium (Total) Cyanides (Total) ⁷ Cyanides (Amenable) ⁷ Lead	7440-43-9 7440-47-3 57-12-5 57-12-5 7439-92-1	NA 2.77 1.2 0.86 0.69	5.0 mg/l TCLP 0.30 mg/l TCLP 590 30 0.37 mg/l TCLP
F012	Quenching wastewater treatment sludges from metal heat treating operations where cyanides are used in the process.	Cadmium Chromium (Total) Cyanides (Total) ⁷ Cyanides (Amenable) ⁷ Lead	7440-43-9 7440-47-3 57-12-5 57-12-5 7439-92-1	NA 2.77 1.2 0.86 0.69	0.19 mg/l TCLP 0.86 mg/l TCLP 590 30 0.37 mg/l TCLP

TREATMENT STANDARDS FOR HAZARDOUS WASTES				NOTE: NA means not applicable
WASTE CODE	WASTE DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	REGULATED HAZARDOUS CONSTITUENT	WASTEWATERS	NONWASTEWATERS
	Common Name	CAS ² Number	Concentration in mg/l ³ , or Technology Code ⁴	Concentration in mg/kg ⁵ unless noted as "mg/l TCLP", or Technology Code ⁴
	Nickel	7440-02-0	3.98	5.0 mg/l TCLP
	Silver	7440-22-4	NA	0.30 mg/l TCLP
F019	Wastewater treatment sludges from the chemical conversion coating of aluminum except from zirconium phosphating in aluminum can washing when such phosphating is an exclusive conversion coating process.	Chromium (Total)	7440-47-3	2.77
	Cyanides (Total) ⁷		57-12-5	1.2
	Cyanides (Amenable) ⁷		57-12-5	0.86
F020, F021, F022, F023, F026	Wastes (except wastewater and spent carbon from hydrogen chloride purification) from the production or manufacturing use (as a reactant, chemical intermediate, or component in a formulating process) of: (1) tri- or tetrachlorophenol, or of intermediates used to produce their pesticide derivatives, excluding wastes from the production of Hexachlorophene from highly purified 2,4,5-trichlorophenol (F020); (2) pentachlorophenol, or of intermediates used to produce its derivatives (i.e., F021); (3) tetra-, penta-, or hexachlorobenzenes under alkaline conditions (i.e., F022); and from the production of materials on equipment previously used for the production or manufacturing use (as a reactant, chemical intermediate, or component in a formulating process) of: (1) tri- or tetrachlorophenols, excluding wastes from equipment used only for the production of Hexachlorophene from highly purified 2,4,5-trichlorophenol (F023); (2) tetra-, penta-, or hexachlorobenzenes under alkaline conditions (i.e., F026).	HxCDDs (All Hexachlorodibenzo-p-dioxins)	NA	0.000063
		HxCDFs (All Hexachlorodibenzofurans)	NA	0.000063
		PeCDDs (All Pentachlorodibenzo-p-dioxins)	NA	0.000063
		PeCDFs (All Pentachlorodibenzofurans)	NA	0.000035
		Pentachlorophenol	87-86-5	0.089
		TCDDs (All Tetrachlorodibenzo-p-dioxins)	NA	0.000063
		TCDFs (All Tetrachlorodibenzofurans)	NA	0.000063
		2,4,5-Trichlorophenol	95-95-4	0.18
		2,4,6-Trichlorophenol	88-06-2	0.035
		2,3,4,6-Tetrachlorophenol	58-90-2	0.030

TREATMENT STANDARDS FOR HAZARDOUS WASTES		NOTE: NA means not applicable			
WASTE CODE	WASTE DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	REGULATED HAZARDOUS CONSTITUENT	CAS ² NUMBER	CONCENTRATION IN mg/l ³ ; OR TECHNOLOGY CODE ⁴	NONWASTEWATERS
F024	Process wastes, including but not limited to, distillation residues, heavy ends, tars, and reactor clean-out wastes, from the production of certain chlorinated aliphatic hydrocarbons by free radical catalyzed processes. These chlorinated aliphatic hydrocarbons are those having carbon chain lengths ranging from one to and including five, with varying amounts and positions of chlorine substitution. (This listing does not include wastewaters, wastewater treatment sludges, spent catalysts, and wastes listed in §261.31 or §261.32.)	All F024 wastes	NA	CMBST	CMBST
		2-Chloro-1,3-butadiene	126-99-8	0.057	0.28
		3-Chloropropylene	107-05-1	0.036	30
		1,1-Dichloroethane	75-34-3	0.059	6.0
		1,2-Dichloroethane	107-06-2	0.21	6.0
		1,2-Dichloropropane	78-87-5	0.85	18
		cis-1,3-Dichloropropylene	10061-01-5	0.036	18
		trans-1,3-Dichloropropylene	10061-02-6	0.036	18
		bis(2-Ethylhexyl) phthalate	117-81-7	0.28	28
		Hexachloroethane	67-72-1	0.055	30
		Chromium (Total)	7440-47-3	2.77	0.86 mg/l TCLP
		Nickel	7440-02-0	3.98	5.0 mg/l TCLP
F025	Condensed light ends from the production of certain chlorinated aliphatic hydrocarbons, by free radical catalyzed processes. These chlorinated aliphatic hydrocarbons are those having carbon chain lengths ranging from one to and including five, with varying amounts and positions of chlorine substitution. F025 - Light Ends Subcategory	Carbon tetrachloride	56-23-5	0.057	6.0
		Chloroform	67-66-3	0.046	6.0
		1,2-Dichloroethane	107-06-2	0.21	6.0
		1,1-Dichloroethylene	75-35-4	0.025	6.0
		Methylene chloride	75-9-2	0.089	30
		1,1,2-Trichloroethane	79-00-5	0.054	6.0
		Trichloroethylene	79-01-6	0.054	6.0
		Vinyl chloride	75-01-4	0.27	6.0

WASTE CODE	TREATMENT DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS		NOTE: NA means not applicable NONWASTEWATERS
		Common Name	CAS ² Number	Concentration in mg/l ³ , or Technology Code ⁴	Concentration in mg/kg ⁵ , unless noted as "mg/l TCLP", or Technology Code ⁴	
	Spent filters and filter aids, and spent desiccant wastes from the production of certain chlorinated aliphatic hydrocarbons, by free radical catalyzed processes. These chlorinated aliphatic hydrocarbons are those having carbon chain lengths ranging from one to and including five, with varying amounts and positions of chlorine substitution. F025 - Spent Filters/Aids and Desiccants Subcategory	Carbon tetrachloride Chloroform Hexachlorobenzene Hexachlorobutadiene Hexachloroethane Methylene chloride 1,1,2-Trichloroethane Trichloroethylene Vinyl chloride	56-23-5 67-66-3 118-74-1 87-68-3 67-72-1 75-9-2 79-00-5 79-01-6 75-01-4	0.057 0.046 0.055 0.055 0.055 0.089 0.054 0.054 0.27	6.0 6.0 10 5.6 30 30 6.0 6.0	
F027	Discarded unused formulations containing tri-, tetra-, or pentachlorophenol or discarded unused formulations containing compounds derived from these chlorophenols. (This listing does not include formulations containing hexachlorophene synthesized from prepurified 2,4,5-trichlorophenol as the sole component.)	HxCDDs (All Hexachlorodibenz-p-dioxins) HxCDFs (All Hexachlorodibenzofurans) PeCDDs (All Pentachlorodibenz-p-dioxins) PeCDFs (All Pentachlorodibenzofurans) Pentachlorophenol TCDDs (All Tetrachlorodibenz-p-dioxins) TCDFs (All Tetrachlorodibenzofurans)	NA NA NA NA NA NA NA	0.000063 0.000063 0.000063 0.000035 0.089 0.000063 0.000063	0.001 0.001 0.001 0.001 7.4 0.001 0.001	

TREATMENT STANDARDS FOR HAZARDOUS WASTES		NOTE: NA means not applicable	
WASTE CODE	REGULATED HAZARDOUS CONSTITUENT	WASTEWATERS	NONWASTEWATERS
	WASTE DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	CAS ² Number	Concentration in mg/kg ⁵ unless noted as "mg/l TCLP" ⁶ , or Technology Code ⁴
	2,4,5-Trichlorophenol	95-95-4	0.18
	2,4,6-Trichlorophenol	88-06-2	0.035
	2,3,4,6-Tetrachlorophenol	58-90-2	0.030
F028	Residues resulting from the incineration or thermal treatment of soil contaminated with EPA Hazardous Wastes Nos. F020, F021, F023, F026, and F027.	HxCDDs (All Hexachlorodibenzop-dioxins)	NA 0.0000063 0.001
	HxCDFs (All Hexachlorodibenzofurans)	NA 0.0000063	0.001
	PeCDDs (All Pentachlorodibenzop-dioxins)	NA 0.0000063	0.001
	PeCDFs (All Pentachlorodibenzofurans)	NA 0.0000035	0.001
	Pentachlorophenol	87-86-5	0.089
	TCDDs (All Tetrachlorodibenzop-dioxins)	NA 0.0000063	0.001
	TCDFs (All Tetrachlorodibenzofurans)	NA 0.0000063	0.001
	2,4,5-Trichlorophenol	95-95-4	0.18
	2,4,6-Trichlorophenol	88-06-2	0.035
	2,3,4,6-Tetrachlorophenol	58-90-2	0.030
			7.4

TREATMENT STANDARDS FOR HAZARDOUS WASTES		NOTE: NA means not applicable			
WASTE CODE	WASTE DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS	NONWASTEWATERS
		Common Name	CAS ² Number	Concentration in mg/l ³ ; or Technology Code ⁴	Concentration in mg/kg ⁵ unless noted as "mg/TCLP"; or Technology Code ⁴
F037	Petroleum refinery primary oil/water/solids separation sludge-Any sludge generated from the gravitational separation of oil/water/solids during the storage or treatment of process wastewater and oily cooling wastewaters from petroleum refineries. Such sludges include, but are not limited to, those generated in: oil/water/solids separators; tanks and impoundments; ditches and other conveyances; sumps; and stormwater units receiving dry weather flow. Sludge generated in stormwater units that do not receive dry weather flow, sludges generated from non-contact once-through cooling waters segregated for treatment from other process or oily cooling waters, sludges generated in aggressive biological treatment units as defined in §261.31(b)(2) (including sludges generated in one or more additional units after wastewaters have been treated in aggressive biological treatment units) and K051 wastes are not included in this listing.	Acenaphthene	83-32-9	0.059	NA
		Anthracene	120-12-7	0.059	3.4
		Benzene	71-43-2	0.14	10
		Benz(a)anthracene	56-55-3	0.059	3.4
		Benzo(a)pyrene	50-32-8	0.061	3.4
		bis(2-Ethylhexyl) phthalate	117-81-7	0.28	28
		Chrysene	218-01-9	0.059	3.4
		Di-n-butyl phthalate	84-74-2	0.057	28
		Ethylbenzene	100-41-4	0.057	10
		Fluorene	86-73-7	0.059	NA
		Naphthalene	91-20-3	0.059	5.6
		Phenanthrene	85-01-8	0.059	5.6
		Phenol	108-95-2	0.039	6.2
		Pyrene	129-00-0	0.067	8.2
		Toluene	108-88-3	0.080	10
		Xylenes-mixed isomers (sum of o-, m-, and p-xylene concentrations)	1330-20-7	0.32	30
		Chromium (Total)	7440-47-3	2.77	0.86 mg/l TCLP
		Cyanides (Total) ⁷	57-12-5	1.2	590
		Lead	7439-92-1	0.69	NA
		Nickel	7440-02-0	NA	5.0 mg/l TCLP

TREATMENT STANDARDS FOR HAZARDOUS WASTES		NOTE: NA means not applicable			
WASTE CODE	WASTE DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	REGULATED HAZARDOUS CONSTITUENT	CAS ² NUMBER	Concentration in mg/l ³ ; or Technology Code ⁴	NONWASTEWATERS
F038	Petroleum refinery secondary (emulsified) oil/water/solids separation sludge and/or float generated from the physical and/or chemical separation of oil/water/solids in process wastewaters and oily cooling wastewaters from petroleum refineries. Such wastes include, but are not limited to, all sludges and floats generated in: induced air floatation (IAF) units, tanks and impoundments, and all sludges generated in DAF units. Sludges generated in stormwater units that do not receive dry weather flow, sludges generated from non-contact once-through cooling waters segregated for treatment from other process or oily cooling waters, sludges and floats generated in aggressive biological treatment units as defined in §261.31(b)(2) (including sludges and floats generated in one or more additional units after wastewaters have been treated in aggressive biological units) and F037, K048, and K051 are not included in this listing.	Benzene	71-43-2	0.14	10
		Benzo(a)pyrene	50-32-8	0.061	3.4
		bis(2-Ethylhexyl) phthalate	117-81-7	0.28	28
		Chrysene	218-01-9	0.059	3.4
		Di-n-butyl phthalate	84-74-2	0.057	28
		Ethylbenzene	100-41-4	0.057	10
		Fluorene	86-73-7	0.059	NA
		Naphthalene	91-20-3	0.059	5.6
		Phenanthrene	85-01-8	0.059	5.6
		Phenol	108-95-2	0.039	6.2
		Pyrene	129-00-0	0.067	8.2
		Toluene	108-88-3	0.080	10
		Xylenes-mixed isomers (sum of o-, m-, and p-xylene concentrations)	1330-20-7	0.32	30
		Chromium (Total)	7440-47-3	2.77	0.86 mg/l TCLP
		Cyanides (Total) ⁷	57-12-5	1.2	590
		Lead	7439-92-1	0.69	NA
		Nickel	7440-02-0	NA	5.0 mg/l TCLP

TREATMENT STANDARDS FOR HAZARDOUS WASTES		NOTE: NA means not applicable				
WASTE CODE	WASTE DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS		NONWASTEWATERS
		Common Name	CAS ² Number	Concentration in mg/l ³ ; or Technology Code ⁴	Concentration in mg/kg ⁵ unless noted as "mg/l TCLP"; or Technology Code ⁴	
F039	Leachate (liquids that have percolated through land disposed wastes) resulting from the disposal of more than one restricted waste classified as hazardous under subpart D of this part. (Leachate resulting from the disposal of one or more of the following EPA Hazardous Wastes and no other Hazardous Wastes retains its EPA Hazardous Waste Number(s): F020, F021, F022, F026, F027, and/or F028.)	Acenaphthylene	208-96-8	0.059	3.4	
		Acenaphthene	83-32-9	0.059	3.4	
		Acetone	67-64-1	0.28	160	
		Acetonitrile	75-05-8	5.6	NA	
		Acetophenone	96-86-2	0.010	9.7	
		2-Acetylaminofluorene	53-96-3	0.059	140	
		Acrolein	107-02-8	0.29	NA	
		Acrylonitrile	107-13-1	0.24	84	
		Aldrin	309-00-2	0.021	0.066	
		4-Aminobiphenyl	92-67-1	0.13	NA	
		Aniline	62-53-3	0.81	14	
		Anthracene	120-12-7	0.059	3.4	
		Aramite	140-57-8	0.36	NA	
		alpha-BHC	319-84-6	0.00014	0.066	
		beta-BHC	319-85-7	0.00014	0.066	
		delta-BHC	319-86-8	0.023	0.066	
		gamma-BHC	58-89-9	0.0017	0.066	
		Benzene	71-43-2	0.14	10	
		Benz(a)anthracene	56-55-3	0.059	3.4	
		Benzo(b)fluoranthene (difficult to distinguish from benzo(k)fluoranthene)	205-99-2	0.11	6.8	

WASTE CODE	TREATMENT DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	TREATMENT STANDARDS FOR HAZARDOUS WASTES			NOTE: NA means not applicable
		REGULATED HAZARDOUS CONSTITUENT	CAS ² Number	Concentration in mg/l ³ ; or Technology Code ⁴	
		Benzo(k)fluoranthene (difficult to distinguish from benzo(b)fluoranthene)	207-08-9	0.11	6.8
		Benzo(g,h,i)perylene	191-24-2	0.0055	1.8
		Benzo(a)pyrene	50-32-8	0.061	3.4
		Bromodichloromethane	75-27-4	0.35	15
		Methyl bromide (Bromomethane)	74-83-9	0.11	15
		4-Bromophenyl phenyl ether	101-55-3	0.055	15
		n-Butyl alcohol	71-36-3	5.6	2.6
		Butyl benzyl phthalate	85-68-7	0.017	28
		2-sec-Butyl-4,6-dinitrophenol (Dinoseb)	88-85-7	0.066	2.5
		Carbon disulfide	75-15-0	3.8	NA
		Carbon tetrachloride	56-23-5	0.057	6.0
		Chlordane (alpha and gamma isomers)	57-74-9	0.0033	0.26
		p-Chloroaniline	106-47-8	0.46	16
		Chlorobenzene	108-90-7	0.057	6.0
		Chlorobenzilate	510-15-6	0.10	NA
		2-Chloro-1,3-butadiene	126-99-8	0.057	NA
		Chlorodibromomethane	124-48-1	0.057	15
		Chloroethane	75-00-3	0.27	6.0
		bis(2-Chloroethoxy)methane	111-91-1	0.036	7.2

TREATMENT STANDARDS FOR HAZARDOUS WASTES		NOTE: NA means not applicable		
WASTE CODE	WASTE DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	REGULATED HAZARDOUS CONSTITUENT	WASTEWATERS	NONWASTEWATERS
		CAS ² Number	Concentration in mg/l ³ , or Technology Code ⁴	Concentration in mg/kg ⁵ unless noted as "mg/l TCLP", or Technology Code ⁴
	bis(2-Chloroethyl)ether	111-44-4	0.033	6.0
	Chloroform	67-66-3	0.046	6.0
	bis(2-Chloroisopropyl)ether	39638-32-9	0.055	7.2
	p-Chloro-m-cresol	59-50-7	0.018	14
	Chloromethane (Methyl chloride)	74-87-3	0.19	30
	2-Chloronaphthalene	91-58-7	0.055	5.6
	2-Chlorophenol	95-57-8	0.044	5.7
	3-Chloropropylene	107-05-1	0.036	30
	Chrysene	218-01-9	0.059	3.4
	o-Cresol	95-48-7	0.11	5.6
	m-Cresol (difficult to distinguish from p-cresol)	108-39-4	0.77	5.6
	p-Cresol (difficult to distinguish from m-cresol)	106-44-5	0.77	5.6
	Cyclohexanone	108-94-1	0.36	NA
	1,2-Dibromo-3-chloropropane	96-12-8	0.11	15
	Ethylene dibromide (1,2-Dibromoethane)	106-93-4	0.028	15
	Dibromomethane	74-95-3	0.11	15
	2,4-D (2,4-Dichlorophenoxyacetic acid)	94-75-7	0.72	10

WASTE CODE	TREATMENT DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	TREATMENT STANDARDS FOR HAZARDOUS WASTES		NOTE: NA means not applicable
		REGULATED HAZARDOUS CONSTITUENT	CAS ² Number	
			Concentration in mg/l ³ , or Technology Code ⁴	Concentration in mg/kg ⁵ unless noted as "mg/l TCLP"; or Technology Code ⁴
o,p'-DDD		53-19-0	0.023	0.087
p,p'-DDD		72-54-8	0.023	0.087
o,p'-DDE		3424-82-6	0.031	0.087
p,p'-DDE		72-55-9	0.031	0.087
o,p'-DDT		789-02-6	0.0039	0.087
p,p'-DDT		50-29-3	0.0039	0.087
Dibenz(a,h)anthracene		53-70-3	0.055	8.2
Dibenz(a,e)pyrene		192-65-4	0.061	NA
m-Dichlorobenzene		541-73-1	0.036	6.0
o-Dichlorobenzene		95-50-1	0.088	6.0
p-Dichlorobenzene		106-46-7	0.090	6.0
Dichlorodifluoromethane		75-71-8	0.23	7.2
1,1-Dichloroethane		75-34-3	0.059	6.0
1,2-Dichloroethane		107-06-2	0.21	6.0
1,1-Dichloroethylene		75-35-4	0.025	6.0
trans-1,2-Dichloroethylene		156-60-5	0.054	30
2,4-Dichlorophenol		120-83-2	0.044	14
2,6-Dichlorophenol		87-65-0	0.044	14
1,2-Dichloropropane		78-87-5	0.85	18
cis-1,3-Dichloropropylene		10061-01-5	0.036	18

WASTE CODE	TREATMENT DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	TREATMENT STANDARDS FOR HAZARDOUS WASTES		NOTE: NA means not applicable
		REGULATED HAZARDOUS CONSTITUENT	NONHAZARDOUS CONSTITUENT	
CAS ² Number	Concentration in mg/l ³ ; or Technology Code ⁴	Concentration in mg/kg ⁵ unless noted as "mg/l TCLP"; or Technology Code ⁴	Concentration in mg/l ³ ; or Technology Code ⁴	Concentration in mg/l ³ ; or Technology Code ⁴
trans-1,3-Dichloropropylene	10061-02-6	0.036		18
Dieldrin	60-57-1	0.017		0.13
Diethyl phthalate	84-66-2	0.20		28
2-4-Dimethyl phenol	105-67-9	0.036		14
Dimethyl phthalate	131-11-3	0.047		28
Di-n-butyl phthalate	84-74-2	0.057		28
1,4-Dinitrobenzene	100-25-4	0.32		2.3
4,6-Dinitro-o-cresol	534-52-1	0.28		160
2,4-Dinitrophenol	51-28-5	0.12		160
2,4-Dinitrotoluene	121-14-2	0.32		140
2,6-Dinitrotoluene	606-20-2	0.55		28
Di-n-octyl phthalate	117-84-0	0.017		28
Di-n-propylnitrosamine	621-64-7	0.40		14
1,4-Dioxane	123-91-1	12.0		170
Diphenylamine (difficult to distinguish from diphenylnitrosamine)	122-39-4	0.92		NA
Diphenylnitrosamine (difficult to distinguish from diphenylamine)	86-30-6	0.92		NA
1,2-Diphenylhydrazine	122-66-7	0.087		NA
Disulfoton	298-04-4	0.017		6.2
Endosulfan I	939-98-8	0.023		0.066

WASTE CODE	TREATMENT DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS		NONWASTEWATERS Concentration in mg/kg ⁵ unless noted as "mg/l TCLP"; or Technology Code ⁴
		Common Name	CAS ² Number	Concentration in mg/l ³ ; or Technology Code ⁴	Concentration in mg/l ³ ; or Technology Code ⁴	
		Endosulfan II	33213-6-5	0.029		0.13
		Endosulfan sulfate	1031-07-8	0.029		0.13
		Endrin	72-20-8	0.0028		0.13
		Endrin aldehyde	7421-93-4	0.025		0.13
		Ethyl acetate	141-78-6	0.34	33	
		Ethyl cyanide (Propanenitrile)	107-12-0	0.24	360	
		Ethyl benzene	100-41-4	0.057	10	
		Ethyl ether	60-29-7	0.12	160	
		bis(2-Ethylhexyl) phthalate	117-81-7	0.28	28	
		Ethyl methacrylate	97-63-2	0.14	160	
		Ethylene oxide	75-21-8	0.12	NA	
		Farnphur	52-85-7	0.017	15	
		Fluoranthene	206-44-0	0.068	3.4	
		Fluorene	86-73-7	0.059	3.4	
		Heptachlor	76-44-8	0.0012	0.066	
		Heptachlor epoxide	1024-57-3	0.016	0.066	
		Hexachlorobenzene	118-74-1	0.055	10	
		Hexachlorobutadiene	87-68-3	0.055	5.6	
		Hexachlorocyclopentadiene	77-47-4	0.057	2.4	
	HxCDDs (All Hexachlorodibenz-p- dioxins)	NA	0.0000063	0.001		

TREATMENT STANDARDS FOR HAZARDOUS WASTES NOTE: NA means not applicable

WASTE CODE	TREATMENT DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS		NONWASTEWATERS
		Common Name	CAS ² Number	Concentration in mg/l ³ ; or Technology Code ⁴	Concentration in mg/kg ⁵ unless noted as "mg/TCLP"; or Technology Code ⁴	
	HxCDFs (All Hexachlorodibenzofurans)	NA	0.000063		0.001	
	Hexachloroethane	67-72-1	0.055		30	
	Hexachloropropylene	1888-71-7	0.035		30	
	Indeno (1,2,3-c,d) pyrene	193-39-5	0.0055		3.4	
	Iodomethane	74-88-4	0.19		65	
	Isobutyl alcohol	78-83-1	5.6		170	
	Isodrin	465-73-6	0.021		0.066	
	Isosafrole	120-58-1	0.081		2.6	
	Kepone	143-50-8	0.0011		0.13	
	Methacrylonitrile	126-98-7	0.24		84	
	Methanol	67-56-1	5.6		NA	
	Methapyriline	91-80-5	0.081		1.5	
	Methoxychlor	72-43-5	0.25		0.18	
	3-Methylcholanthrene	56-49-5	0.0055		15	
	4,4-Methylene bis(2-chloroaniline)	101-14-4	0.50		30	
	Methylene chloride	75-09-2	0.089		30	
	Methyl ethyl ketone	78-93-3	0.28		36	
	Methyl isobutyl ketone	108-10-1	0.14		33	
	Methyl methacrylate	80-62-6	0.14		160	
	Methyl methansulfonate	66-27-3	0.018		NA	

TREATMENT STANDARDS FOR HAZARDOUS WASTES NOTE: NA means not applicable

WASTE CODE	TREATMENT DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	TREATMENT STANDARDS FOR HAZARDOUS WASTES			NOTE: NA means not applicable
		REGULATED HAZARDOUS CONSTITUENT	CAS ² Number	Concentration in mg/l ³ ; or Technology Code ⁴	
		Methyl parathion	298-00-0	0.014	4.6
		Naphthalene	91-20-3	0.059	5.6
		2-Naphthylamine	91-59-8	0.52	NA
		p-Nitroaniline	100-01-6	0.028	28
		Nitrobenzene	98-95-3	0.068	14
		5-Nitro-o-toluidine	99-55-8	0.32	28
		p-Nitrophenol	100-02-7	0.12	29
		N-Nitrosodiethylamine	55-18-5	0.40	28
		N-Nitrosodimethylamine	62-75-9	0.40	NA
		N-Nitroso-di-n-butylamine	924-16-3	0.40	17
		N-Nitrosomethylbutylamine	10595-95-6	0.40	2.3
		N-Nitrosomorpholine	59-89-2	0.40	2.3
		N-Nitrosopiperidine	100-75-4	0.013	35
		N-Nitrosopyrrolidine	930-55-2	0.013	35
		Parathion	56-38-2	0.014	4.6
		Total PCBs (sum of all PCB isomers, or all Aroclors)	1336-36-3	0.10	10
		Pentachlorobenzene	608-93-5	0.055	10
	PeCDDs (All Pentachlorodibenz-p-dioxins)	NA	0.0000063	0.001	

TREATMENT STANDARDS FOR HAZARDOUS WASTES		NOTE: NA means not applicable			
WASTE CODE	WASTE DESCRIPTION AND TREATMENT REGULATORY SUBCATEGORY ¹	REGULATED HAZARDOUS CONSTITUENT	CAS ² NUMBER	Concentration in mg/l ³ , or Technology Code ⁴	NONWASTEWATERS
	PecDFs (All Pentachlorodibenzofurans)	NA	0.000035	0.001	Concentration in mg/kg ⁵ unless noted as "mg/l TCLP", or Technology Code ⁴
	Pentachloronitrobenzene	82-68-8	0.055	4.8	
	Pentachlorophenol	87-86-5	0.089	7.4	
	Phenacetin	62-44-2	0.081	16	
	Phenanthrene	85-01-8	0.059	5.6	
	Phenol	108-95-2	0.039	6.2	
	Phorate	298-02-2	0.021	4.6	
	Phthalic anhydride	85-44-9	0.055	NA	
	Pronamide	23950-58-5	0.093	1.5	
	Pyrene	129-00-0	0.067	8.2	
	Pyridine	110-86-1	0.014	16	
	Safrole	94-59-7	0.081	22	
	Silvex (2,4,5-TP)	93-72-1	0.72	7.9	
	2,4,5-T	93-76-5	0.72	7.9	
	1,2,4,5-Tetrachlorobenzene	95-94-3	0.055	14	
	TCDDs (All Tetrachlorodibenzo-p-dioxins)	NA	0.0000063	0.001	
	TCDFs (All Tetrachlorodibenzofurans)	NA	0.0000063	0.001	
	1,1,1,2-Tetrachloroethane	630-20-6	0.057	6.0	
	1,1,2,2-Tetrachloroethane	79-34-6	0.057	6.0	

WASTE CODE	TREATMENT DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	TREATMENT STANDARDS FOR HAZARDOUS WASTES		NOTE: NA means not applicable
		REGULATED HAZARDOUS CONSTITUENT	WASTEWATERS	
CAS ² Number	Concentration in mg/l ³ ; or Technology Code ⁴	Concentration in mg/kg ⁵ unless noted as "mg/l TCLP"; or Technology Code ⁴	NONWASTEWATERS	
Tetrachloroethylene	127-18-4	0.056	6.0	
2,3,4,6-Tetrachlorophenol	58-90-2	0.030	7.4	
Toluene	108-88-3	0.080	10	
Toxaphene	8001-35-2	0.0095	2.6	
Bromoform (Tribromomethane)	75-25-2	0.63	15	
1,2,4-Trichlorobenzene	120-82-1	0.055	19	
1,1,1-Trichloroethane	71-55-6	0.054	6.0	
1,1,2-Trichloroethane	79-00-5	0.054	6.0	
Trichloroethylene	79-01-6	0.054	6.0	
Trichloromonofluoromethane	75-69-4	0.020	30	
2,4,5-Trichlorophenol	95-95-4	0.18	7.4	
2,4,6-Trichlorophenol	88-06-2	0.035	7.4	
1,2,3-Trichloropropane	96-18-4	0.85	30	
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	0.057	30	
tris(2,3-Dibromopropyl) phosphate	126-72-7	0.11	NA	
Vinyl chloride	75-01-4	0.27	6.0	
Xylenes-mixed isomers (sum of o-, m-, and p-xylene concentrations)	1330-20-7	0.32	30	
Antimony	7440-36-0	1.9	2.1 mg/l TCLP	
Arsenic	7440-38-2	1.4	5.0 mg/l TCLP	

WASTE CODE	TREATMENT STANDARDS FOR HAZARDOUS WASTES WASTE DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS		NONWASTEWATERS Concentration in mg/kg ⁵ unless noted as "mg/l TCLP", or Technology Code ⁴
		Common Name	CAS ² Number	Concentration in mg/l ³ ; or Technology Code ⁴	Concentration in mg/l TCLP	
		Barium	7440-39-3	1.2	7.6 mg/l TCLP	
		Beryllium	7440-41-7	0.82	NA	
		Cadmium	7440-43-9	0.69	0.19 mg/l TCLP	
		Chromium (Total)	7440-47-3	2.77	0.86 mg/l TCLP	
		Cyanides (Total) ⁷	57-12-5	1.2	590	
		Cyanides (Amenable) ⁷	57-12-5	0.86	NA	
		Fluoride	16964-48-8	35	NA	
		Lead	7439-92-1	0.69	0.37 mg/l TCLP	
		Mercury	7439-97-6	0.15	0.025 mg/l TCLP	
		Nickel	7440-02-0	3.98	5.0 mg/l TCLP	
		Selenium	7782-49-2	0.82	0.16 mg/l TCLP	
		Silver	7440-22-4	0.43	0.30 mg/l TCLP	
		Sulfide	8496-25-8	14	NA	
		Thallium	7440-28-0	1.4	NA	
		Vanadium	7440-62-2	4.3	NA	
		Naphthalene	91-20-3	0.059	5.6	
K001	Bottom sediment sludge from the treatment of wastewaters from wood preserving processes that use creosote and/or pentachlorophenol.	Pentachlorophenol	87-86-5	0.089	7.4	
		Phenanthrene	85-01-8	0.059	5.6	
		Pyrene	129-00-0	0.067	8.2	
		Toluene	108-88-3	0.080	10	

WASTE CODE	TREATMENT DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	TREATMENT STANDARDS FOR HAZARDOUS WASTES		NOTE: NA means not applicable
		REGULATED HAZARDOUS CONSTITUENT	WASTEWATERS	
	Common Name	CAS ² Number	Concentration in mg/l ³ ; or Technology Code ⁴	NONWASTEWATERS
	Xylenes-mixed isomers (sum of o-, m-, and p-xylene concentrations)	1330-20-7	0.32	Concentration in mg/kg ⁵ unless noted as "mg/l TCLP"; or Technology Code ⁴
	Lead	7439-92-1	0.69	30
K002	Wastewater treatment sludge from the production of chrome yellow and orange pigments.	Chromium (Total)	2.77	0.37 mg/l TCLP
	Lead	7439-92-1	0.69	0.86 mg/l TCLP
K003	Wastewater treatment sludge from the production of molybdate orange pigments.	Chromium (Total)	2.77	0.37 mg/l TCLP
	Lead	7439-92-1	0.69	0.86 mg/l TCLP
K004	Wastewater treatment sludge from the production of zinc yellow pigments.	Chromium (Total)	2.77	0.37 mg/l TCLP
	Lead	7439-92-1	0.69	0.86 mg/l TCLP
K005	Wastewater treatment sludge from the production of chrome green pigments.	Chromium (Total)	2.77	0.37 mg/l TCLP
	Lead	7439-92-1	0.69	0.86 mg/l TCLP
	Cyanides (Total) ⁷	57-12-5	1.2	590
K006	Wastewater treatment sludge from the production of chrome oxide green pigments (anhydrous).	Chromium (Total)	2.77	0.86 mg/l TCLP
	Lead	7439-92-1	0.69	0.37 mg/l TCLP
	Wastewater treatment sludge from the production of chrome oxide green pigments (hydrated).	Chromium (Total)	2.77	0.86 mg/l TCLP
	Lead	7439-92-1	0.69	NA
K007	Wastewater treatment sludge from the production of iron blue pigments.	Chromium (Total)	2.77	0.86 mg/l TCLP
	Lead	7439-92-1	0.69	0.37 mg/l TCLP
	Cyanides (Total) ⁷	57-12-5	1.2	590
K008	Oven residue from the production of chrome oxide green pigments.	Chromium (Total)	2.77	0.86 mg/l TCLP
	Lead	7439-92-1	0.69	0.37 mg/l TCLP

WASTE CODE	TREATMENT DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	TREATMENT STANDARDS FOR HAZARDOUS WASTES			NOTE: NA means not applicable
		REGULATED HAZARDOUS CONSTITUENT	CAS ² Number	Concentration in mg/l ³ , or Technology Code ⁴	
K009	Distillation bottoms from the production of acetaldehyde from ethylene.	Chloroform	67-66-3	0.046	6.0
K010	Distillation side cuts from the production of acetaldehyde from ethylene.	Chloroform	67-66-3	0.046	6.0
K011	Bottom stream from the wastewater stripper in the production of acrylonitrile.	Acetonitrile	75-05-8	5.6	38
		Acrylonitrile	107-13-1	0.24	84
		Acrylamide	79-06-1	19	23
		Benzene	71-43-2	0.14	10
		Cyanide (Total)	57-12-5	1.2	590
K013	Bottom stream from the acetonitrile column in the production of acrylonitrile.	Acetonitrile	75-05-8	5.6	38
		Acrylonitrile	107-13-1	0.24	84
		Acrylamide	79-06-1	19	23
		Benzene	71-43-2	0.14	10
		Cyanide (Total)	57-12-5	1.2	590
K014	Bottoms from the acetonitrile purification column in the production of acrylonitrile.	Acetonitrile	75-05-8	5.6	38
		Acrylonitrile	107-13-1	0.24	84
		Acrylamide	79-06-1	19	23
		Benzene	71-43-2	0.14	10
		Cyanide (Total)	57-12-5	1.2	590
K015	Still bottoms from the distillation of benzyl chloride.				
		Anthracene	120-12-7	0.059	3.4
		Benzal chloride	98-87-3	0.055	6.0

⁵ Concentration in mg/kg unless noted as "mgl TCLP"; or Technology Code⁴

⁶ Concentration in mg/l³, or Technology Code⁴

⁷ Concentration in mg/l³, or Technology Code⁴

⁸ Concentration in mg/l³, or Technology Code⁴

⁹ Concentration in mg/l³, or Technology Code⁴

¹⁰ Concentration in mg/l³, or Technology Code⁴

¹¹ Concentration in mg/l³, or Technology Code⁴

¹² Concentration in mg/l³, or Technology Code⁴

¹³ Concentration in mg/l³, or Technology Code⁴

WASTE CODE	TREATMENT DESCRIPTION AND WASTE/REGULATORY SUBCATEGORY ¹	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS		NONWASTEWATERS
		Common Name	CAS ² Number	Concentration in mg/l ³ , or Technology Code ⁴	Concentration in mg/kg ⁵ , unless noted as "mg/l TCLP", or Technology Code ⁴	
		Benzo(b)fluoranthene (difficult to distinguish from benzo(k)fluoranthene)	205-99-2	0.11		6.8
		Benzo(k)fluoranthene (difficult to distinguish from benzo(b)fluoranthene)	207-08-9	0.11		6.8
		Phenanthrene	85-01-8	0.059		5.6
		Toluene	108-88-3	0.080		10
		Chromium (Total)	7440-47-3	2.77		0.86 mg/l TCLP
		Nickel	7440-02-0	3.98		5.0 mg/l TCLP
K016	Heavy ends or distillation residues from the production of carbon tetrachloride.	Hexachlorobenzene	118-74-1	0.055		10
		Hexachlorobutadiene	87-68-3	0.055		5.6
		Hexachlorocyclopentadiene	77-47-4	0.057		2.4
		Hexachloroethane	67-72-1	0.055		30
		Tetrachloroethylene	127-18-4	0.056		6.0
K017	Heavy ends (still bottoms) from the purification column in the production of epichlorohydrin.	bis(2-Chloroethyl)ether	111-44-4	0.033		6.0
		1,2-Dichloropropane	78-87-5	0.85		18
		1,2,3-Trichloropropane	96-18-4	0.85		30
K018	Heavy ends from the fractionation column in ethyl chloride production.	Chloroethane	75-00-3	0.27		6.0
		Chloromethane	74-87-3	0.19		NA
		1,1-Dichloroethane	75-34-3	0.059		6.0
		1,2-Dichloroethane	107-06-2	0.21		6.0
		Hexachlorobenzene	118-74-1	0.055		10

TREATMENT STANDARDS FOR HAZARDOUS WASTES

NOTE: NA means not applicable

WASTE CODE	TREATMENT DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	TREATMENT STANDARDS FOR HAZARDOUS WASTES		NOTE: NA means not applicable
		REGULATED HAZARDOUS CONSTITUENT	CAS ² Number	
		Common Name	Concentration in mg/l ³ , or Technology Code ⁴	Concentration in mg/kg ⁵ unless noted as "mg/l TCLP"; or Technology Code ⁴
		Hexachlorobutadiene	87-68-3	0.055
		Hexachloroethane	67-72-1	0.055
		Pentachloroethane	76-01-7	NA
		1,1,1-Trichloroethane	71-55-6	0.054
		bis(2-Chloroethyl)ether	111-44-4	0.033
		Chlorobenzene	108-90-7	0.057
		Chloroform	67-66-3	0.046
		p-Dichlorobenzene	106-46-7	0.090
		1,2-Dichloroethane	107-06-2	0.21
		Fluorene	86-73-7	0.059
		Hexachloroethane	67-72-1	0.055
		Naphthalene	91-20-3	0.059
		Phenanthrene	85-01-8	0.059
		1,2,4,5-Tetrachlorobenzene	95-94-3	0.055
		Tetrachloroethylene	127-18-4	0.056
		1,2,4-Trichlorobenzene	120-82-1	0.055
		1,1,1-Trichloroethane	71-55-6	0.054
K019	Heavy ends from the distillation of ethylene dichloride in ethylene dichloride production.	1,2-Dichloroethane	107-06-2	0.21
K020	Heavy ends from the distillation of vinyl chloride in vinyl chloride monomer production.	1,1,2,2-Tetrachloroethane	79-34-6	0.057
K021	Aqueous spent antimony catalyst waste from fluoromethanes production.	Tetrachloroethylene	127-18-4	0.056
		Carbon tetrachloride	56-23-5	0.057

TREATMENT STANDARDS FOR HAZARDOUS WASTES		REGULATED HAZARDOUS CONSTITUENT			WASTEWATERS		NOTE: NA means not applicable
WASTE CODE	WASTE DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	Common Name	CAS ² Number	Concentration in mg/l ³ ; or Technology Code ⁴	Concentration in mg/kg ⁵ unless noted as "mg/l TCLP"; or Technology Code ⁴	NONWASTEWATERS	
K022	Distillation bottom tars from the production of phenol/acetone from cumene.	Chloroform	67-66-3	0.046	6.0		
		Antimony	7440-36-0	1.9	2.1 mg/l TCLP		
		Toluene	108-88-3	0.080	10		
		Acetophenone	96-86-2	0.010	9.7		
		Diphenylamine (difficult to distinguish from diphenylnitrosamine)	122-39-4	0.92	13		
		Diphenylnitrosamine (difficult to distinguish from diphenylamine)	86-30-6	0.92	13		
		Phenol	108-95-2	0.039	6.2		
		Chromium (Total)	7440-47-3	2.77	0.86 mg/l TCLP		
		Nickel	7440-02-0	3.98	5.0 mg/l TCLP		
		Phthalic anhydride (measured as Phthalic acid or Terephthalic acid)	100-21-0	0.055	28		
K023	Distillation light ends from the production of phthalic anhydride from naphthalene.	Phthalic anhydride (measured as Phthalic acid or Terephthalic acid)	85-44-9	0.055	28		
		Phthalic anhydride (measured as Phthalic acid or Terephthalic acid)	100-21-0	0.055	28		
		Phthalic anhydride (measured as Phthalic acid or Terephthalic acid)	85-44-9	0.055	28		
K024	Distillation bottoms from the production of phthalic anhydride from naphthalene.	NA	NA	LLEXT ^{fb} SSTRP ^{fb} CARBN; or CMBST	CMBST		
K025	Distillation bottoms from the production of nitrobenzene by the nitration of benzene.	NA	NA	NA	NA		

TREATMENT STANDARDS FOR HAZARDOUS WASTES			NOTE: NA means not applicable		
WASTE CODE	WASTE DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	REGULATED HAZARDOUS CONSTITUENT	WASTEWATERS		NONWASTEWATERS
		Common Name	CAS ² Number	Concentration in mg/l ³ ; or Technology Code ⁴	Concentration in mg/kg ⁵ unless noted as "mg/l TCLP"; or Technology Code ⁴
KC26	Stripping still tails from the production of methyl ethyl pyridines.	NA	NA	CMBST	CMBST
KC27	Centrifuge and distillation residues from toluene diisocyanate production.	NA	NA	CARBn; or CMBST	CMBST
KC28	Spent catalyst from the hydrochlorinator reactor in the production of 1,1-trichloroethane.	1,1-Dichloroethane trans-1,2-Dichloroethylene	75-34-3 156-60-5	0.059 0.054	6.0 30
		Hexachlorobutadiene	87-68-3	0.055	5.6
		Hexachloroethane	67-72-1	0.055	30
		Pentachloroethane	76-01-7	NA	6.0
		1,1,1,2-Tetrachloroethane	630-20-6	0.057	6.0
		1,1,2,2-Tetrachloroethane	79-34-6	0.057	6.0
		Tetrachloroethylene	127-18-4	0.056	6.0
		1,1,1-Trichloroethane	71-55-6	0.054	6.0
		1,1,2-Trichloroethane	79-00-5	0.054	6.0
		Cadmium	7440-43-9	0.69	NA
		Chromium (Total)	7440-47-3	2.77	0.86 mg/l TCLP
		Lead	7439-92-1	0.69	0.37 mg/l TCLP
		Nickel	7440-02-0	3.98	5.0 mg/l TCLP
KC29	Waste from the product steam stripper in the production of 1,1-trichloroethane.	Chloroform	67-66-3	0.046	6.0
		1,2-Dichloroethane	107-06-2	0.21	6.0
		1,1-Dichloroethylene	75-35-4	0.025	6.0
		1,1,1-Trichloroethane	71-55-6	0.054	6.0

WASTE CODE	TREATMENT DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	TREATMENT STANDARDS FOR HAZARDOUS WASTES		NOTE: NA means not applicable	NONWASTEWATERS
		REGULATED HAZARDOUS CONSTITUENT	CAS ² NUMBER		
K030	Column bodies or heavy ends from the combined production of trichloroethylene and perchloroethylene.	Vinyl chloride	75-01-4	0.27	6.0
		o-Dichlorobenzene	95-50-1	0.088	NA
		p-Dichlorobenzene	106-46-7	0.090	NA
		Hexachlorobutadiene	87-68-3	0.055	5.6
		Hexachloroethane	67-72-1	0.055	30
		Hexachloropropylene	1888-71-7	NA	30
		Pentachlorobenzene	608-93-5	NA	10
		Pentachloroethane	76-01-7	NA	6.0
		1,2,4,5-Tetrachlorobenzene	95-94-3	0.055	14
		Tetrachloroethylene	127-18-4	0.056	6.0
		1,2,4-Trichlorobenzene	120-82-1	0.055	19
		Arsenic	7440-38-2	1.4	5.0 mg/l TCLP
		Hexachlorocyclopentadiene	77-47-4	0.057	2.4
		Chlordane (alpha and gamma isomers)	57-74-9	0.0033	0.26
K031	By-product salts generated in the production of MSMA and cacodylic acid.	Heptachlor	76-44-8	0.0012	0.066
K032	Wastewater treatment sludge from the production of chlordane.	Heptachlor epoxide	1024-57-3	0.016	0.066
K033	Wastewater and scrub water from the chlorination of cyclopentadiene in the production of chlordane.	Hexachlorocyclopentadiene	77-47-4	0.057	2.4
K034	Filter solids from the filtration of hexachlorocyclopentadiene in the production of chlordane.	Hexachlorocyclopentadiene	77-47-4	0.057	2.4

Concentration in mg/kg⁵
unless noted as "mg/l
TCLP"; or Technology
Code⁴

WASTE CODE	TREATMENT DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	TREATMENT STANDARDS FOR HAZARDOUS WASTES			NOTE: NA means not applicable
		REGULATED HAZARDOUS CONSTITUENT	CAS ² Number	Concentration in mg/l ³ , or Technology Code ⁴	
K035	Wastewater treatment sludges generated in the production of creosote.	Acenaphthene	83-32-9	NA	3.4
		Anthracene	120-12-7	NA	3.4
		Benz(a)anthracene	56-55-3	0.059	3.4
		Benzo(a)pyrene	50-32-8	0.061	3.4
		Chrysene	218-01-9	0.059	3.4
		o-Cresol	95-48-7	0.11	5.6
		m-Cresol (difficult to distinguish from p-cresol)	108-39-4	0.77	5.6
		p-Cresol (difficult to distinguish from m-cresol)	106-44-5	0.77	5.6
		Dibenz(a,h)anthracene	53-70-3	NA	8.2
		Fluoranthene	206-44-0	0.068	3.4
		Fluorene	86-73-7	NA	3.4
		Indeno(1,2,3-cd)pyrene	193-39-5	NA	3.4
		Naphthalene	91-20-3	0.059	5.6
		Phenanthrene	85-01-8	0.059	5.6
		Phenol	108-95-2	0.039	6.2
		Pyrene	129-00-0	0.067	8.2
K036	Still bottoms from toluene reclamation distillation in the production of disulfoton.	Disulfoton	298-04-4	0.017	6.2
K037	Wastewater treatment sludges from the production of disulfoton.	Disulfoton	298-04-4	0.017	6.2
		Toluene	108-88-3	0.080	10

WASTE CODE	TREATMENT DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	TREATMENT STANDARDS FOR HAZARDOUS WASTES			NOTE: NA means not applicable
		REGULATED HAZARDOUS CONSTITUENT	Common Name	CAS ² Number	
K038	Wastewater from the washing and stripping of phorate production.	Phorate	NA	298-02-2	0.021
K039	Filter cake from the filtration of diethylphosphorodithioic acid in the production of phorate.	NA	NA	CARBn; or CMBST	4.6
K040	Wastewater treatment sludge from the production of phorate.	Phorate	NA	298-02-2	0.021
K041	Wastewater treatment sludge from the production of toxaphene.	Toxaphene	NA	8001-35-2	0.0095
K042	Heavy ends or distillation residues from the distillation of tetrachlorobenzene in the production of 2,4,5-T.	o-Dichlorobenzene p-Dichlorobenzene Pentachlorobenzene 1,2,4,5-Tetrachlorobenzene 1,2,4-Trichlorobenzene	95-50-1 106-46-7 608-93-5 95-94-3 120-82-1	0.088 0.090 0.055 0.055 0.055	2.6 6.0 6.0 14 19
K043	2,6-Dichlorophenol waste from the production of 2,4-D.	2,4-Dichlorophenol 2,6-Dichlorophenol 2,4,5-Trichlorophenol 2,4,6-Trichlorophenol 2,3,4,6-Tetrachlorophenol Pentachlorophenol Tetrachloroethylene HxCDDs (All Hexachlorodibenzo-p-dioxins)	120-83-2 187-65-0 95-95-4 88-06-2 58-90-2 87-86-5 127-18-4 NA	0.044 0.044 0.18 0.035 0.030 0.089 0.056 0.000063	14 14 7.4 7.4 7.4 7.4 6.0 0.001

WASTE CODE	TREATMENT DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	TREATMENT STANDARDS FOR HAZARDOUS WASTES			NOTE: NA means not applicable
		REGULATED HAZARDOUS CONSTITUENT	CAS ² Number	Concentration in mg/l ³ ; or Technology Code ⁴	
	HxCDFs (All Hexachlorodibenzofurans)	NA	0.000063	0.001	Concentration in mg/kg ⁵ unless noted as "mg/l TCLP"; or Technology Code ⁴
	PeCDDs (All Pentachlorodibenzo-p-dioxins)	NA	0.000063	0.001	
	PeCDFs (All Pentachlorodibenzofurans)	NA	0.000035	0.001	
	TCDDs (All Tetrachlorodibenzo-p-dioxins)	NA	0.000063	0.001	
	TCDFs (All Tetrachlorodibenzofurans)	NA	0.000063	0.001	
K044	Wastewater treatment sludges from the manufacturing and processing of explosives.	NA	DEACT	DEACT	
K045	Spent carbon from the treatment of wastewater containing explosives.	NA	DEACT	DEACT	
K046	Wastewater treatment sludges from the manufacturing, formulation and loading of lead-based initiating compounds.	Lead	7439-92-1	0.69	0.37 mg/l TCLP
K047	Pink/red water form TNT operations	NA	NA	DEACT	DEACT
K048	Dissolved air flotation (DAF) float from the petroleum refining industry.	Benzene	71-43-2	0.14	10
		Benzo(a)pyrene	50-32-8	0.061	3.4
		bis(2-Ethylhexyl) phthalate	117-81-7	0.28	28
		Chrysene	218-01-9	0.059	3.4
		Di-n-butyl phthalate	84-74-2	0.057	28
		Ethylbenzene	100-41-4	0.057	10

WASTE CODE	TREATMENT DESCRIPTION AND WASTE/REGULATORY SUBCATEGORY ¹	TREATMENT STANDARDS FOR HAZARDOUS WASTES		NOTE: NA means not applicable	
		REGULATED HAZARDOUS CONSTITUENT	WASTEWATERS		
		Common Name	CAS ² Number	Concentration in mg/l ³ ; or Technology Code ⁴	
				Concentration in mg/kg ⁵ unless noted as "mg/l TCLP"; or Technology Code ⁴	
	Fluorene	86-73-7	0.059	NA	
	Naphthalene	91-20-3	0.059	5.6	
	Phenanthrene	85-01-8	0.059	5.6	
	Phenol	108-95-2	0.039	6.2	
	Pyrene	129-00-0	0.067	8.2	
	Toluene	108-88-33	0.080	10	
	Xylenes-mixed isomers (sum of o-, m-, and p-xylene concentrations)	1330-20-7	0.32	30	
	Chromium (Total)	7440-47-3	2.77	0.86 mg/l TCLP	
	Cyanides (Total) ⁷	57-12-5	1.2	590	
	Lead	7439-92-1	0.69	NA	
	Nickel	7440-02-0	NA	5.0 mg/l TCLP	
K049	Slop oil emulsion solids from the petroleum refining industry.	Anthracene Benzene Benzo(a)pyrene bis(2-Ethylhexyl) phthalate Carbon disulfide Chrysene 2,4-Dimethylphenol Ethylbenzene Naphthalene	120-12-7 71-43-2 50-32-8 117-81-7 75-15-0 2218-01-9 105-67-9 100-41-4 91-20-3	0.059 0.14 0.061 0.28 3.8 0.059 0.036 0.057 0.059	3.4 10 3.4 28 NA 3.4 NA 10 5.6

WASTE CODE	TREATMENT DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	TREATMENT STANDARDS FOR HAZARDOUS WASTES		NOTE: NA means not applicable
		REGULATED HAZARDOUS CONSTITUENT	WASTEWATERS	
	Common Name	CAS ² Number	Concentration in mg/l ³ , or Technology Code ⁴	NONWASTEWATERS
	Phenanthrene	85-01-8	0.059	Concentration in mg/kg ⁵ unless noted as "mg/l TCLP", or Technology Code ⁴
	Phenol	108-95-2	0.039	5.6
	Pyrene	129-00-0	0.067	6.2
	Toluene	108-88-3	0.080	8.2
	Xylenes-mixed isomers (sum of o-, m-, and p-xylene concentrations)	1330-20-7	0.32	10
	Cyanides (Total) ⁷	57-12-5	1.2	30
	Chromium (Total)	7440-47-3	2.77	590
	Lead	7439-92-1	0.69	0.86 mg/l TCLP
	Nickel	7440-02-0	NA	NA
	Benz(a)pyrene	50-32-8	0.061	5.0 mg/l TCLP
	Phenol	108-95-2	0.039	3.4
	Cyanides (Total) ⁷	57-12-5	1.2	6.2
	Chromium (Total)	7440-47-3	2.77	590
K050	Heat exchanger bundle cleaning sludge from the petroleum refining industry.	Lead	7439-92-1	0.69
		Nickel	7440-02-0	NA
K051	API separator sludge from the petroleum refining industry.	Acenaphthene	83-32-9	5.0 mg/l TCLP
		Anthracene	120-12-7	NA
		Benz(a)anthracene	56-55-3	3.4
		Benzene	71-43-2	3.4
		Benzo(a)pyrene	50-32-8	10
				0.061

WASTE CODE	TREATMENT DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	TREATMENT STANDARDS FOR HAZARDOUS WASTES		NOTE: NA means not applicable
		REGULATED HAZARDOUS CONSTITUENT	WASTEWATERS	
		Common Name	CAS ² Number	Concentration in mg/l ⁵ , unless noted as "mg/l TCLP", or Technology Code ⁴
	bis(2-Ethylhexyl) phthalate	117-81-7	0.28	28
	Chrysene	2218-01-9	0.059	3.4
	Di-n-butyl phthalate	105-67-9	0.057	28
	Ethylbenzene	100-41-4	0.057	10
	Fluorene	86-73-7	0.059	NA
	Naphthalene	91-20-3	0.059	5.6
	Phenanthrene	85-01-8	0.059	5.6
	Phenol	108-95-2	0.039	6.2
	Pyrene	129-00-0	0.067	8.2
	Toluene	108-88-3	0.08	10
	Xylenes-mixed isomers (sum of o-, m-, and p-xylene concentrations)	1330-20-7	0.32	30
	Cyanides (Total) ⁷	57-12-5	1.2	590
	Chromium (Total)	7440-47-3	2.77	0.86 mg/l TCLP
	Lead	7439-92-1	0.69	NA
	Nickel	7440-02-0	NA	5.0 mg/l TCLP
K052	Tank bottoms (leaded) from the petroleum refining industry.	Benzene	71-43-2	0.14
		Benzo(a)pyrene	50-32-8	0.061
		o-Cresol	95-48-7	0.11
	m-Cresol (difficult to distinguish from p-cresol)	108-39-4	0.77	5.6

TREATMENT STANDARDS FOR HAZARDOUS WASTES		NOTE: NA means not applicable			
WASTE CODE	WASTE DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	REGULATED HAZARDOUS CONSTITUENT	WASTEWATERS	NONWASTEWATERS	
	Common Name	CAS ² Number	Concentration in mg/l ³ , or Technology Code ⁴	Concentration in mg/kg ⁵ unless noted as "mg/TCLP"; or Technology Code ⁴	
	p-Cresol (difficult to distinguish from m-cresol)	106-44-5	0.77	5.6	
	2,4-Dimethylphenol	105-67-9	0.036	NA	
	Ethylbenzene	100-41-4	0.057	10	
	Naphthalene	91-20-3	0.059	5.6	
	Phenanthrene	85-01-8	0.059	5.6	
	Phenol	108-95-2	0.039	6.2	
	Toluene	108-88-3	0.08	10	
	Xylenes-mixed isomers (sum of o-, m-, and p-xylene concentrations)	1330-20-7	0.32	30	
	Chromium (Total)	7440-47-3	2.77	0.86 mg/l TCLP	
	Cyanides (Total) ⁷	57-12-5	1.2	590	
	Lead	7439-92-1	0.69	NA	
	Nickel	7440-02-0	NA	5.0 mg/l TCLP	
K060	Ammonia still lime sludge from coking operations.	Benzene Benzo(a)pyrene Naphthalene Phenol Cyanides (Total) ⁷	0.14 0.061 0.059 0.039 1.2	10 3.4 5.6 6.2 590	
K061	Emission control dust/sludge from the primary production of steel in electric furnaces.	Antimony Arsenic	NA NA	2.1 mg/l TCLP 5.0 mg/l TCLP	

WASTE CODE	TREATMENT DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	TREATMENT STANDARDS FOR HAZARDOUS WASTES		NOTE: NA means not applicable
		REGULATED HAZARDOUS CONSTITUENT	CAS ² Number	
		Common Name	Concentration in mg/l ³ ; or Technology Code ⁴	Concentration in mg/kg ⁵ unless noted as "mg/l TCLP"; or Technology Code ⁴
		Barium	7440-39-3	NA
		Beryllium	7440-41-7	NA
		Cadmium	7440-43-9	0.69
		Chromium (Total)	7440-47-3	2.77
		Lead	7439-92-1	0.69
		Mercury	7439-97-6	NA
		Nickel	7440-02-0	3.98
		Selenium	7782-49-2	NA
		Silver	7440-22-4	NA
		Thallium	7440-28-0	NA
		Zinc	7440-66-6	NA
		Chromium (Total)	7440-47-3	2.77
		Lead	7439-92-1	0.69
		Nickel	7440-02-0	3.98
K062	Spent pickle liquor generated by steel finishing operations of facilities within the iron and steel industry (SIC Codes 331 and 332).	Cadmium	7440-43-9	0.69
K069	Emission control dust/sludge from secondary lead smelting. - Calcium Sulfate (Low Lead) Subcategory	Lead	7439-92-1	0.69
	Emission control dust/sludge from secondary lead smelting. - Non-Calcium Sulfate (High Lead) Subcategory	NA	NA	NA
K071	K071 (Brine purification muds from the mercury cell process in chlorine production, where separately purified brine is not used) nonwastewaters that are residues from RMERC.	Mercury	7439-97-6	NA
				0.20 mg/l TCLP

WASTE CODE	TREATMENT DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	TREATMENT STANDARDS FOR HAZARDOUS WASTES		NOTE: NA means not applicable
		REGULATED HAZARDOUS CONSTITUENT	WASTEWATERS	
CAS ² Number	Concentration in mg/l ³ ; or Technology Code ⁴	Concentration in mg/kg ⁵ unless noted as "mg/l TCLP"; or Technology Code ⁴	NONWASTEWATERS	
K071 (Brine purification muds from the mercury cell process in chlorine production, where separately prepurified brine is not used.) nonwastewaters that are not residues from R-MERC.	Mercury	7439-97-6	NA	0.025 mg/l TCLP
All K071 wastewaters.	Mercury	7439-97-6	0.15	NA
K073 Chlorinated Hydrocarbon waste from the purification step of the diaphragm cell process using graphite anodes in chlorine production.	Carbon tetrachloride	56-23-5	0.057	6.0
	Chloroform	67-66-3	0.046	6.0
	Hexachloroethane	67-72-1	0.055	30
	Tetrachloroethylene	127-18-4	0.056	6.0
	1,1,1-Trichloroethane	71-55-6	0.054	6.0
K083 Distillation bottoms from aniline production.	Aniline	62-53-3	0.81	14
	Benzene	71-43-2	0.14	10
	Cyclohexanone	108-94-1	0.36	NA
	Diphenylamine (difficult to distinguish from diphenylnitrosamine)	122-39-4	0.92	13
	Diphenylnitrosamine (difficult to distinguish from diphenylamine)	86-30-6	0.92	13
	Nitrobenzene	98-95-3	0.068	14
	Phenol	108-95-2	0.039	6.2
	Nickel	7440-02-0	3.98	5.0 mg/l TCLP
K084 Wastewater treatment sludges generated during the production of veterinary pharmaceuticals from arsenic or organo-arsenic compounds.	Arsenic	7440-38-2	1.4	5.0 mg/l TCLP

WASTE CODE	TREATMENT DESCRIPTION AND WASTE DESCRIPTION/REGULATORY SUBCATEGORY ¹	REGULATED HAZARDOUS CONSTITUENT		Concentration in mg/l ⁵ , unless noted as "mg/l TCLP"; or Technology Code ⁴	NONWASTEWATERS
		Common Name	CAS ² Number		
K085	Distillation or fractionation column bottoms from the production of chlorobenzenes.	Benzene	71-43-2	0.14	10
		Chlorobenzene	108-90-7	0.057	6.0
		m-Dichlorobenzene	541-73-1	0.036	6.0
		o-Dichlorobenzene	95-50-1	0.088	6.0
		p-Dichlorobenzene	106-46-7	0.090	6.0
		Hexachlorobenzene	118-74-1	0.055	10
		Total PCBs (sum of all PCB isomers, or all Aroclors)	1336-36-3	0.10	10
		Pentachlorobenzene	608-93-5	0.055	10
		1,2,4,5-Tetrachlorobenzene	95-94-3	0.055	14
		1,2,4-Trichlorobenzene	120-82-1	0.055	19
		Acetone	67-64-1	0.28	160
		Acetophenone	96-86-2	0.010	9.7
		bis(2-Ethylhexyl) phthalate	117-81-7	0.28	28
		n-Butyl alcohol	71-36-3	5.6	2.6
K086	Solvent wastes and sludges, caustic washes and sludges, or water washes and sludges from cleaning tubs and equipment used in the formulation of ink from pigments, driers, soaps, and stabilizers containing chromium and lead.	Butylbenzyl phthalate	85-68-7	0.017	28
		Cyclohexanone	108-94-1	0.36	NA
		o-Dichlorobenzene	95-50-1	0.088	6.0
		Diethyl phthalate	84-66-2	0.20	28
		Dimethyl phthalate	131-11-3	0.047	28
		Di-n-butyl phthalate	84-74-2	0.057	28

WASTE CODE	TREATMENT DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS		NONWASTEWATERS
		Common Name	CAS ² Number	Concentration in mg/l ³ , or Technology Code ⁴	Concentration in mg/kg ⁵ unless noted as "mg/l TCLP", or Technology Code ⁴	
		Di-n-octyl phthalate	117-84-0	0.017	28	
		Ethyl acetate	141-78-6	0.34	33	
		Ethylbenzene	100-41-4	0.057	10	
		Methanol	67-56-1	5.6	NA	
		Methyl ethyl ketone	78-93-3	0.28	36	
		Methyl isobutyl ketone	108-10-1	0.14	33	
		Methylene chloride	75-09-2	0.089	30	
		Naphthalene	91-20-3	0.059	5.6	
		Nitrobenzene	98-95-3	0.068	14	
		Toluene	108-88-3	0.080	10	
		1,1,1-Trichloroethane	71-55-6	0.054	6.0	
		Trichloroethylene	79-01-6	0.054	6.0	
		Xylenes-mixed isomers (sum of o-, m-, and p-xylene concentrations)	1330-20-7	0.32	30	
		Chromium (Total)	7440-47-3	2.77	0.86 mg/l TCLP	
		Cyanides (Total) ⁷	57-12-5	1.2	590	
		Lead	7439-92-1	0.69	0.37 mg/l TCLP	
K087	Decanter tank tar sludge from coking operations.	Acenaphthylene	208-96-8	0.059	3.4	
		Benzene	71-43-2	0.14	10	
		Chrysene	218-01-9	0.059	3.4	
		Fluoranthene	206-44-0	0.068	3.4	

TREATMENT STANDARDS FOR HAZARDOUS WASTES		WASTEWATERS				NOTE: NA means not applicable
WASTE CODE	WASTE DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	REGULATED HAZARDOUS CONSTITUENT	CAS ² NUMBER	Concentration in mg/l ³ , or Technology Code ⁴	NONWASTEWATERS	
		Indeno(1,2,3-cd)pyrene	193-39-5	0.0055	Concentration in mg/kg ⁵ unless noted as "mg/l TCLP"; or Technology Code ⁴	
		Naphthalene	91-20-3	0.059	3.4	
		Phenanthrene	85-01-8	0.059	5.6	
		Toluene	108-88-3	0.080	5.6	
		Xylenes-mixed isomers (sum of o-, m-, and p-xylene concentrations)	1330-20-7	0.32	10	
		Lead	7439-92-1	0.69	30	
K088	Spent potliners from primary aluminum reduction.	Acenaphthene	83-32-9	0.059	0.37 mg/l TCLP	
		Anthracene	120-12-7	0.059	3.4	
		Benz(a)anthracene	56-55-3	0.059	3.4	
		Benzo(a)pyrene	50-32-8	0.061	3.4	
		Benzo(b)fluoranthene	205-99-2	0.11	6.8	
		Benzo(k)fluoranthene	207-08-9	0.11	6.8	
		Benzo(g,h,i)perylene	191-24-2	0.0055	1.8	
		Chrysene	218-01-9	0.059	3.4	
		Dibenz(a,h)anthracene	53-70-3	0.055	8.2	
		Fluoranthene	206-44-0	0.068	3.4	
		Indeno(1,2,3-c,d)pyrene	193-39-5	0.0055	3.4	
		Phenanthrene	85-01-8	0.059	5.6	
		Pyrene	129-00-0	0.067	8.2	
		Antimony	7440-36-0	1.9	2.1 mg/l TCLP	

WASTE CODE	TREATMENT DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	TREATMENT STANDARDS FOR HAZARDOUS WASTES			NOTE: NA means not applicable
		REGULATED HAZARDOUS CONSTITUENT	CAS ² Number	Concentration in mg/l ³ , or Technology Code ⁴	
		Arsenic	7440-38-2	1.4	5.0 mg/l TCLP
		Barium	7440-39-3	1.2	7.6 mg/l TCLP
		Beryllium	7440-41-7	0.82	0.014 mg/l TCLP
		Cadmium	7440-43-9	0.69	0.19 mg/l TCLP
		Chromium (Total)	7440-47-3	2.77	0.86 mg/l TCLP
		Lead	7439-92-1	0.69	0.37 mg/l TCLP
		Mercury	7439-97-6	0.15	0.025 mg/l TCLP
		Nickel	7440-02-0	3.98	5.0 mg/l TCLP
		Selenium	7782-49-2	0.82	0.16 mg/l TCLP
		Silver	7440-22-4	0.43	0.30 mg/l TCLP
		Cyanide (Total) ⁷	57-12-5	1.2	590
		Cyanide (Amenable) ⁷	57-12-5	0.86	30
		Fluoride	16904-48-8	35	48 mg/l TCLP
K093	Distillation light ends from the production of phthalic anhydride from ortho-xylene.	Phthalic anhydride (measured as Phthalic acid or Terephthalic acid)	100-21-0	0.055	28
K094	Distillation bottoms from the production of phthalic anhydride from ortho-xylene.	Phthalic anhydride (measured as Phthalic acid or Terephthalic acid)	85-44-9	0.055	28
		Phthalic anhydride (measured as Phthalic acid or Terephthalic acid)	100-21-0	0.055	28

TREATMENT STANDARDS FOR HAZARDOUS WASTES				NOTE: NA means not applicable
WASTE CODE	WASTE DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	REGULATED HAZARDOUS CONSTITUENT	WASTEWATERS	NONWASTEWATERS
		Common Name	CAS ² Number	Concentration in mg/l ³ , or Technology Code ⁴
K095	Distillation bottoms from the production of 1,1,1-trichloroethane.	Phthalic anhydride (measured as Phthalic acid or Terephthalic acid)	85-44-9	0.055
		Hexachloroethane	67-72-1	0.055
		Pentachloroethane	76-01-7	0.055
		1,1,1,2-Tetrachloroethane	630-20-6	0.057
		1,1,2,2-Tetrachloroethane	79-34-6	0.057
		Tetrachloroethylene	127-18-4	0.056
		1,1,2-Trichloroethane	79-00-5	0.054
		Trichloroethylene	79-01-6	0.054
		m-Dichlorobenzene	541-73-1	0.036
		Pentachloroethane	76-01-7	0.055
		1,1,1,2-Tetrachloroethane	630-20-6	0.057
		1,1,2,2-Tetrachloroethane	79-34-6	0.057
		Tetrachloroethylene	127-18-4	0.056
		1,2,4-Trichlorobenzene	120-82-1	0.055
		1,1,2-Trichloroethane	79-00-5	0.054
		Trichloroethylene	79-01-6	0.054
K096	Heavy ends from the heavy ends column from the production of 1,1,1-trichloroethane.	Chlordane (alpha and gamma isomers)	57-74-9	0.0033
K097	Vacuum stripper discharge from the chlordane chlorinator in the production of chlordane.	Heptachlor	76-44-8	0.0012
		Heptachlor epoxide	1024-57-3	0.016
		Hexachlorocyclopentadiene	77-47-4	0.057
				2.4

TREATMENT STANDARDS FOR HAZARDOUS WASTES				NOTE: NA means not applicable
WASTE CODE	WASTE DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	REGULATED HAZARDOUS CONSTITUENT	WASTEWATERS	NONWASTEWATERS
K098	Untreated process wastewater from the production of toxaphene.	Toxaphene	8001-35-2 0.0095	Concentration in mg/kg ⁵ , unless noted as "mg/l TCLP"; or Technology Code ⁴ Code ⁴
K099	Untreated wastewater from the production of 2,4-D.	2,4-Dichlorophenoxyacetic acid	94-75-7 0.72	2.6 10
		HxCDDs (All Hexachlorodibenzop-dioxins)	NA 0.0000063	0.001
		HxCDFs (All Hexachlorodibenzofurans)	NA 0.0000063	0.001
		PecDDs (All Pentachlorodibenzop-dioxins)	NA 0.0000063	0.001
		PecDFs (All Pentachlorodibenzofurans)	NA 0.0000035	0.001
		TCDDs (All Tetrachlorodibenzop-dioxins)	NA 0.0000063	0.001
		TCDFs (All Tetrachlorodibenzofurans)	NA 0.0000063	0.001
K100	Waste leaching solution from acid leaching of emission control dust/sludge from secondary lead smelting.	Cadmium Chromium (Total) Lead	7440-43-9 7440-47-3 7439-92-1	0.19 mg/l TCLP 0.86 mg/l TCLP 0.37 mg/l TCLP
K101	Distillation tar residues from the distillation of aniline-based compounds in the production of veterinary pharmaceuticals from arsenic or organo-arsenic compounds.	o-Nitroaniline Arsenic Cadmium Lead	88-74-4 7440-38-2 7440-43-9 7439-92-1	14 5.0 mg/l TCLP NA NA

WASTE CODE	TREATMENT DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	TREATMENT STANDARDS FOR HAZARDOUS WASTES		NOTE: NA means not applicable
		REGULATED HAZARDOUS CONSTITUENT	CAS ² Number	
K102	Residue from the use of activated carbon for decolorization in the production of veterinary pharmaceuticals from arsenic or organo-arsenic compounds.	Mercury	7439-97-6	0.15
		o-Nitrophenol	88-75-5	0.028
		Arsenic	7440-38-2	1.4
		Cadmium	7440-43-9	0.69
		Lead	7439-92-1	0.69
K103	Process residues from aniline extraction from the production of aniline.	Mercury	7439-97-6	0.15
		Aniline	62-53-3	0.81
		Benzene	71-43-2	0.14
		2,4-Dinitrophenol	51-28-5	0.12
		Nitrobenzene	98-95-3	0.068
K104	Combined wastewater streams generated from nitrobenzene/ aniline production.	Phenol	108-95-2	0.039
		Aniline	62-53-3	0.81
		Benzene	71-43-2	0.14
		2,4-Dinitrophenol	51-28-5	0.12
		Nitrobenzene	98-95-3	0.068
K105	Separated aqueous stream from the reactor product washing step in the production of chlorobenzenes.	Phenol	108-95-2	0.039
		Cyanides (Total) ⁷	57-12-5	1.2
		Benzene	71-43-2	0.14
		Chlorobenzene	108-90-7	0.057
		2-Chlorophenol	95-57-8	0.044
		o-Dichlorobenzene	95-50-1	0.088
				6.0

Concentration in mg/kg⁵, unless noted as "mg/l TCLP"; or Technology Code⁴ Code⁴

Concentration in mg/l³, or Technology Code⁴

WASTE CODE	TREATMENT DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	TREATMENT STANDARDS FOR HAZARDOUS WASTES		NOTE: NA means not applicable
		REGULATED HAZARDOUS CONSTITUENT	Concentration in mg/l ³ , or Technology Code ⁴	
		Common Name	CAS ² Number	Concentration in mg/kg ⁵ unless noted as "mg/l TCLP", or Technology Code ⁴
	p-Dichlorobenzene	106-46-7	0.090	6.0
	Phenol	108-95-2	0.039	6.2
	2,4,5-Trichlorophenol	95-95-4	0.18	7.4
	2,4,6-Trichlorophenol	88-06-2	0.035	7.4
	Mercury	7439-97-6	NA	RMERC
K106	K106 (wastewater treatment sludge from the mercury cell process in chlorine production) nonwastewaters that contain greater than or equal to 260 mg/kg total mercury.	Mercury	7439-97-6	NA
	K106 (wastewater treatment sludge from the mercury cell process in chlorine production) nonwastewaters that contain less than 260 mg/kg total mercury that are residues from RMERC.	Mercury	7439-97-6	NA
	Other K106 nonwastewaters that contain less than 260 mg/kg total mercury and are not residues from RMERC.	Mercury	7439-97-6	NA
	All K106 wastewaters.	Mercury	7439-97-6	0.15
K107	Column bottoms from product separation from the production of 1,1-dimethylhydrazine (UDMH) from carboxylic acid hydrazides.	NA	NA	CMBST; or CHOXD fb CARBN; or BIODG fb CARBN
K108	Condensed column overheads from product separation and condensed reactor vent gases from the production of 1,1-dimethylhydrazine (UDMH) from carboxylic acid hydrazides.	NA	NA	CMBST; or CHOXD fb CARBN; or BIODG fb CARBN
K109	Spent filter cartridges from product purification from the production of 1,1-dimethylhydrazine (UDMH) from carboxylic acid hydrazides.	NA	NA	CMBST; or CHOXD fb CARBN; or BIODG fb CARBN

WASTE CODE	TREATMENT/REGULATORY SUBCATEGORY ¹	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS		NOTE: NA means not applicable NONWASTEWATERS
		Common Name	CAS ² Number	Concentration in mg/l ³ , or Technology Code ⁴	Concentration in mg/kg ⁵ unless noted as "mg/l TCLP"; or Technology Code ⁴	
K110	Condensed column overheads from intermediate separation from the production of 1,1-dimethylhydrazine (UDMH) from carboxylic acid hydrazides.	NA	NA	CMBST; or CHOXD fb CARBN; or BIODG fb CARBN	CMBST	
K111	Product washwaters from the production of dinitrotoluene via nitration of toluene	2,4-Dinitrotoluene 2,6-Dinitrotoluene	121-1-2 606-20-2	0.32 0.55	140 28	
K112	Reaction by-product water from the drying column in the production of toluenediamine via hydrogenation of dinitrotoluene.	NA	NA	CMBST; or CHOXD fb CARBN; or BIODG fb CARBN	CMBST	
K113	Condensed liquid light ends from the purification of toluenediamine in the production of dinitrotoluene via hydrogenation of dinitrotoluene.	NA	NA	CARBN; OR CMBST	CMBST	
K114	Vicinals from the purification of toluenediamine in the production of toluenediamine via hydrogenation of dinitrotoluene.	NA	NA	CARBN; or CMBST	CMBST	
K115	Heavy ends from the purification of toluenediamine in the production of toluenediamine via hydrogenation of dinitrotoluene.	Nickel	7440-02-0	3.98	5.0 mg/l TCLP	
K116	Organic condensate from the solvent recovery column in the production of tolune diisocyanate via phosgenation of toluenediamine.	NA	NA	CARBN; or CMBST	CMBST	
K117	Wastewater from the reactor vent gas scrubber in the production of ethylene dibromide via bromination of ethene.	Methyl bromide (Bromomethane)	74-83-9	0.11	15	
		Chloroform	67-66-3	0.046	6.0	
		Ethylene dibromide (1,2-Dibromoethane)	106-93-4	0.028	15	
K118	Spent absorbent solids from purification of ethylene dibromide in the production of ethylene dibromide via bromination of ethene.	Methyl bromide (Bromomethane)	74-83-9	0.11	15	

TREATMENT STANDARDS FOR HAZARDOUS WASTES				NOTE: NA means not applicable
WASTE CODE	WASTE DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	REGULATED HAZARDOUS CONSTITUENT	WASTEWATERS	NONWASTEWATERS
		Common Name	CAS ² Number	Concentration in mg/kg ⁵ unless noted as "mg/l TCLP"; or Technology Code ⁴ Code ⁶
		Chloroform	67-66-3	0.046
		Ethylene dibromide (1,2-Dibromoethane)	106-93-4	0.028
		NA	NA	CMBST; or CHOXD fb (BODG or CARBN)
K123	Process wastewater (including supernates, filtrates, and washwaters) from the production of ethylenebis thiocarbamic acid and its salts.	NA	NA	CMBST; or CHOXD fb (BODG or CARBN)
K124	Reactor vent scrubber water from the production of ethylenebis thiocarbamic acid and its salts.	NA	NA	CMBST
K125	Filtration, evaporation, and centrifugation solids from the production of ethylenebis thiocarbamic acid and its salts.	NA	NA	CMBST
K126	Baghouse dust and floor sweepings in milling and packaging operations from the production or formulation of ethylenebis thiocarbamic acid and its salts.	NA	NA	CMBST; or CHOXD fb (BODG or CARBN)
K131	Vastewater from the reactor and spent sulfuric acid from the acid dryer from the production of methyl bromide.	Methyl bromide (Bromomethane)	74-83-9	0.11
K132	Spent absorbent and wastewater separator solids from the production of methyl bromide.	Methyl bromide (Bromomethane)	74-83-9	0.11
K136	Still bottoms from the purification of ethylene dibromide in the production of ethylene dibromide via bromination of ethene.	Methyl bromide (Bromomethane) Chloroform Ethylene dibromide (1,2-Dibromoethane)	74-83-9 67-66-3 106-93-4	0.11 0.046 0.028

TREATMENT STANDARDS FOR HAZARDOUS WASTES				NOTE: NA means not applicable	
WASTE CODE	WASTE DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS	NONWASTEWATERS
		Common Name	CAS ² Number	Concentration in mg/l ³ , or Technology Code ⁴	Concentration in mg/kg ⁵ unless noted as "mg/l TCLP", or Technology Code ⁴
K141	Process residues from the recovery of coal tar, including, but not limited to, collecting sump residues from the production of coke or the recovery of coke by-products produced from coal. This listing does not include K087 (decanter tank tar sludge from coking operations).	Benzene	71-43-2	0.14	10
		Benz(a)anthracene	56-55-3	0.059	3.4
		Benzo(a)pyrene	50-2-8	0.061	3.4
		Benzo(b)fluoranthene (difficult to distinguish from benzo(k)fluoranthene)	205-99-2	0.11	6.8
		Benzo(k)fluoranthene (difficult to distinguish from benzo(b)fluoranthene)	207-08-9	0.11	6.8
		Chrysene	218-01-9	0.059	3.4
		Dibenz(a,h)anthracene	53-70-3	0.055	8.2
		Indeno(1,2,3-cd)pyrene	193-39-5	0.0055	3.4
		Benzene	71-43-2	0.14	10
		Benz(a)anthracene	56-55-3	0.059	3.4
K142	Tar storage tank residues from the production of coke from coal or from the recovery of coke products produced from coal.	Benzo(a)pyrene	50-32-8	0.061	3.4
		Benzo(b)fluoranthene (difficult to distinguish from benzo(k)fluoranthene)	205-99-2	0.11	6.8
		Benzo(k)fluoranthene (difficult to distinguish from benzo(b)fluoranthene)	207-08-9	0.11	6.8
		Chrysene	218-01-9	0.059	3.4
		Dibenz(a,h)anthracene	53-70-3	0.055	8.2
		Indeno(1,2,3-cd)pyrene	193-39-5	0.0055	3.4

WASTE CODE	TREATMENT DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	TREATMENT STANDARDS FOR HAZARDOUS WASTES		NOTE: NA means not applicable	
		REGULATED HAZARDOUS CONSTITUENT	WASTEWATERS		
	Common Name	CAS ² Number	Concentration in mg/l ³ ; or Technology Code ⁴	NONWASTEWATERS	
K143	Process residues from the recovery of light oil, including, but not limited to, those generated in stills, decanters, and wash oil recovery units from the recovery of coke by-products produced from coal.	Benzene Benz(a)anthracene Benzo(a)pyrene Benzo(b)fluoranthene (difficult to distinguish from benzo(k)fluoranthene) Benzo(k)fluoranthene (difficult to distinguish from benzo(b)fluoranthene)	71-43-2 56-55-3 50-32-8 205-99-2 207-08-9	0.14 0.059 0.061 0.11 0.11	10 3.4 3.4 6.8 6.8
K144	Wastewater sump residues from light oil refining, including, but not limited to, intercepting or contamination sump sludges from the recovery of coke by-products produced from coal.	Chrysene Benzene Benz(a)anthracene Benzo(a)pyrene Benzo(b)fluoranthene (difficult to distinguish from benzo(k)fluoranthene) Benzo(k)fluoranthene (difficult to distinguish from benzo(b)fluoranthene)	218-01-9 71-43-2 56-55-3 50-32-8 207-08-9 205-99-2	0.059 0.14 0.059 0.061 0.11 0.11	3.4 10 3.4 3.4 6.8 6.8
K145	Residues from naphthalene collection and recovery operations from the recovery of coke by-products produced from coal.	Dibenz(a,h)anthracene Benzene Benz(a)anthracene Benzo(a)pyrene Chrysene	53-70-3 71-43-2 56-55-3 50-32-8 218-01-9	0.055 0.14 0.059 0.061 0.059	8.2 10 3.4 3.4 3.4

TREATMENT STANDARDS FOR HAZARDOUS WASTES				NOTE: NA means not applicable
WASTE CODE	WASTE DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	REGULATED HAZARDOUS CONSTITUENT	WASTEWATERS	NONWASTEWATERS
		Common Name	CAS ² Number	Concentration in mg/kg ³ , or Technology Code ⁴
K147	Tar storage tank residues from coal tar refining.	Dibenz(a,h)anthracene	53-70-3	0.055
		Naphthalene	91-20-3	0.059
		Benzene	71-43-2	0.14
		Benz(a)anthracene	56-55-3	0.059
		Benzo(a)pyrene	50-32-8	0.061
		Benzo(b)fluoranthene (difficult to distinguish from benzo(k)fluoranthene)	205-99-2	0.11
		Benzo(k)fluoranthene (difficult to distinguish from benzo(b)fluoranthene)	207-08-9	0.11
		Chrysene	218-01-9	0.059
		Dibenz(a,h)anthracene	53-70-3	0.055
		Indeno(1,2,3-cd)pyrene	193-39-5	0.0055
K148	Residues from coal tar distillation, including, but not limited to, still bottoms.	Benz(a)anthracene	56-55-3	0.059
		Benzo(a)pyrene	50-32-8	0.061
		Benzo(b)fluoranthene (difficult to distinguish from benzo(k)fluoranthene)	205-99-2	0.11
		Benzo(k)fluoranthene (difficult to distinguish from benzo(b)fluoranthene)	207-08-9	0.11
		Chrysene	218-01-9	0.059
		Dibenz(a,h)anthracene	53-70-3	0.055
		Indeno(1,2,3-cd)pyrene	193-39-5	0.0055

TREATMENT STANDARDS FOR HAZARDOUS WASTES				NOTE: NA means not applicable
WASTE CODE	WASTE DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	REGULATED HAZARDOUS CONSTITUENT	Concentration in mg/l ³ ; or Technology Code ⁴	NONWASTEWATERS
K149	Distillation bottoms from the production of alpha-(or methyl-) chlorinated toluenes, ring-chlorinated toluenes, benzoyl chlorides, and compounds with mixtures of these functional groups. (This waste does not include still bottoms from the distillations of benzyl chloride.)	Chlorobenzene Chloroform Chloromethane p-Dichlorobenzene Hexachlorobenzene Pentachlorobenzene 1,2,4,5-Tetrachlorobenzene Toluene	108-90-7 67-66-3 74-87-3 106-46-7 118-74-1 608-93-5 95-94-3 108-88-3	0.057 0.046 0.19 0.090 0.055 0.055 0.055 0.055 0.080
K150	Organic residuals, excluding spent carbon adsorbent, from the spent chlorine gas and hydrochloric acid recovery processes associated with the production of alpha- (or methyl-) chlorinated toluenes, ring-chlorinated toluenes, benzoyl chlorides, and compounds with mixtures of these functional groups.	Carbon tetrachloride Chloroform Chloromethane p-Dichlorobenzene Hexachlorobenzene Pentachlorobenzene 1,2,4,5-Tetrachlorobenzene 1,1,2,2-Tetrachloroethane Tetrachloroethylene 1,2,4-Trichlorobenzene	56-23-5 67-66-3 74-87-3 106-46-7 118-74-1 608-93-5 95-94-3 79-34-5 127-18-4 120-82-1	0.057 0.046 0.19 0.090 0.055 0.055 0.055 0.057 0.056 0.055

WASTE CODE	TREATMENT DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	REGULATED HAZARDOUS CONSTITUENT		Concentration in mg/kg ⁵ , unless noted as "mg/l TCLP"; or Technology Code ⁴	NONWASTEWATERS
		Common Name	CAS ² Number		
K151	Vastewater treatment sludges, excluding neutralization and biological sludges, generated during the treatment of wastewaters from the production of alpha- (or methyl-) chlorinated toluenes, ring-chlorinated toluenes, benzoyl chlorides, and compounds with mixtures of these functional groups.	Benzene	71-43-2	0.14	10
		Carbon tetrachloride	56-23-5	0.057	6.0
		Chloroform	67-66-3	0.046	6.0
		Hexachlorobenzene	118-74-1	0.055	10
		Pentachlorobenzene	608-93-5	0.055	10
		1,2,4,5-Tetrachlorobenzene	95-94-3	0.055	14
		Tetrachloroethylene	127-18-4	0.056	6.0
		Toluene	108-88-3	0.080	10
		Acetonitrile	75-05-8	5.6	38
		Acetophenone	96-86-2	0.010	9.7
		Aniline	62-53-3	0.81	14
		Benomyl	17804-35-2	0.056	1.4
K156	Organic waste (including heavy ends, still bottoms, light ends, spent solvents, filtrates, and decantates) from the production of carbamates and carbamoyl oximes. ¹⁰	Benzene	71-43-2	0.14	10
		Carbaryl	63-25-2	0.006	0.14
		Carbenzadim	10605-21-7	0.056	1.4
		Carbofuran	1563-66-2	0.006	0.14
		Carbosulfan	55285-14-8	0.028	1.4
		Chlorobenzene	108-90-7	0.057	6.0
		Chloroform	67-66-3	0.046	6.0
		o-Dichlorobenzene	95-50-1	0.088	6.0

TREATMENT STANDARDS FOR HAZARDOUS WASTES

NOTE: NA means not applicable

WASTE CODE	WASTE DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	TREATMENT STANDARDS FOR HAZARDOUS WASTES		NOTE: NA means not applicable
		REGULATED HAZARDOUS CONSTITUENT	Concentration in mg/l ³ , or Technology Code ⁴	
		Common Name	CAS ² Number	Concentration in mg/kg ⁵ , unless noted as "mg/l TCLP", or Technology Code ⁴
		Methomyl	16752-77-5	0.028
		Methylene chloride	75-09-2	0.089
		Methyl ethyl ketone	78-93-3	0.28
		Naphthalene	91-20-3	0.059
		Phenol	108-95-2	0.039
		Pyridine	110-86-1	0.014
		Toluene	108-88-3	0.080
		Triethylamine	121-44-8	0.081
		Carbon tetrachloride	56-23-5	0.057
		Chloroform	67-66-3	0.046
		Chloromethane	74-87-3	0.19
		Methomyl	16752-77-5	0.028
		Methylene chloride	75-09-2	0.089
		Methyl ethyl ketone	78-93-3	0.28
		o-Phenylenediamine	95-54-5	0.056
		Pyridine	110-86-1	0.014
		Triethylamine	121-44-8	0.081
K157	Wastewaters (including scrubber waters, condenser waters, washwaters, and separation waters) from the production of carbamates and carbamoyl oximes. ¹⁰	Benzomyl	17804-35-2	0.056
K158	Bag house dusts and filter/separation solids from the production of carbamates and carbamoyl oximes. ¹⁰	Benzene	71-43-2	0.14

TREATMENT STANDARDS FOR HAZARDOUS WASTES		NOTE: NA means not applicable			
WASTE CODE	WASTE DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	REGULATED HAZARDOUS CONSTITUENT	CAS ² NUMBER	Concentration in mg/l ³ , or Technology Code ⁴	NONWASTEWATERS
		Carbenzadim	10605-21-7	0.056	1.4
		Carbofuran	1563-66-2	0.006	0.14
		Carbosulfan	55295-14-8	0.028	1.4
		Chloroform	67-66-3	0.046	6.0
		Methylene chloride	75-09-2	0.089	30
		Phenol	108-95-2	0.039	6.2
K159	Organics from the treatment of thiocarbamate wastes. ¹⁰	Benzene	71-43-2	0.14	10
		Butylate	2008-41-5	0.042	1.4
		EPTC (Eptam)	759-94-4	0.042	1.4
		Molinate	2212-67-1	0.042	1.4
		Pebulate	1114-71-2	0.042	1.4
		Vernolate	1929-77-7	0.042	1.4
K161	Purification solids (including filtration, evaporation, and centrifugation solids), baghouse dust and floor sweepings from the production of dithiocarbamate acids and their salts. ¹⁰	Antimony	7440-36-0	1.9	2.1 mg/l TCLP
		Arsenic	7440-38-2	1.9	5.0 mg/l TCLP
		Carbon disulfide	75-15-0	3.8	4.8 mg/l TCLP
		Dithiocarbamates (total)	NA	0.028	28
		Lead	7439-92-1	0.69	0.37 mg/l TCLP
		Nickel	7440-02-0	3.98	5.0 mg/l TCLP
P001	Warfarin, & salts, when present at concentrations greater than 0.3%	Selenium	7782-49-2	0.82	0.16 mg/l TCLP CMBST
		Warfarin	81-81-2	(METOX or CHOXD) fb (CARBN, or CMBST)	

WASTE CODE	WASTE DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	TREATMENT STANDARDS FOR HAZARDOUS WASTES			NOTE: NA means not applicable
		REGULATED HAZARDOUS CONSTITUENT	CAS ² Number	Concentration in mg/l ³ ; or Technology Code ⁴	
P002	1-Acetyl-2-thiourea	1-Acetyl-2-thiourea	591-08-2	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P003	Acrolein	Acrolein	107-02-8	0.29	CMBST
P004	Aldrin	Aldrin	309-00-2	0.021	0.066
P005	Allyl alcohol	Allyl alcohol	107-18-6	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P006	Aluminum phosphide	Aluminum phosphide	20859-73-8	CHOXD; CHRED; or CMBST	CHOXD; CHRED; or CMBST
P007	5-Aminomethyl 3-isoxazolo	5-Aminomethyl 3-isoxazolo	2763-96-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P008	4-Aminopyridine	4-Aminopyridine	504-24-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P009	Ammonium picrate	Ammonium picrate	131-74-8	CHOXD; CHRED; CARBN; BIODG; or CMBST	CHOXD; CHRED; or CMBST
P010	Arsenic acid	Arsenic	7440-38-2	1.4	5.0 mg/l TCLP
P011	Arsenic pentoxide	Arsenic	7440-38-2	1.4	5.0 mg/l TCLP
P012	Arsenic trioxide	Arsenic	7440-38-2	1.4	5.0 mg/l TCLP
P013	Barium cyanide	Barium	7440-39-3	NA	7.6 mg/l TCLP
		Cyanides (Total) ⁷	57-12-5	1.2	590
		Cyanides (Amenable) ⁷	57-12-5	0.86	30
P014	Thiophenol (Benzene thiol)	Thiophenol (Benzene thiol)	108-98-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P015	Beryllium dust	Beryllium	7440-41-7	RMETL; or RTHRM	RMETL; or RTHRM

TREATMENT STANDARDS FOR HAZARDOUS WASTES		NOTE: NA means not applicable	
WASTE CODE	WASTE DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	REGULATED HAZARDOUS CONSTITUENT	NONWASTEWATERS
		CAS ² Number	Concentration in mg/kg ⁵ , unless noted as "mg/l TCLP", or Technology Code ⁴
P016	Dichloromethyl ether (Bis(chloromethyl)ether)	Dichloromethyl ether	542-88-1 (WETOX or CHOXD) fb CARBN; or CMBST
P017	Bromoacetone	Bromoacetone	598-31-2 (WETOX or CHOXD) fb CARBN; or CMBST
P018	Brucine	Brucine	357-57-3 (WETOX or CHOXD) fb CARBN; or CMBST
P020	2-sec-Butyl-4,6-dinitrophenol (Dinoseb)	2-sec-Butyl-4,6-dinitrophenol (Dinoseb)	88-85-7 0.066 2.5
P021	Calcium cyanide	Cyanides (Total) ⁷	57-12-5 1.2 590
P022	Carbon disulfide	Cyanides (Amenable) ⁷	57-12-5 0.86 30
		Carbon disulfide	75-15-0 3.8 CMBST
		Carbon disulfide; alternate ⁶ standard for nonwastewaters only	75-15-0 NA 4.8 mg/l TCLP
P023	Chloroacetaldehyde	Chloroacetaldehyde	107-20-0 (WETOX or CHOXD) fb CARBN; or CMBST
P024	p-Chloroaniline	p-Chloroaniline	106-47-8 0.46 16
P026	1-(o-Chlorophenyl)thiourea	1-(o-Chlorophenyl)thiourea	5344-82-1 (WETOX or CHOXD) fb CARBN; or CMBST
P027	3-Chloropropionitrile	3-Chloropropionitrile	542-76-7 (WETOX or CHOXD) fb CARBN; or CMBST
P028	Benzyl chloride	Benzyl chloride	100-44-7 (WETOX or CHOXD) fb CARBN; or CMBST
P029	Copper cyanide	Cyanides (Total) ⁷	57-12-5 1.2 590
P030	Cyanides (soluble salts and complexes)	Cyanides (Amenable) ⁷	57-12-5 0.86 30
		Cyanides (Total) ⁷	57-12-5 1.2 590

WASTE CODE	TREATMENT DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	TREATMENT STANDARDS FOR HAZARDOUS WASTES		NOTE: NA means not applicable
		REGULATED HAZARDOUS CONSTITUENT	CAS ² Number	
P031	Cyanogen	Cyanides (Amenable) ⁷	57-12-5	0.86
P033	Cyanogen chloride	Cyanogen	460-19-5	CHOXD; WETOX; or CMBST
P034	2-Cyclohexyl-4,6-dinitrophenol	Cyanogen chloride	506-77-4	CHOXD; WETOX; or CMBST
P036	Dichlorophenylarsine	2-Cyclohexyl-4,6-dinitrophenol	131-89-5	(WETOX or CHOXD) fb CARBN; or CMBST
P037	Dieldrin	Arsenic	7440-38-2	1.4
P038	Diethylarsine	Dieldrin	60-57-1	0.017
P039	Disulfoton	Arsenic	7440-38-2	1.4
P040	0,0-Diethyl O-pyrazinyl phosphorothioate	Disulfoton	298-04-4	0.017
P041	Diethyl-p-nitrophenyl phosphate	0,0-Diethyl O-pyrazinyl phosphorothioate	297-97-2	CARBN; or CMBST
P042	Epinephrine	Diethyl-p-nitrophenyl phosphate	311-45-5	CARBN; or CMBST
P043	Diisopropylfluorophosphate (DFP)	Epinephrine	51-43-4	(WETOX or CHOXD) fb CARBN; or CMBST
P044	Dimethoate	Diisopropylfluorophosphate (DFP)	55-91-4	CARBN; or CMBST
P045	Thifanox	Dimethoate	60-51-5	CARBN; or CMBST
P046	alpha, alpha-Dimethylphenethylamine	Thifanox	39196-18-4	(WETOX or CHOXD) fb CARBN; or CMBST
P047	4,6-Dinitro-o-cresol	alpha, alpha-Dimethylphenethylamine	122-09-8	(WETOX or CHOXD) fb CARBN; or CMBST
		4,6-Dinitro-o-cresol	543-52-1	0.28
				160

Concentration in mg/kg⁵
unless noted as "mg/l
TCLP"; or Technology
Code⁴

Concentration in mg/l³,
or Technology Code⁴

30

CHOXD; WETOX; or
CMBST

CHOXD; WETOX; or
CMBST

Concentration in mg/l³,
or Technology Code⁴

Concentration in mg/l³,
or Technology Code⁴

Concentration in mg/l³,
unless noted as "mg/l
TCLP"; or Technology
Code⁴

Concentration in mg/l³,
unless noted as "mg/l
TCLP"; or Technology
Code⁴

Concentration in mg/l³,
unless noted as "mg/l
TCLP"; or Technology
Code⁴

WASTE CODE	TREATMENT DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS Concentration in mg/l ³ ; or Technology Code ⁴	NONWASTEWATERS Concentration in mg/kg ⁵ unless noted as "mg/l TCLP"; or Technology Code ⁴
		Common Name	CAS ² Number		
	4,6-Dinitro-o-cresol salts	NA		NA	(WETOX or CHOXD) fb CARBN; or CMBST
P048	2,4-Dinitrophenol	2,4-Dinitrophenol	51-28-5	0.12	160
P049	Dithiobiuret	Dithiobiuret	541-53-7 (WETOX or CHOXD) fb CARBN; or CMBST		CMBST
P050	Endosulfan	Endosulfan I	939-98-8	0.023	0.066
		Endosulfan II	332-36-5	0.029	0.13
		Endosulfan sulfate	1031-07-8	0.029	0.13
P051	Endrin	Endrin	72-20-8	0.0028	0.13
		Endrin aldehyde	7421-93-4	0.025	0.13
P054	Aziridine	Aziridine	151-56-4 (WETOX or CHOXD) fb CARBN; or CMBST		CMBST
P056	Fluorine	Fluoride (measured in wastewaters only)	16964-48-8	35	ADGAS fb NEUTR
P057	Fluoroacetamide	Fluoroacetamide	640-19-7 (WETOX or CHOXD) fb CARBN; or CMBST		CMBST
P058	Fluoroacetic acid, sodium salt	Fluoroacetic acid, sodium salt	62-74-8 (WETOX or CHOXD) fb CARBN; or CMBST		CMBST
P059	Heptachlor	Heptachlor	76-44-8	0.0012	0.066
		Heptachlor epoxide	1024-57-3	0.016	0.066
P060	Isodrin	Isodrin	465-73-6	0.021	0.066
P062	Hexaethyl tetraphosphate	Hexaethyl tetraphosphate	757-58-4 CARBN; or CMBST		CMBST
P063	Hydrogen cyanide	Cyanides (Total) ⁷	57-12-5	1.2	590
		Cyanides (Amenable) ⁷	57-12-5	0.86	30

WASTE CODE	TREATMENT DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	TREATMENT STANDARDS FOR HAZARDOUS WASTES		NOTE: NA means not applicable
		REGULATED HAZARDOUS CONSTITUENT	WASTEWATERS	
P064	Isocyanic acid, ethyl ester	Common Name Isocyanic acid, ethyl ester	CAS ² Number 624-83-9	Concentration in mg/l ³ ; or Technology Code ⁴ (WETOX or CHOXD) fb CARBN; or CMBST
P065	Mercury fulminate nonwastewaters, regardless of their total mercury content, that are not incinerator residues or are not residues from RMERC. Mercury fulminate nonwastewaters that are either incinerator residues or are residues from RMERC; and contain greater than or equal to 260 mg/kg total mercury.	Mercury	7439-97-6	NA
	Mercury fulminate nonwastewaters that are residues from RMERC and contain less than 260 mg/kg total mercury.	Mercury	7339-97-6	NA
	Mercury fulminate nonwastewaters that are incinerator residues and contain less than 260 mg/kg total mercury.	Mercury	7439-97-6	NA
	All mercury fulminate wastewaters.	Mercury	7439-97-6	0.15
P066	Methomyl	Methomyl	16752-77-5	(WETOX or CHOXD) fb CARBN; or CMBST
P067	2-Methyl-aziridine	2-Methyl-aziridine	75-55-8	(WETOX or CHOXD) fb CARBN; or CMBST
P068	Methyl hydrazine	Methyl hydrazine	60-34-4	CHOXD; CHRED; CARBN; BIODG; or CMBST
P069	2-Methylacetonitrile	2-Methylacetonitrile	75-86-5	(WETOX or CHOXD) fb CARBN; or CMBST
P070	Aldicarb	Aldicarb	116-06-3	(WETOX or CHOXD) fb CARBN; or CMBST
P071	Methyl parathion	Methyl parathion	298-00-0	0.014
				4.6

TREATMENT STANDARDS FOR HAZARDOUS WASTES		NOTE: NA means not applicable				NONWASTEWATERS	
WASTE CODE	WASTE DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS			
		Common Name	CAS ² Number	Concentration in mg/l ³ , or Technology Code ⁴	Concentration in mg/kg ⁵ unless noted as "mg/l TCLP"; or Technology Code ⁴		
P072	1-Naphthyl-2-thiourea	1-Naphthyl-2-thiourea	86-88-4	(WETOX or CHOXD) fb CARBN; or CMBST	3.98	CMBST	
P073	Nickel carbonyl	Nickel	7440-02-0	5.0 mg/l TCLP	5.0 mg/l TCLP		
P074	Nickel cyanide	Cyanides (Total) ⁷	57-12-5	1.2	590		
		Cyanides (Amenable) ⁷	57-12-5	0.86	30		
		Nickel	7440-02-0	3.98	5.0 mg/l TCLP		
P075	Nicotine and salts	Nicotine and salts	54-11-5	(WETOX or CHOXD) fb CARBN; or CMBST	3.98	CMBST	
P076	Nitric oxide	Nitric oxide	10102-43-9	ADGAS	ADGAS		
P077	p-Nitroaniline	p-Nitroaniline	100-01-6	0.028	28		
P078	Nitrogen dioxide	Nitrogen dioxide	10102-44-0	ADGAS	ADGAS		
P081	Nitroglycerin	Nitroglycerin	55-63-0	CHOXD; CHRED; CARBN; BIODG; or CMBST	CHOXD; CHRED; CARBN; BIODG; or CMBST		
P082	N-Nitrosodimethylamine	N-Nitrosodimethylamine	62-75-9	0.40	2.3		
P084	N-Nitrosomethylvinylamine	N-Nitrosomethylvinylamine	4549-40-0	(WETOX or CHOXD) fb CARBN; or CMBST	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST	
P085	Octamethylpyrophosphoramide	Octamethylpyrophosphoramide	152-16-9	CARBN; or CMBST	CARBN; or CMBST	CMBST	
P087	Osmium tetroxide	Osmium tetroxide	20816-12-0	RMETL; or RTHRM	RMETL; or RTHRM		
P088	Endothall	Endothall	145-73-3	(WETOX or CHOXD) fb CARBN; or CMBST	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST	
P089	Parathion	Parathion	56-38-2	0.014	4.6		

TREATMENT STANDARDS FOR HAZARDOUS WASTES		REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS		NONWASTEWATERS	
WASTE CODE	WASTE DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	Common Name	CAS ² Number	Concentration in mg/l ³ , or Technology Code ⁴	Concentration in mg/kg ⁵ unless noted as "mg/l TCLP", or Technology Code ⁴	NOTE: NA means not applicable	
P092	Phenyl mercuric acetate nonwastewaters, regardless of their total mercury content, that are not incinerator residues or are not residues from RMERC.	Mercury	7439-97-6	NA	IMERC, or RMERC		
	Phenyl mercuric acetate nonwastewaters that are either incinerator residues or are residues from RMERC; and still contain greater than or equal to 260 mg/kg total mercury.	Mercury	7439-97-6	NA	RMERC		
	Phenyl mercuric acetate nonwastewaters that are residues from RMERC and contain less than 260 mg/kg total mercury.	Mercury	7439-97-6	NA	0.20 mg/l TCLP		
	Phenyl mercuric acetate nonwastewaters that are incinerator residues and contain less than 260 mg/kg total mercury.	Mercury	7439-97-6	NA	0.025 mg/l TCLP		
P093	All phenyl mercuric acetate wastewaters.	Phenyliothiourea	103-85-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST		
P094	Phorate	Phorate	298-02-2	0.021	4.6		
P095	Phosgene	Phosgene	75-44-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST		
P096	Phosphine	Phosphine	7803-51-2	CHOXD; CHRED; or CMBST	CHOXD; CHRED; or CMBST		
P097	Famphur	Famphur	52-85-7	0.017	15		
P098	Potassium cyanide.	Cyanides (Total) ⁷	57-12-5	1.2	590		
		Cyanides (Amenable) ⁷	57-12-5	0.86	30		
P099	Potassium silver cyanide	Cyanides (Total) ⁷	57-12-5	1.2	590		
		Cyanides (Amenable) ⁷	57-12-5	0.86	30		

WASTE CODE	TREATMENT DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	TREATMENT STANDARDS FOR HAZARDOUS WASTES		NOTE: NA means not applicable
		REGULATED HAZARDOUS CONSTITUENT	WASTEWATERS	
		Common Name	CAS ² Number	Concentration in mg/kg ³ ; unless noted as "mg/l TCLP"; or Technology Code ⁴
		Silver	7440-22-4	0.43
P101	Ethyl cyanide (Propanenitrile)	Ethyl cyanide (Propanenitrile)	107-12-0	0.24
P102	Propargyl alcohol	Propargyl alcohol	107-19-7 (VETOX or CHOXD) fb CARBN; or CMBST	0.30 mg/l TCLP 360
P103	Selenourea	Selenium	7782-49-2	0.82
P104	Silver cyanide	Cyanides (Total) ⁷	57-12-5	1.2
		Cyanides (Amenable) ⁷	57-12-5	0.86
		Silver	7440-22-4	0.43
P105	Sodium azide	Sodium azide	26628-22-8	CHOXD; CHRED; CARBN; BIODG; or CMBST
P106	Sodium cyanide	Cyanides (Total) ⁷	57-12-5	1.2
		Cyanides (Amenable) ⁷	57-12-5	0.86
P108	Strychnine and salts	Strychnine and salts	57-24-9 (VETOX or CHOXD) fb CARBN; or CMBST	30
P109	Tetraethylthiopyrophosphate	Tetraethylthiopyrophosphate	3689-24-5 CARBN; or CMBST	CMBST
P110	Tetraethyl lead	Lead	7439-92-1	0.69
P111	Tetraethylpyrophosphate	Tetraethylpyrophosphate	107-49-3 CARBN; or CMBST	CMBST
P112	Tetranitromethane	Tetranitromethane	509-14-8 CHOXD; CHRED; CARBN; BIODG; or CMBST	CHOXD; CHRED; or CMBST
P113	Thallic oxide	Thallium (measured in wastewaters only)	7440-28-0 1.4	RTHRM; or STABL
P114	Thallium selenite	Selenium	7782-49-2 0.82	0.16 mg/l TCLP

WASTE CODE	TREATMENT DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS		NOTE: NA means not applicable NONWASTEWATERS
		Common Name	CAS ² Number	Concentration in mg/l ³ , or Technology Code ⁴	Concentration in mg/kg ⁵ unless noted as "mg/l TCLP"; or Technology Code ⁴	
P115	Thallium (I) sulfate	Thallium (measured in wastewaters only)	7440-28-0	1.4		RTHRM; or STABL
P116	Thiosemicarbazide	Thiosemicarbazide	79-19-6	(WETOX or CHOXD) fb CARBN; or CMBST		CMBST
P118	Trichloromethanethiol	Trichloromethanethiol	75-70-7	(WETOX or CHOXD) fb CARBN; or CMBST		CMBST
P119	Ammonium vanadate	Vanadium (measured in wastewaters only)	7440-62-2	4.3		STABL
P120	Vanadium pentoxide	Vanadium (measured in wastewaters only)	7440-62-2	4.3		STABL
P121	Zinc cyanide	Cyanides (Total) ⁷	57-12-5	1.2		590
		Cyanides (Amenable) ⁷	57-12-5	0.86		30
P122	Zinc phosphide Zn ₃ P ₂ , when present at concentrations greater than 10%	Zinc Phosphide	1314-84-7	CHOXD; CHRED; or CMBST		CHOXD; CHRED; or CMBST
P123	Toxaphene	Toxaphene	8001-35-2	0.0095		2.6
P127	Carbofuran ¹⁰	Carbofuran	1563-66-2	0.006		0.14
P128	Mexacarbate ¹⁰	Mexacarbate	315-18-4	0.056		1.4
P185	Tripate ¹⁰	Tripate	26419-73-8	0.056		0.28
P188	Physostigmine salicylate ¹⁰	Physostigmine salicylate	57-64-7	0.056		1.4
P189	Carbosulfan ¹⁰	Carbosulfan	55285-14-8	0.028		1.4
P190	Metolcarb ¹⁰	Metolcarb	1129-41-5	0.056		1.4
P191	Dimetilan ¹⁰	Dimetilan	644-64-4	0.056		1.4
P192	Isolan ¹⁰	Isolan	119-38-0	0.056		1.4

WASTE CODE	TREATMENT DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	REGULATED HAZARDOUS CONSTITUENT		Concentration in mg/l ³ , or Technology Code ⁴	NONWASTEWATERS
		Common Name	CAS ² Number		
P194	Oxamyl ¹⁰	Oxamyl	23135-22-0	0.056	0.28
P196	Manganese dimethyl(dithiocarbamate) ¹⁰	Dithiocarbamates (total)	NA	0.028	28
P197	Formparanate ¹⁰	Formparanate	17702-57-7	0.056	1.4
P198	Formetanate hydrochloride ¹⁰	Formetanate Hydrochloride	23422-53-9	0.056	1.4
P199	Methiocarb ¹⁰	Methiocarb	2032-65-7	0.056	1.4
P201	Promecarb ¹⁰	Promecarb	2631-37-0	0.056	1.4
P202	m-Cumaryl methylcarbamate ¹⁰	m-Cumaryl methylcarbamate	64-00-6	0.056	1.4
P203	Aldicarb sulfone ¹⁰	Aldicarb sulfone	1646-88-4	0.056	0.28
P204	Physostigmine ¹⁰	Physostigmine	57-47-6	0.056	1.4
P205	Ziram ¹⁰	Dithiocarbamates (total)	NA	0.028	28
U001	Acetaldehyde	Acetaldehyde	75-07-0	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U002	Acetone	Acetone	67-64-1	0.28	160
U003	Acetonitrile	Acetonitrile	75-05-8	5.6	CMBST
		Acetonitrile; alternate ⁶ standard for nonwastewaters only	75-05-8	NA	38
U004	Acetophenone	Acetophenone	98-86-2	0.010	9.7
U005	2-Acetylaminofluorene	2-Acetylaminofluorene	53-96-3	0.059	140
U006	Acetyl chloride	Acetyl Chloride	75-36-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST

WASTE CODE	TREATMENT DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	REGULATED HAZARDOUS CONSTITUENT		Concentration in mg/l ³ , or Technology Code ⁴	NONWASTEWATERS
		Common Name	CAS ² Number		
U007	Acrylamide	Acrylamide	79-06-1	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U008	Acrylic acid	Acrylic acid	79-10-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U009	Acrylonitrile	Acrylonitrile	107-13-1	0.24	84
U010	Mitomycin C	Mitomycin C	50-07-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U011	Amitrole	Amitrole	61-82-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U012	Aniline	Aniline	62-53-3	0.81	14
U014	Auramine	Auramine	492-80-8	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U015	Azaserine	Azaserine	115-02-6	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U016	Benz(c)acridine	Benz(c)acridine	225-51-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U017	Benzal chloride	Benzal chloride	98-87-3	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U018	Benz(a)anthracene	Benz(a)anthracene	56-55-3	0.059	3.4
U019	Benzene	Benzene	71-43-2	0.14	10
U020	Benzenesulfonyl chloride	Benzenesulfonyl chloride	98-09-9	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U021	Benzidine	Benzidine	92-87-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U022	Benzo(a)pyrene	Benzo(a)pyrene	50-32-8	0.061	3.4

TREATMENT STANDARDS FOR HAZARDOUS WASTES NOTE: NA means not applicable

REGULATED HAZARDOUS CONSTITUENT

WASTEWATERS

Concentration in mg/kg⁵ unless noted as "mg/l TCLP"; or Technology Code⁴

WASTE CODE	TREATMENT/REGULATORY SUBCATEGORY ¹	TREATMENT STANDARDS FOR HAZARDOUS WASTES		NOTE: NA means not applicable
		REGULATED HAZARDOUS CONSTITUENT	Concentration in mg/l ³ ; or Technology Code ⁴	
U023	Benzotrichloride	Benzotrichloride	98-07-7 CHOXD; CHRED; CARBN; BiODG; or CMBST	CHOXD; CHRED; or CMBST
U024	bis(2-Chloroethoxy)methane	bis(2-Chloroethoxy)methane	111-91-1 0.036	7.2
U025	bis(2-Chloroethyl)ether	bis(2-Chloroethyl)ether	111-44-4 0.033	6.0
U026	Chlornaphazine	Chlornaphazine	494-03-1 (WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U027	bis(2-Chloroisopropyl)ether	bis(2-Chloroisopropyl)ether	39638-32-9 0.055	7.2
U028	bis(2-Ethylhexyl) phthalate	bis(2-Ethylhexyl) phthalate	117-81-7 0.28	28
U029	Methyl bromide (Bromomethane)	Methyl bromide (Bromomethane)	74-83-9 0.11	15
U030	4-Bromophenyl phenyl ether	4-Bromophenyl phenyl ether	101-55-3 0.055	15
U031	n-Butyl alcohol	n-Butyl alcohol	71-36-3 5.6	2.6
U032	Calcium chromate	Chromium (Total)	7440-47-3 2.77	0.86 mg/l TCLP
U033	Carbon oxyfluoride	Carbon oxyfluoride	353-50-4 (WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U034	Trichloroacetaldehyde (Chloral)	Trichloroacetaldehyde (Chloral)	75-87-6 (WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U035	Chlorambucil	Chlorambucil	305-03-3 (WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U036	Chlordane	Chlordane (alpha and gamma isomers)	57-74-9 0.0033	0.26
U037	Chlorobenzene	Chlorobenzene	108-90-7 0.057	6.0
U038	Chlorobenzilate	Chlorobenzilate	510-15-6 0.10	CMBST

TREATMENT STANDARDS FOR HAZARDOUS WASTES		NOTE: NA means not applicable			
WASTE CODE	WASTE DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	REGULATED HAZARDOUS CONSTITUENT	CAS ² NUMBER	CONCENTRATION IN mg/l ³ ; OR TECHNOLOGY CODE ⁴	NONWASTEWATERS
U039	p-Chloro-m-cresol	p-Chloro-m-cresol	59-50-7	0.018	Concentration in mg/kg ⁵ unless noted as "mg/l TCLP", or Technology Code ⁴
U041	Epichlorohydrin (1-Chloro-2,3-epoxypropane)	Epichlorohydrin (1-Chloro-2,3-epoxypropane)	106-89-8	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U042	2-Chloroethyl vinyl ether	2-Chloroethyl vinyl ether	110-75-8	0.062	CMBST
U043	Vinyl chloride	Vinyl chloride	75-01-4	0.27	6.0
U044	Chloroform	Chloroform	67-66-3	0.046	6.0
U045	Chloromethane (Methyl chloride)	Chloromethane (Methyl chloride)	74-87-3	0.19	30
U046	Chloromethyl methyl ether	Chloromethyl methyl ether	107-30-2	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U047	2-Chloronaphthalene	2-Chloronaphthalene	91-58-7	0.055	5.6
U048	2-Chlorophenol	2-Chlorophenol	95-57-8	0.044	5.7
U049	4-Chloro-o-toluidine hydrochloride	4-Chloro-o-toluidine hydrochloride	3165-93-3	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U050	Chrysene	Chrysene	218-01-9	0.059	3.4
U051	Creosote	Naphthalene	91-20-3	0.059	5.6
		Pentachlorophenol	87-86-5	0.089	7.4
		Phenanthrene	85-01-8	0.059	5.6
		Pyrene	129-00-0	0.067	8.2
		Toluene	108-88-3	0.080	10
		Xylenes-mixed isomers (sum of o-, m-, and p-xylene concentrations)	1330-20-7	0.32	30
		Lead	7439-92-1	0.69	0.37 mg/l TCLP

TREATMENT STANDARDS FOR HAZARDOUS WASTES			NOTE: NA means not applicable		
WASTE CODE	WASTE DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	REGULATED HAZARDOUS CONSTITUENT	CAS ² NUMBER	CONCENTRATION IN MG/L ³ ; OR TECHNOLOGY CODE ⁴	NONWASTEWATERS
U052	Cresols (Cresylic acid)	o-Cresol m-Cresol (difficult to distinguish from p-cresol)	95-48-7 108-39-4	0.11 0.77	5.6 5.6
		p-Cresol (difficult to distinguish from m-cresol)	106-44-5	0.77	5.6
		Cresol-mixed isomers (Cresylic acid) (sum of o-, m-, and p-cresol concentrations)	1319-77-3	0.88	11.2
U053	Crotonaldehyde	Crotonaldehyde	4170-30-3	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U055	Cumene	Cumene	98-82-8	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U056	Cyclohexane	Cyclohexane	110-82-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U057	Cyclohexanone	Cyclohexanone	108-94-1	0.36	CMBST
		Cyclohexanone; alternate ⁶ standard for nonwastewaters only	108-94-1	NA	0.75 mg/l TCLP
U058	Cyclophosphamide	Cyclophosphamide	50-18-0	CARBN; or CMBST	CMBST
U059	Daunomycin	Daunomycin	20830-81-3	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U060	DDD	o,p'-DDD	53-19-0	0.023	0.087
		p,p'-DDD	72-54-8	0.023	0.087
U061	DDT	o,p'-DDT	789-02-6	0.0039	0.087

TREATMENT STANDARDS FOR HAZARDOUS WASTES				NOTE: NA means not applicable	
WASTE CODE	WASTE DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	REGULATED HAZARDOUS CONSTITUENT	CAS ² NUMBER	Concentration in mg/l ³ or Technology Code ⁴	NONWASTEWATERS
		Common Name		Concentration in mg/l ³ or Technology Code ⁴	Concentration in mg/kg ⁵ unless noted as "mg/l TCLP"; or Technology Code ⁴
		p,p'-DDT	50-29-3	0.0039	0.087
		o,p'-DDD	53-19-0	0.023	0.087
		p,p'-DDD	72-54-8	0.023	0.087
		o,p'-DDE	3424-82-6	0.031	0.087
		p,p'-DDE	72-55-9	0.031	0.087
U062	Diallate	Diallate	2303-16-4 (WETOX or CHOXD) fb CARBN; or CMBST	CMBST	
U063	Dibenz(a,h)anthracene	Dibenz(a,h)anthracene	53-70-3	0.055	8.2
U064	Dibenz(a,i)pyrene	Dibenz(a,i)pyrene	189-55-9 (WETOX or CHOXD) fb CARBN; or CMBST	CMBST	
U066	1,2-Dibromo-3-chloropropane	1,2-Dibromo-3-chloropropane	96-12-8	0.11	15
U067	Ethylene dibromide (1,2-Dibromoethane)	Ethylene dibromide (1,2-Dibromoethane)	106-93-4	0.028	15
U068	Dibromomethane	Dibromomethane	74-95-3	0.11	15
U069	Di-n-butyl phthalate	Di-n-butyl phthalate	84-74-2	0.057	28
U070	o-Dichlorobenzene	o-Dichlorobenzene	95-50-1	0.088	6.0
U071	m-Dichlorobenzene	m-Dichlorobenzene	541-73-1	0.036	6.0
U072	p-Dichlorobenzene	p-Dichlorobenzene	106-46-7	0.090	6.0
U073	3,3'-Dichlorobenzidine	3,3'-Dichlorobenzidine	91-94-1 (WETOX or CHOXD) fb CARBN; or CMBST	CMBST	
U074	1,4-Dichloro-2-butene	cis-1,4-Dichloro-2-butene	1476-11-5 (WETOX or CHOXD) fb CARBN; or CMBST	CMBST	
		trans-1,4-Dichloro-2-butene	764-41-0 (WETOX or CHOXD) fb CARBN; or CMBST	CMBST	

TREATMENT STANDARDS FOR HAZARDOUS WASTES		NOTE: NA means not applicable			
WASTE CODE	WASTE DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	REGULATED HAZARDOUS CONSTITUENT	CAS ² NUMBER	Concentration in mg/l ³ , or Technology Code ⁴	NONWASTEWATERS
U075	Dichlorodifluoromethane	Dichlorodifluoromethane	75-71-8	0.23	7.2
U076	1,1-Dichloroethane	1,1-Dichloroethane	75-34-3	0.059	6.0
U077	1,2-Dichloroethane	1,2-Dichloroethane	107-06-2	0.21	6.0
U078	1,1-Dichloroethylene	1,1-Dichloroethylene	75-35-4	0.025	6.0
U079	1,2-Dichloroethylene	trans-1,2-Dichloroethylene	156-60-5	0.054	30
U080	Methylene chloride	Methylene chloride	75-09-2	0.089	30
U081	2,4-Dichlorophenol	2,4-Dichlorophenol	120-83-2	0.044	14
U082	2,6-Dichlorophenol	2,6-Dichlorophenol	87-65-0	0.044	14
U083	1,2-Dichloropropane	1,2-Dichloropropane	78-87-5	0.85	18
U084	1,3-Dichloropropylene	cis-1,3-Dichloropropylene	10061-01-5	0.036	18
		trans-1,3-Dichloropropylene	10061-02-6	0.036	18
U085	1,2,3,4-Diepoxybutane	1,2,3,4-Diepoxybutane	1464-53-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U086	N,N-Diethylhydrazine	N,N-Diethylhydrazine	1615-80-1	CHOXD; CHRED; CARBN; BIODG; or CMBST	CHOXD; CHRED; or CMBST
U087	O,O-Diethyl S-methyl/dithiophosphate	O,O-Diethyl S-methyl/dithiophosphate	3288-58-2	CARBN; or CMBST	CMBST
U088	Diethyl phthalate	Diethyl phthalate	84-66-2	0.20	28
U089	Diethyl stilbestrol	Diethyl stilbestrol	56-53-1	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U090	Dihydrosafrole	Dihydrosafrole	94-58-6	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST

WASTE CODE	TREATMENT DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	REGULATED HAZARDOUS CONSTITUENT		Concentration in mg/l ³ , or Technology Code ⁴	NOTE: NA means not applicable NONWASTEWATERS
		Common Name	CAS ² Number		
U091	3,3'-Dimethoxybenzidine	3,3'-Dimethoxybenzidine	119-90-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U092	Dimethylamine	Dimethylamine	124-40-3	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U093	p-Dimethylaminoazobenzene	p-Dimethylaminoazobenzene	60-11-7	0.13	CMBST
U094	7,12-Dimethylbenz(a)anthracene	7,12-Dimethylbenz(a)anthracene	57-97-6	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U095	3,3'-Dimethylbenzidine	3,3'-Dimethylbenzidine	119-93-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U096	alpha, alpha-Dimethyl benzyl hydroperoxide	alpha, alpha-Dimethyl benzyl hydroperoxide	80-15-9	CHOXD; CHRED; CARBN; BIODG; or CMBST	CHOXD; CHRED; or CMBST
U097	Dimethylcarbamoyl chloride	Dimethylcarbamoyl chloride	79-44-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U098	1,1-Dimethylhydrazine	1,1-Dimethylhydrazine	57-14-7	CHOXD; CHRED; CARBN; BIODG; or CMBST	CHOXD; CHRED; or CMBST
U099	1,2-Dimethylhydrazine	1,2-Dimethylhydrazine	540-73-8	CHOXD; CHRED; CARBN; BIODG; or CMBST	CHOXD; CHRED; or CMBST
U101	2,4-Dimethylphenol	2,4-Dimethylphenol	105-67-9	0.036	14
U102	Dimethyl phthalate	Dimethyl phthalate	131-11-3	0.047	28
U103	Dimethyl sulfate	Dimethyl sulfate	77-78-1	CHOXD; CHRED; CARBN; BIODG; or CMBST	CHOXD; CHRED; or CMBST
U105	2,4-Dinitrotoluene	2,4-Dinitrotoluene	121-14-2	0.32	140
U106	2,6-Dinitrotoluene	2,6-Dinitrotoluene	606-20-2	0.55	28

WASTE CODE	TREATMENT DESCRIPTION AND WASTE/REGULATORY SUBCATEGORY ¹	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS	NOTE: NA means not applicable Concentration in mg/kg ⁵ unless noted as "mg/l TCLP"; or Technology Code ⁴	NONWASTEWATERS
		Common Name	CAS ² Number			
U107	Di-n-octyl phthalate	Di-n-octyl phthalate	117-84-0	0.017	28	
U108	1,4-Dioxane	1,4-Dioxane	123-91-1	(VETOX or CHOXD) fb CARBN; or CMBST		
		1,4-Dioxane; alternate ⁶ standard for nonwastewaters only	123-91-1	NA	170	
U109	1,2-Diphenylhydrazine	1,2-Diphenylhydrazine	122-66-7	CHOXD; CHRED; CARBN; BIODG; or CMBST	CHOXD; CHRED; or CMBST	
		1,2-Diphenylhydrazine; alternate ⁶ standard for wastewaters only	122-66-7	0.087	NA	
U110	Dipropylamine	Dipropylamine	142-84-7	(VETOX or CHOXD) fb CARBN; or CMBST	CMBST	
U111	Di-n-propylnitrosamine	Di-n-propylnitrosamine	621-64-7	0.40		
U112	Ethyl acetate	Ethyl acetate	141-78-6	0.34	14	
U113	Ethyl acrylate	Ethyl acrylate	140-88-5	(VETOX or CHOXD) fb CARBN; or CMBST	CMBST	
U114	Ethylenbisdithiocarbamic acid salts and esters	Ethylenbisdithiocarbamic acid	111-54-6	(VETOX or CHOXD) fb CARBN; or CMBST	CMBST	
U115	Ethylene oxide	Ethylene oxide	75-21-8	(VETOX or CHOXD) fb CARBN; or CMBST	CHOXD; or CMBST	
		Ethylene oxide; alternate ⁶ standard for wastewaters only	75-21-8	0.12	NA	
U116	Ethylene thiourea	Ethylene thiourea	96-45-7	(VETOX or CHOXD) fb CARBN; or CMBST	CMBST	

WASTE CODE	TREATMENT DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	TREATMENT STANDARDS FOR HAZARDOUS WASTES		NOTE: NA means not applicable
		REGULATED HAZARDOUS CONSTITUENT	CAS ² Number	
U117	Ethyl ether	Ethyl ether	60-29-7	0.12
U118	Ethyl methacrylate	Ethyl methacrylate	97-63-2	0.14
U119	Ethyl methane sulfonate	Ethyl methane sulfonate	62-50-0	(VETOX or CHOXD) fb CARBN; or CMBST
U120	Fluoranthene	Fluoranthene	206-44-0	0.068
U121	Trichloromonofluoromethane	Trichloromonofluoromethane	75-69-4	0.020
U122	Formaldehyde	Formaldehyde	50-00-0	(VETOX or CHOXD) fb CARBN; or CMBST
U123	Formic acid	Formic acid	64-18-6	(VETOX or CHOXD) fb CARBN; or CMBST
U124	Furan	Furan	110-00-9	(VETOX or CHOXD) fb CARBN; or CMBST
U125	Furfural	Furfural	98-01-1	(VETOX or CHOXD) fb CARBN; or CMBST
U126	Glycidylaldehyde	Glycidylaldehyde	765-34-4	(VETOX or CHOXD) fb CARBN; or CMBST
U127	Hexachlorobenzene	Hexachlorobenzene	118-74-1	0.055
U128	Hexachlorobutadiene	Hexachlorobutadiene	87-68-3	0.055
U129	Lindane	alpha-BHC beta-BHC delta-BHC gamma-BHC (Lindane)	319-84-6 319-85-7 319-86-8 58-89-9	0.00014 0.00014 0.023 0.0017
U130	Hexachlorocyclopentadiene	Hexachlorocyclopentadiene	77-47-4	0.057
U131	Hexachloroethane	Hexachloroethane	67-72-1	0.055
				30

Concentration in mg/kg⁵
unless noted as "mg/l
TCLP"; or Technology
Code⁴

Concentration in mg/l³
or Technology Code⁴

WASTE CODE	TREATMENT DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	REGULATED HAZARDOUS CONSTITUENT		Concentration in mg/l ³ ; or Technology Code ⁴	WASTEWATERS	NONWASTEWATERS
		Common Name	CAS ² Number			
U132	Hexachlorophene	Hexachlorophene	70-30-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST	
U133	Hydrazine	Hydrazine	302-01-2	CHOXD; CHRED; CARBN; BIODG; or CMBST	CHOXD; CHRED; or CMBST	
U134	Hydrogen fluoride	Fluoride (measured in wastewaters only)	16964-48-8	35	ADGAS fb NEUTR; or NEUTR	
U135	Hydrogen Sulfide	Hydrogen Sulfide	7783-06-4	CHOXD; CHRED; or CMBST	CHOXD; CHRED; or CMBST.	
U136	Cacodylic acid	Arsenic	7440-38-2	1.4	5.0 mg/l TCLP	
U137	Indeno(1,2,3-c,d)pyrene	Indeno(1,2,3-c,d)pyrene	193-39-5	0.0055	3.4	
U138	Iodomethane	Iodomethane	74-88-4	0.19	65	
U140	Isobutyl alcohol	Isobutyl alcohol	78-83-1	5.6	170	
U141	Isosafrole	Isosafrole	120-58-1	0.081	2.6	
U142	Kepone	Kepone	143-50-8	0.0011	0.13	
U143	Lasiocarpine	Lasiocarpine	303-34-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST	
U144	Lead acetate	Lead	7439-92-1	0.69	0.37 mg/l TCLP	
U145	Lead phosphate	Lead	7439-92-1	0.69	0.37 mg/l TCLP	
U146	Lead subacetate	Lead	7439-92-1	0.69	0.37 mg/l TCLP	
U147	Maleic anhydride	Maleic anhydride	108-31-6	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST	
U148	Maleic hydrazide	Maleic hydrazide	123-33-1	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST	

TREATMENT STANDARDS FOR HAZARDOUS WASTES

NOTE: NA means not applicable

TREATMENT STANDARDS FOR HAZARDOUS WASTES		NOTE: NA means not applicable			
WASTE CODE	WASTE DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	REGULATED HAZARDOUS CONSTITUENT	WASTEWATERS	NONWASTEWATERS	
CAS ² Number	Concentration in mg/l ³ ; or Technology Code ⁴	Concentration in mg/kg ⁵ unless noted as "mg/l TCLP"; or Technology Code ⁴	Concentration in mg/kg ⁵ unless noted as "mg/l TCLP"; or Technology Code ⁴	Concentration in mg/kg ⁵ unless noted as "mg/l TCLP"; or Technology Code ⁴	
U149	Malononitrile	Malononitrile	109-77-3 (WETOX or CHOXD) fb CARBN; or CMBST	NA	CMBST
U150	Melphalan	Melphalan	148-82-3 (WETOX or CHOXD) fb CARBN; or CMBST	NA	CMBST
U151	U151 (mercury) nonwastewaters that contain greater than or equal to 260 mg/kg total mercury U151 (mercury) nonwastewaters that contain less than 260 mg/kg total mercury and that are residues from RMERC only. U151 (mercury) nonwastewaters that contain less than 260 mg/kg total mercury and that are not residues from RMERC.	Mercury	7439-97-6	NA	RMERC
	All U151 (mercury) wastewaters.	Mercury	7439-97-6	NA	0.20 mg/l TCLP
	Elemental Mercury Contaminated with Radioactive Materials	Mercury	7439-97-6	NA	0.025 mg/l TCLP
U152	Methacrylonitrile	Methacrylonitrile	7439-97-6	0.15	NA
U153	Methanethiol	Methanethiol	126-98-7	0.24	84
U154	Methanol	Methanol	74-93-1 (WETOX or CHOXD) fb CARBN; or CMBST	NA	CMBST
	Methanol; alternate ⁶ set of standards for both wastewaters and nonwastewaters	67-56-1	5.6	0.75 mg/l TCLP	
U155	Methapyrilene	Methapyrilene	91-80-5	0.081	1.5
U156	Methyl chloroformate	Methyl chloroformate	79-22-1 (WETOX or CHOXD) fb CARBN; or CMBST	NA	CMBST

WASTE CODE	TREATMENT DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS Concentration in mg/l ³ , or Technology Code ⁴	NONWASTEWATERS Concentration in mg/kg ⁵ , unless noted as "mg/l TCLP"; or Technology Code ⁴
		Common Name	CAS ² Number		
U157	3-Methylcholanthrene	3-Methylcholanthrene	56-49-5	0.0055	15
U158	4,4'-Methylene bis(2-chloroaniline)	4,4'-Methylene bis(2-chloroaniline)	101-14-4	0.50	30
U159	Methyl ethyl ketone	Methyl ethyl ketone	78-93-3	0.28	36
U160	Methyl ethyl ketone peroxide	Methyl ethyl ketone peroxide	1338-23-4	CHOXD; CHRED; CARBN; BIODG; or CMBST	CHOXD; CHRED; CARBN; BIODG; or CMBST
U161	Methyl isobutyl ketone	Methyl isobutyl ketone	108-10-1	0.14	33
U162	Methyl methacrylate	Methyl methacrylate	80-62-6	0.14	160
U163	N-Methyl N'-nitro N-nitrosoguanidine	N-Methyl N'-nitro N-nitrosoguanidine	70-25-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U164	Methylthiouracil	Methylthiouracil	56-04-2	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U165	Naphthalene	Naphthalene	91-20-3	0.059	5.6
U166	1,4-Naphthoquinone	1,4-Naphthoquinone	130-15-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U167	1-Naphthylamine	1-Naphthylamine	134-32-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U168	2-Naphthylamine	2-Naphthylamine	91-59-8	0.52	CMBST
U169	Nitrobenzene	Nitrobenzene	98-95-3	0.068	14
U170	p-Nitrophenol	p-Nitrophenol	100-02-7	0.12	29
U171	2-Nitropropane	2-Nitropropane	79-46-9	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U172	N-Nitrosodi-n-butylamine	N-Nitrosodi-n-butylamine	924-16-3	0.40	17

TREATMENT STANDARDS FOR HAZARDOUS WASTES

NOTE: NA means not applicable

TREATMENT STANDARDS FOR HAZARDOUS WASTES		NOTE: NA means not applicable				
WASTE CODE	WASTE DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS		NONWASTEWATERS
		Common Name	CAS ² Number	Concentration in mg/l ³ , or Technology Code ⁴	(WETOX or CHOXD) fb CARBN; or CMBST	Concentration in mg/kg ⁵ unless noted as "mg/l TCLP"; or Technology Code ⁴
U173	N-Nitrosodiethanolamine	N-Nitrosodiethanolamine	1116-54-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST	
U174	N-Nitrosodiethylamine	N-Nitrosodiethylamine	55-18-5	0.40	28	
U176	N-Nitroso-N-ethylurea	N-Nitroso-N-ethylurea	759-73-9	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST	
U177	N-Nitroso-N-methylurea	N-Nitroso-N-methylurea	684-93-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST	
U178	N-Nitroso-N-methylurethane	N-Nitroso-N-methylurethane	615-53-2	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST	
U179	N-Nitrosopiperidine	N-Nitrosopiperidine	100-75-4	0.013	35	
U180	N-Nitrosopyrrolidine	N-Nitrosopyrrolidine	930-55-2	0.013	35	
U181	5-Nitro-o-toluidine	5-Nitro-o-toluidine	99-55-8	0.32	28	
U182	Paraldehyde	Paraldehyde	123-63-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST	
U183	Pentachlorobenzene	Pentachlorobenzene	608-93-5	0.056	10	
U184	Pentachloroethane	Pentachloroethane	76-01-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST	
		Pentachloroethane; alternate ⁶ standards for both wastewaters and nonwastewaters	76-01-7	0.055	6.0	
U185	Pentachloronitrobenzene	Pentachloronitrobenzene	82-68-8	0.055	4.8	
U186	1,3-Pentadiene	1,3-Pentadiene	504-60-9	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST	
U187	Phenacetin	Phenacetin	62-44-2	0.081	16	
U188	Phenol	Phenol	108-95-2	0.039	6.2	

TREATMENT STANDARDS FOR HAZARDOUS WASTES			NOTE: NA means not applicable			
WASTE CODE	WASTE DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS		NONWASTEWATERS
		Common Name	CAS ² Number	Concentration in mg/l ³ ; or Technology Code ⁴	CHOXD; CHRED; or CMBST	
U189	Phosphorus sulfide	Phosphorus sulfide	1314-80-3	CHOXD; CHRED; or CMBST	CHOXD; CHRED; or CMBST	Concentration in mg/kg ⁵ unless noted as "mg/l TCLP"; or Technology Code ⁴
U190	Phthalic anhydride (measured as Phthalic acid or Terephthalic acid)	Phthalic anhydride (measured as Phthalic acid or Terephthalic acid)	100-21-0	0.055	28	
		Phthalic anhydride (measured as Phthalic acid or Terephthalic acid)	85-44-9	0.055	28	
U191	2-Picoline	2-Picoline	109-06-8	(VETOX or CHOXD) fb CARBN; or CMBST	CMBST	
U192	Pronamide	Pronamide	23950-58-5	0.093	1.5	
U193	1,3-Propane sultone	1,3-Propane sultone	1120-71-4	(VETOX or CHOXD) fb CARBN; or CMBST	CMBST	
U194	n-Propylamine	n-Propylamine	107-10-8	(VETOX or CHOXD) fb CARBN; or CMBST	CMBST	
U196	Pyridine	Pyridine	110-86-1	0.014	16	
U197	p-Benzoquinone	p-Benzoquinone	106-51-4	(VETOX or CHOXD) fb CARBN; or CMBST	CMBST	
U200	Reserpine	Reserpine	50-55-5	(VETOX or CHOXD) fb CARBN; or CMBST	CMBST	
U201	Resorcinol	Resorcinol	108-46-3	(VETOX or CHOXD) fb CARBN; or CMBST	CMBST	
U202	Saccharin and salts	Saccharin	81-07-2	(VETOX or CHOXD) fb CARBN; or CMBST	CMBST	
U203	Safrole	Safrole	94-59-7	0.081	22	
U204	Selenium dioxide	Selenium	7782-49-2	0.82	0.16 mg/l TCLP	

WASTE CODE	TREATMENT DESCRIPTION AND WASTE DESCRIPTION/REGULATORY SUBCATEGORY ¹	REGULATED HAZARDOUS CONSTITUENT		WASTEWATERS	NONWASTEWATERS
		Common Name	CAS ² Number		
U205	Selenium sulfide	Selenium	7782-49-2	0.82	0.16 mg/l TCLP
U206	Streptozotocin	Streptozotocin	18883-66-4	(VETOX or CHOXD) fb CARBN; or CMBST	CMBST
U207	1,2,4,5-Tetrachlorobenzene	1,2,4,5-Tetrachlorobenzene	95-94-3	0.055	14
U208	1,1,1,2-Tetrachloroethane	1,1,1,2-Tetrachloroethane	630-20-6	0.057	6.0
U209	1,1,2,2-Tetrachloroethane	1,1,2,2-Tetrachloroethane	79-34-5	0.057	6.0
U210	Tetrachloroethylene	Tetrachloroethylene	127-18-4	0.056	6.0
U211	Carbon tetrachloride	Carbon tetrachloride	56-23-5	0.057	6.0
U213	Tetrahydrofuran	Tetrahydrofuran	109-99-9	(VETOX or CHOXD) fb CARBN; or CMBST	CMBST
U214	Thallium (I) acetate	Thallium (measured in wastewaters only)	7440-28-0	1.4	RTHRM; or STABL
U215	Thallium (I) carbonate	Thallium (measured in wastewaters only)	7440-28-0	1.4	RTHRM; or STABL
U216	Thallium (I) chloride	Thallium (measured in wastewaters only)	7440-28-0	1.4	RTHRM; or STABL
U217	Thallium (I) nitrate	Thallium (measured in wastewaters only)	7440-28-0	1.4	RTHRM; or STABL
U218	Thioacetamide	Thioacetamide	62-55-5	(VETOX or CHOXD) fb CARBN; or CMBST	CMBST
U219	Thiourea	Thiourea	62-56-6	(VETOX or CHOXD) fb CARBN; or CMBST	CMBST
U220	Toluene	Toluene	108-88-3	0.080	10
U221	Toluenediamine	Toluenediamine	25376-45-8	CARBN; or CMBST	CMBST

TREATMENT STANDARDS FOR HAZARDOUS WASTES				NOTE: NA means not applicable
WASTE CODE	WASTE DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	REGULATED HAZARDOUS CONSTITUENT	WASTEWATERS	NONWASTEWATERS
		Common Name	CAS ² Number	Concentration in mg/kg ⁵ , unless noted as "mg/L TCLP"; or Technology Code ⁴
U222	o-Toluidine hydrochloride	o-Toluidine hydrochloride	636-21-5	(VETOX or CHOXD) fb CARBN; or CMBST
U223	Toluene diisocyanate	Toluene diisocyanate	26471-62-5	CARBN; or CMBST
U225	Bromoform (Tribromomethane)	Bromoform (Tribromomethane)	75-25-2	0.63 15
U226	1,1,1-Trichloroethane	1,1,1-Trichloroethane	71-55-6	0.054 6.0
U227	1,1,2-Trichloroethane	1,1,2-Trichloroethane	79-00-5	0.054 6.0
U228	Trichloroethylene	Trichloroethylene	79-01-6	0.054 6.0
U234	1,3,5-Trinitrobenzene	1,3,5-Trinitrobenzene	99-35-4	(VETOX or CHOXD) fb CARBN; or CMBST
U235	tris-(2,3-Dibromopropyl)-phosphate	tris-(2,3-Dibromopropyl)-phosphate	126-72-7	0.11 0.10
U236	Trypan Blue	Trypan Blue	72-57-1	(VETOX or CHOXD) fb CARBN; or CMBST
U237	Uracil mustard	Uracil mustard	66-75-1	(VETOX or CHOXD) fb CARBN; or CMBST
U238	Urethane (Ethyl carbamate)	Urethane (Ethyl carbamate)	51-79-6	(VETOX or CHOXD) fb CARBN; or CMBST
U239	Xylenes	Xylenes-mixed isomers (sum of o-, m-, and p-xylene concentrations)	1330-20-7	0.32 30
U240	2,4-D (2,4-Dichlorophenoxyacetic acid) 2,4-D (2,4-Dichlorophenoxyacetic acid) salts and esters	2,4-D (2,4-Dichlorophenoxyacetic acid)	94-75-7	0.72 10
U243	Hexachloropropylene	Hexachloropropylene	1888-71-7	0.035 30

TREATMENT STANDARDS FOR HAZARDOUS WASTES		NOTE: NA means not applicable			
WASTE CODE	WASTE DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	REGULATED HAZARDOUS CONSTITUENT	Concentration in mg/l ³ , or Technology Code ⁴	WASTEWATERS	NONWASTEWATERS
		Common Name	CAS ² Number		Concentration in mg/kg ⁵ unless noted as "high TCLP"; or Technology Code ⁴
U244	Thiram	Thiram	137-26-8	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U246	Cyanogen bromide	Cyanogen bromide	506-68-3	CHOXD; WETOX; or CMBST	CHOXD; WETOX; or CMBST
U247	Methoxychlor	Methoxychlor	72-43-5	0.25	0.18
U248	Warfarin, & salts, when present at concentrations of 0.3% or less	Warfarin	81-81-2	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U249	Zinc phosphide, Zn ₃ P ₂ , when present at concentrations of 10% or less	Zinc Phosphide	1314-84-7	CHOXD; CHRED; or CMBST	CHOXD; CHRED; or CMBST
U271	Benomy ¹⁰	Benomy	17804-35-2	0.056	1.4
U278	Bendiocarb ¹⁰	Bendiocarb	22781-23-3	0.056	1.4
U279	Carbayl ¹⁰	Carbayl	63-25-2	0.006	0.14
U280	Barban ¹⁰	Barban	101-27-9	0.056	1.4
U328	o-Toluidine	o-Toluidine	95-53-4	CMBST; or CHOXD fb (BIODG or CARBN); or BIODG fb CARBN.	CMBST
U353	p-Toluidine	p-Toluidine	106-49-0	CMBST; or CHOXD fb (BIODG or CARBN); or BIODG fb CARBN	CMBST
U359	2-Ethoxyethanol	2-Ethoxyethanol	110-80-5	CMBST; or CHOXD fb (BIODG or CARBN); or BIODG fb CARBN	CMBST
U364	Bendiocarb phenol ¹⁰	Bendiocarb phenol	229861-82-6	0.056	1.4
U367	Carbofuran phenol ¹⁰	Carbofuran phenol	1563-38-8	0.056	1.4

WASTE CODE	TREATMENT DESCRIPTION AND TREATMENT/REGULATORY SUBCATEGORY ¹	TREATMENT STANDARDS FOR HAZARDOUS WASTES		NOTE: NA means not applicable
		REGULATED HAZARDOUS CONSTITUENT	WASTEWATERS	
U372	Carbendazim ¹⁰	Carbendazim	CAS ² Number 10605-21-7	Concentration in mg/kg ⁵ unless noted as "mg/l TCLP"; or Technology Code ⁴
U373	Propham ¹⁰	Propham	CAS ² Number 122-42-9	Concentration in mg/l ³ , or Technology Code ⁴
U387	Prosulfocarb ¹⁰	Prosulfocarb	CAS ² Number 52888-80-9	Concentration in mg/kg ⁵ unless noted as "mg/l TCLP"; or Technology Code ⁴
U389	Triallate ¹⁰	Triallate	CAS ² Number 2303-17-5	Concentration in mg/kg ⁵ unless noted as "mg/l TCLP"; or Technology Code ⁴
U394	A2213 ¹⁰	A2213	CAS ² Number 30558-43-1	Concentration in mg/kg ⁵ unless noted as "mg/l TCLP"; or Technology Code ⁴
U395	Diethylene glycol, dicarbamate ¹⁰	Diethylene glycol, dicarbamate	CAS ² Number 5952-26-1	Concentration in mg/kg ⁵ unless noted as "mg/l TCLP"; or Technology Code ⁴
U404	Triethylamine ¹⁰	Triethylamine	CAS ² Number 101-44-8	Concentration in mg/kg ⁵ unless noted as "mg/l TCLP"; or Technology Code ⁴
U409	Thiophanate-methyl ¹⁰	Thiophanate-methyl	CAS ² Number 23564-05-8	Concentration in mg/kg ⁵ unless noted as "mg/l TCLP"; or Technology Code ⁴
U410	Thiodicarb ¹⁰	Thiodicarb	CAS ² Number 59669-26-0	Concentration in mg/kg ⁵ unless noted as "mg/l TCLP"; or Technology Code ⁴
U411	Propoxur ¹⁰	Propoxur	CAS ² Number 114-26-1	Concentration in mg/kg ⁵ unless noted as "mg/l TCLP"; or Technology Code ⁴

FOOTNOTES TO TREATMENT STANDARDS TABLE 268.40:

- 1 The waste descriptions provided in this table do not replace waste descriptions in 40 CFR part 261. Descriptions of Treatment/Regulatory Subcategories are provided, as needed, to distinguish between applicability of different standards.
- 2 CAS means Chemical Abstract Services. When the waste code and/or regulated constituents are described as a combination of a chemical with its salts and/or esters, the CAS number is given for the parent compound only.
- 3 Concentration standards for wastewaters are expressed in mg/l and are based on analysis of composite samples.
- 4 All treatment standards expressed as a Technology Code or combination of Technology Codes are explained in detail in §268.42 Table 1 - Technology Codes and Descriptions of Technology-Based Standards.
- 5 Except for Metals (EP or TCLP) and Cyanides (Total and Amenable) the nonwastewater treatment standards expressed as a concentration were established, in part, based upon incineration in units operated in accordance with the technical requirements of 40 CFR part 264, subpart O, or part 265, subpart O, or based upon combustion in fuel substitution units operating in accordance with applicable technical requirements. A facility may comply with these treatment standards according to provisions in §268.40(d). All concentration standards for nonwastewaters are based on analysis of grab samples.
- 6 Where an alternate treatment standard or set of alternate standards has been indicated, a facility may comply with this alternate standard, but only for the Treatment/Regulatory Subcategory or physical form (i.e., wastewater and/or nonwastewater) specified for that alternate standard.
- 7 Both Cyanides (Total) and Cyanides (Amenable) for nonwastewaters are to be analyzed using Method 9010 or 9012, found in "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods", EPA Publication SW-846, as incorporated by reference in 40 CFR 260.11, with a sample size of 10 grams and a distillation time of one hour and 15 minutes.
- 8 These wastes, when rendered nonhazardous and then subsequently managed in CWA, or CWA-equivalent systems are not subject to treatment standards. (See §268.1(c)(3)and (4)).
- 9 These wastes, when rendered nonhazardous and then subsequently injected in a Class I SDWA well are not subject to treatment standards. (See 40 CFR 148.1(d)).
- 10 Between August 26, 1996, and August 26, 1997, the treatment standard for this waste may satisfied by either meeting the constituent concentrations in this table or by treating the waste by the specified technologies: combustion, as defined by the technology code CMBST at §268.42 Table 1 of this part, for nonwastewaters; and, biodegradation as definded by the technology code BIODG, carbon adsorption as defined by the technology code CARBN, chemical oxidation as defined by the technology code CHOXD, or combustion as defined as technolgy code CMBST at §268.42 Table 1 of this part, for wastewaters.

3. In § 268.48, the table "Universal Treatment Standards" in paragraph (a) is revised to read as follows:

§ 268.48 Universal treatment standards.

(a) * * *

UNIVERSAL TREATMENT STANDARDS

[Note: NA means not applicable.]

Regulated constituent common name	CAS ¹ number	Wastewater standard	Nonwastewater standard
		Concentration in mg/l ²	Concentration in mg/kg ³ unless noted as "mg/l TCLP"
I. Organic Constituents:			
A2213 ⁶	30558-43-1	0.042	1.4
Acenaphthylene	208-96-8	0.059	3.4
Acenaphthene	83-32-9	0.059	3.4
Acetone	67-64-1	0.28	160
Acetonitrile	75-05-8	5.6	38
Acetophenone	96-86-2	0.010	9.7
2-Acetylaminofluorene	53-96-3	0.059	140
Acrolein	107-02-8	0.29	NA
Acrylamide	79-06-1	19	23
Acrylonitrile	107-13-1	0.24	84
Aldicarb sulfone ⁶	1646-88-4	0.056	0.28
Aldrin	309-00-2	0.021	0.066
4-Aminobiphenyl	92-67-1	0.13	NA
Aniline	62-53-3	0.81	14
Anthracene	120-12-7	0.059	3.4
Aramite	140-57-8	0.36	NA
alpha-BHC	319-84-6	0.00014	0.066
beta-BHC	319-85-7	0.00014	0.066
delta-BHC	319-86-8	0.023	0.066
gamma-BHC	58-89-9	0.0017	0.066
Barban ⁶	101-27-9	0.056	1.4
Bendiocarb ⁶	22781-23-3	0.056	1.4
Bendiocarb phenol ⁶	22961-82-6	0.056	1.4
Benomyl ⁶	17804-35-2	0.056	1.4
Benzene	71-43-2	0.14	10
Benz(a)anthracene	56-55-3	0.059	3.4
Benzal chloride	98-87-3	0.055	6.0
Benzo(b)fluoranthene (difficult to distinguish from benzo(k)fluoranthene)	205-99-2	0.11	6.8
Benzo(k)fluoranthene (difficult to distinguish from benzo(b)fluor-anthene)	207-08-9	0.11	6.8
Benzo(g,h,i)perylene	191-24-2	0.0055	1.8
Benzo(a)pyrene	50-32-8	0.061	3.4
Bromodichloromethane	75-27-4	0.35	15
Bromomethane/Methyl bromide	74-83-9	0.11	15
4-Bromophenyl phenyl ether	101-55-3	0.055	15
n-Butyl alcohol	71-36-3	5.6	2.6
Butylate ⁶	2008-41-5	0.042	1.4
Butyl benzyl phthalate	85-68-7	0.017	28
2-sec-Butyl-4,6-dinitrophenol/Dinoseb	88-85-7	0.066	2.5
Carbaryl ⁶	63-25-2	0.006	0.14
Carbenzadim ⁶	10605-21-7	0.056	1.4
Carbofuran ⁶	1563-66-2	0.006	0.14
Carbofuran phenol ⁶	1563-38-8	0.056	1.4
Carbon disulfide	75-15-0	3.8	4.8 mg/l TCLP
Carbon tetrachloride	56-23-5	0.057	6.0
Carbosulfan ⁶	55285-14-8	0.028	1.4
Chlordane (alpha and gamma isomers)	57-74-9	0.0033	0.26
p-Chloroaniline	106-47-8	0.46	16
Chlorobenzene	108-90-7	0.057	6.0
Chlorobenzilate	510-15-6	0.10	NA
2-Chloro-1,3-butadiene	126-99-8	0.057	0.28
Chlorodibromomethane	124-48-1	0.057	15
Chloroethane	75-00-3	0.27	6.0
bis(2-Chloroethoxy)methane	111-91-1	0.036	7.2
bis(2-Chloroethyl)ether	111-44-4	0.033	6.0
Chloroform	67-66-3	0.046	6.0
bis(2-Chloroisopropyl)ether	39638-32-9	0.055	7.2
p-Chloro-m-cresol	59-50-7	0.018	14
2-Chloroethyl vinyl ether	110-75-8	0.062	NA
Chloromethane/Methyl chloride	74-87-3	0.19	30
2-Chloronaphthalene	91-58-7	0.055	5.6

UNIVERSAL TREATMENT STANDARDS—Continued

[Note: NA means not applicable.]

Regulated constituent common name	CAS ¹ number	Wastewater standard	Nonwastewater standard
		Concentration in mg/l ²	Concentration in mg/kg ³ unless noted as "mg/l TCLP"
2-Chlorophenol	95-57-8	0.044	5.7
3-Chloropropylene	107-05-1	0.036	30
Chrysene	218-01-9	0.059	3.4
o-Cresol	95-48-7	0.11	5.6
m-Cresol (difficult to distinguish from p-cresol)	108-39-4	0.77	5.6
p-Cresol (difficult to distinguish from m-cresol)	106-44-5	0.77	5.6
m-Cumetyl methylcarbamate ⁶	64-00-6	0.056	1.4
Cyclohexanone	108-94-1	0.36	0.75 mg/l TCLP
o,p'-DDD	53-19-0	0.023	0.087
p,p'-DDD	72-54-8	0.023	0.087
o,p'-DDE	3424-82-6	0.031	0.087
p,p'-DDE	72-55-9	0.031	0.087
o,p'-DDT	789-02-6	0.0039	0.087
p,p'-DDT	50-29-3	0.0039	0.087
Dibenz(a,h)anthracene	53-70-3	0.055	8.2
Dibenz(a,e)pyrene	192-65-4	0.061	NA
1,2-Dibromo-3-chloropropane	96-12-8	0.11	15
1,2-Dibromoethane/Ethylene dibromide	106-93-4	0.028	15
Dibromomethane	74-95-3	0.11	15
m-Dichlorobenzene	541-73-1	0.036	6.0
o-Dichlorobenzene	95-50-1	0.088	6.0
p-Dichlorobenzene	106-46-7	0.090	6.0
Dichlorodifluoromethane	75-71-8	0.23	7.2
1,1-Dichloroethane	75-34-3	0.059	6.0
1,2-Dichloroethane	107-06-2	0.21	6.0
1,1-Dichloroethylene	75-35-4	0.025	6.0
trans-1,2-Dichloroethylene	156-60-5	0.054	30
2,4-Dichlorophenol	120-83-2	0.044	14
2,6-Dichlorophenol	87-65-0	0.044	14
2,4-Dichlorophenoxyacetic acid/2,4-D	94-75-7	0.72	10
1,2-Dichloropropane	78-87-5	0.85	18
cis-1,3-Dichloropropylene	10061-01-5	0.036	18
trans-1,3-Dichloropropylene	10061-02-6	0.036	18
Dieldrin	60-57-1	0.017	0.13
Diethylene glycol, dicarbamate ⁶	5952-26-1	0.056	1.4
Diethyl phthalate	84-66-2	0.20	28
p-Dimethylaminoazobenzene	60-11-7	0.13	NA
2-4-Dimethyl phenol	105-67-9	0.036	14
Dimethyl phthalate	131-11-3	0.047	28
Dimetilan ⁶	644-64-4	0.056	1.4
Di-n-butyl phthalate	84-74-2	0.057	28
1,4-Dinitrobenzene	100-25-4	0.32	2.3
4,6-Dinitro-o-cresol	534-52-1	0.28	160
2,4-Dinitrophenol	51-28-5	0.12	160
2,4-Dinitrotoluene	121-14-2	0.32	140
2,6-Dinitrotoluene	606-20-2	0.55	28
Di-n-octyl phthalate	117-84-0	0.017	28
Di-n-propylnitrosamine	621-64-7	0.40	14
1,4-Dioxane	123-91-1	12.0	170
Diphenylamine (difficult to distinguish from diphenylnitrosamine)	122-39-4	0.92	13
Diphenylnitrosamine (difficult to distinguish from diphenylamine)	86-30-6	0.92	13
1,2-Diphenylhydrazine	122-66-7	0.087	NA
Disulfoton	298-04-4	0.017	6.2
Dithiocarbamates (total) ⁶	137-30-4	0.028	28
Endosulfan I	959-98-8	0.023	0.066
Endosulfan II	33213-65-9	0.029	0.13
Endosulfan sulfate	1031-07-8	0.029	0.13
Endrin	72-20-8	0.0028	0.13
Endrin aldehyde	7421-93-4	0.025	0.13
EPTC ⁶	759-94-4	0.042	1.4
Ethyl acetate	141-78-6	0.34	33
Ethyl benzene	100-41-4	0.057	10
Ethyl cyanide/Propanenitrile	107-12-0	0.24	360
Ethyl ether	60-29-7	0.12	160
bis(2-Ethylhexyl) phthalate	117-81-7	0.28	28

UNIVERSAL TREATMENT STANDARDS—Continued

[Note: NA means not applicable.]

Regulated constituent common name	CAS ¹ number	Wastewater standard	Nonwastewater standard
		Concentration in mg/l ²	Concentration in mg/kg ³ unless noted as "mg/l TCLP"
Ethyl methacrylate	97-63-2	0.14	160
Ethylene oxide	75-21-8	0.12	NA
Famphur	52-85-7	0.017	15
Fluoranthene	206-44-0	0.068	3.4
Fluorene	86-73-7	0.059	3.4
Formetanate hydrochloride ⁶	23422-53-9	0.056	1.4
Formparanate ⁶	17702-57-7	0.056	1.4
Heptachlor	76-44-8	0.0012	0.066
Heptachlor epoxide	1024-57-3	0.016	0.066
Hexachlorobenzene	118-74-1	0.055	10
Hexachlorobutadiene	87-68-3	0.055	5.6
Hexachlorocyclopentadiene	77-47-4	0.057	2.4
HxCDDs (All Hexachlorodibenzo-p-dioxins)	NA	0.000063	0.001
HxCDFs (All Hexachlorodibenzo-furans)	NA	0.000063	0.001
Hexachloroethane	67-72-1	0.055	30
Hexachloropropylene	1888-71-7	0.035	30
Indeno (1,2,3-c,d) pyrene	193-39-5	0.0055	3.4
Iodomethane	74-88-4	0.19	65
Isobutyl alcohol	78-83-1	5.6	170
Isodrin	465-73-6	0.021	0.066
Isolan ⁶	119-38-0	0.056	1.4
Isosafrole	120-58-1	0.081	2.6
Kepone	143-50-0	0.0011	0.13
Methacrylonitrile	126-98-7	0.24	84
Methanol	67-56-1	5.6	0.75 mg/l TCLP
Methapyrilene	91-80-5	0.081	1.5
Methiocarb ⁶	2032-65-7	0.056	1.4
Methomyl ⁶	16752-77-5	0.028	0.14
Methoxychlor	72-43-5	0.25	0.18
3-Methylcholanthrene	56-49-5	0.0055	15
4,4-Methylene bis(2-chloroaniline)	101-14-4	0.50	30
Methylene chloride	75-09-2	0.089	30
Methyl ethyl ketone	78-93-3	0.28	36
Methyl isobutyl ketone	108-10-1	0.14	33
Methyl methacrylate	80-62-6	0.14	160
Methyl methansulfonate	66-27-3	0.018	NA
Methyl parathion	298-00-0	0.014	4.6
Metolcarb ⁶	1129-41-5	0.056	1.4
Mexacarbate ⁶	315-18-4	0.056	1.4
Molinate ⁶	2212-67-1	0.042	1.4
Naphthalene	91-20-3	0.059	5.6
2-Naphthylamine	91-59-8	0.52	NA
o-Nitroaniline	88-74-4	0.27	14
p-Nitroaniline	100-01-6	0.028	28
Nitrobenzene	98-95-3	0.068	14
5-Nitro-o-toluidine	99-55-8	0.32	28
o-Nitrophenol	88-75-5	0.028	13
p-Nitrophenol	100-02-7	0.12	29
N-Nitrosodiethylamine	55-18-5	0.40	28
N-Nitrosodimethylamine	62-75-9	0.40	2.3
N-Nitroso-di-n-butylamine	924-16-3	0.40	17
N-Nitrosomethylalkylamine	10595-95-6	0.40	2.3
N-Nitrosomorpholine	59-89-2	0.40	2.3
N-Nitrosopiperidine	100-75-4	0.013	35
N-Nitrosopyrrolidine	930-55-2	0.013	35
Oxamyl ⁶	23135-22-0	0.056	0.28
Parathion	56-38-2	0.014	4.6
Total PCBs (sum of all PCB isomers, or all Aroclors)	1336-36-3	0.10	10
Pebulate ⁶	1114-71-2	0.042	1.4
Pentachlorobenzene	608-93-5	0.055	10
PeCDDs (All Pentachlorodibenzo-p-dioxins)	NA	0.000063	0.001
PeCDFs (All Pentachlorodibenzo-furans)	NA	0.000035	0.001
Pentachloroethane	76-01-7	0.055	6.0
Pentachloronitrobenzene	82-68-8	0.055	4.8
Pentachlorophenol	87-86-5	0.089	7.4

UNIVERSAL TREATMENT STANDARDS—Continued

[Note: NA means not applicable.]

Regulated constituent common name	CAS ¹ number	Wastewater standard	Nonwastewater standard
		Concentration in mg/l ²	Concentration in mg/kg ³ unless noted as "mg/l TCLP"
Phenacetin	62-44-2	0.081	16
Phenanthrene	85-01-8	0.059	5.6
Phenol	108-95-2	0.039	6.2
o-Phenylenediamine ⁶	95-54-5	0.056	5.6
Phorate	298-02-2	0.021	4.6
Phthalic acid	100-21-0	0.055	28
Phthalic anhydride	85-44-9	0.055	28
Physostigmine ⁶	57-47-6	0.056	1.4
Physostigmine salicylate ⁶	57-64-7	0.056	1.4
Promecarb ⁶	2631-37-0	0.056	1.4
Pronamide	23950-58-5	0.093	1.5
Propham ⁶	122-42-9	0.056	1.4
Propoxur ⁶	114-26-1	0.056	1.4
Prosulfocarb ⁶	52888-80-9	0.042	1.4
Pyrene	129-00-0	0.067	8.2
Pyridine	110-86-1	0.014	16
Safrole	94-59-7	0.081	22
Silvex/2,4,5-TP	93-72-1	0.72	7.9
1,2,4,5-Tetrachlorobenzene	95-94-3	0.055	14
TCDDs (All Tetrachlorodi-benzo-p-dioxins)	NA	0.000063	0.001
TCDFs (All Tetrachlorodibenzofurans)	NA	0.000063	0.001
1,1,1,2-Tetrachloroethane	630-20-6	0.057	6.0
1,1,2,2-Tetrachloroethane	79-34-5	0.057	6.0
Tetrachloroethylene	127-18-4	0.056	6.0
2,3,4,6-Tetrachlorophenol	58-90-2	0.030	7.4
Thiodicarb ⁶	59669-26-0	0.019	1.4
Thiophanate-methyl ⁶	23564-05-8	0.056	1.4
Tirpate ⁶	26419-73-8	0.056	0.28
Toluene	108-88-3	0.080	10
Toxaphene	8001-35-2	0.0095	2.6
Triallate ⁶	2303-17-5	0.042	1.4
Tribromomethane/Bromoform	75-25-2	0.63	15
1,2,4-Trichlorobenzene	120-82-1	0.055	19
1,1,1-Trichloroethane	71-55-6	0.054	6.0
1,1,2-Trichloroethane	79-00-5	0.054	6.0
Trichloroethylene	79-01-6	0.054	6.0
Trichloromonofluoromethane	75-69-4	0.020	30
2,4,5-Trichlorophenol	95-95-4	0.18	7.4
2,4,6-Trichlorophenol	88-06-2	0.035	7.4
2,4,5-Trichlorophenoxyacetic acid/2,4,5-T	93-76-5	0.72	7.9
1,2,3-Trichloropropane	96-18-4	0.85	30
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	0.057	30
Triethylamine ⁶	101-44-8	0.081	1.5
tris-(2,3-Dibromopropyl) phosphate	126-72-7	0.11	0.10
Vernolate ⁶	1929-77-7	0.042	1.4
Vinyl chloride	75-01-4	0.27	6.0
Xylenes-mixed isomers (sum of o-, m-, and p-xylene concentrations)	1330-20-7	0.32	30
II. Inorganic Constituents:			
Antimony	7440-36-0	1.9	2.1 mg/l TCLP
Arsenic	7440-38-2	1.4	5.0 mg/l TCLP
Barium	7440-39-3	1.2	7.6 mg/l TCLP
Beryllium	7440-41-7	0.82	0.014 mg/l TCLP
Cadmium	7440-43-9	0.69	0.19 mg/l TCLP
Chromium (Total)	7440-47-3	2.77	0.86 mg/l TCLP
Cyanides (Total) ⁴	57-12-5	1.2	590
Cyanides (Amenable) ⁴	57-12-5	0.86	30
Fluoride ⁵	16984-48-8	35	NA
Lead	7439-92-1	0.69	0.37 mg/l TCLP
Mercury—Nonwastewater from Retort	7439-97-6	NA	0.20 mg/l TCLP
Mercury—All Others	7439-97-6	0.15	0.025 mg/l TCLP
Nickel	7440-02-0	3.98	5.0 mg/l TCLP
Selenium	7782-49-2	0.82	0.16 mg/l TCLP
Silver	7440-22-4	0.43	0.30 mg/l TCLP

UNIVERSAL TREATMENT STANDARDS—Continued

[Note: NA means not applicable.]

Regulated constituent common name	CAS ¹ number	Wastewater standard	Nonwastewater standard
		Concentration in mg/l ²	Concentration in mg/kg ³ unless noted as "mg/l TCLP"
Sulfide	18496-25-8	14	NA
Thallium	7440-28-0	1.4	0.078 mg/l TCLP
Vanadium ⁵	7440-62-2	4.3	0.23 mg/l TCLP
Zinc ⁵	7440-66-6	2.61	5.3 mg/l TCLP

Footnotes to Universal Treatment Standards Table:

¹ CAS means Chemical Abstract Services. When the waste code and/or regulated constituents are described as a combination of a chemical with its salts and/or esters, the CAS number is given for the parent compound only.⁴⁴² Concentration standards for wastewaters are expressed in mg/l and are based on analysis of composite samples.³ Except for Metals (EP or TCLP) and Cyanides (Total and Amenable) the nonwastewater treatment standards expressed as a concentration were established, in part, based upon incineration in units operated in accordance with the technical requirements of 40 CFR part 264, subpart O, or 40 CFR part 265, subpart O, or based upon combustion in fuel substitution units operating in accordance with applicable technical requirements. A facility may comply with these treatment standards according to provisions in § 268.40(d). All concentration standards for nonwastewaters are based on analysis of grab samples.⁴ Both Cyanides (Total) and Cyanides (Amenable) for nonwastewaters are to be analyzed using Method 9010 or 9012, found in "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods", EPA Publication SW-846, as incorporated by reference in 40 CFR 260.11, with a sample size of 10 grams and a distillation time of one hour and 15 minutes.⁵ These constituents are not "underlying hazardous constituents" in characteristic wastes, according to the definition at § 268.2(i).⁶ Between August 26, 1996, and August 26, 1997, these constituents are not "underlying hazardous constituents" as defined at § 268.2(i).

[FR Doc. 97-2995 Filed 2-18-97; 8:45 am]

BILLING CODE 6560-50-P