

and powerboats. The bridge will be able to open for emergencies, if necessary. The Intracoastal Waterway—Morgan City to Port Allen Route and the Landside Route, including Bayou Boeuf, are alternate waterway routes for vessels not requiring greater than a 12 foot draft. Based on experience and coordination with waterway users, it has been determined that these closures will not have a significant effect on vessels that use the waterway.

In accordance with 33 CFR 117.35(e), the drawbridge must return to its regular operating schedule immediately at the end of the designated time period. This deviation from the operating regulations is authorized under 33 CFR 117.35.

Dated: February 23, 2012.

David M. Frank,

Bridge Administrator, Eighth Coast Guard District.

[FR Doc. 2012-5971 Filed 3-12-12; 8:45 am]

BILLING CODE 9110-04-P

DEPARTMENT OF HOMELAND SECURITY

Coast Guard

33 CFR Part 117

[Docket No. USCG-2012-0124]

Drawbridge Operation Regulation; New Jersey Intracoastal Waterway (NJICW), Point Pleasant Canal, NJ

AGENCY: Coast Guard, DHS.

ACTION: Notice of temporary deviation from regulations.

SUMMARY: The Commander, Fifth Coast Guard District, has issued a temporary deviation from the regulations governing the operation of the Route 88/Veterans Memorial Bridge across Point Pleasant Canal, NJICW mile 3.0, at Point Pleasant, NJ. This deviation allows the bridge to remain closed-to-navigation in order to facilitate barrier gate replacement and extensive electrical remedial work on the bridge.

DATES: This deviation is effective from 7 a.m. on March 19, 2012 through 5 p.m. on March 23, 2012.

ADDRESSES: Documents mentioned in this preamble as being available in the docket USCG-2012-0124 and are available online by going to <http://www.regulations.gov>, inserting USCG-2012-0124 in the “Keyword” box and then clicking “Search”. This material is also available for inspection or copying at the Docket Management Facility (M-30), U.S. Department of Transportation, West Building Ground Floor, Room W12-140, 1200 New Jersey

Avenue SE., Washington, DC 20590, between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

FOR FURTHER INFORMATION CONTACT: If you have questions on this rule, call or email Mr. Jim Rousseau, Bridge Administration Branch, Fifth Coast Guard District; telephone 757-398-6557, email

James.L.Rousseau2@uscg.mil. If you have questions on viewing the docket, call Renee V. Wright, Program Manager, Docket Operations, telephone 202-366-9826.

SUPPLEMENTARY INFORMATION: The New Jersey Department of Transportation (NJDOT) owns and operates the vertical-lift span of the Route 88/Veterans Memorial Bridge across Point Pleasant Canal along the NJICW, in Point Pleasant, NJ. The bridge has a vertical clearance in the closed position to vessels of 10 feet, above mean high water. The current operating regulations are outlined at 33 CFR 117.5, which require the bridge to open when a request or signal to open is given.

The contractor, Agate Construction on behalf of NJDOT, has requested a temporary deviation to the existing regulations for the Route 88/Veterans Memorial Bridge to facilitate necessary repairs. The repairs consist of the replacement of bridge traffic control devices (barrier gates) and extensive electrical remedial work. Under this deviation, the vertical-lift span of the drawbridge will be maintained in the closed-to-navigation position from 7 a.m. on March 19, 2012, through 5 p.m. on March 23, 2012.

Bridge opening data, supplied by NJDOT and reviewed by the Coast Guard, revealed that the bridge opened for vessels 1 and 0 times during the months of March 2010 and 2011 respectively.

The Coast Guard will also inform the users of the waterway through our Local and Broadcast Notices to Mariners of the closure period so that vessels can arrange their transits to minimize any impact caused by the temporary deviation.

Vessels that can pass under the bridge without a bridge opening may continue to do so at anytime. The Atlantic Ocean is an alternate route for vessels with mast heights greater than 10 feet. In the event of an emergency, the drawbridge will not be able to open for vessels.

In accordance with 33 CFR 117.35(e), the drawbridge must return to its regular operating schedule immediately at the end of the designated time period. This deviation from the operating regulation is authorized under 33 CFR 117.35.

Dated: February 22, 2012.

Waverly W. Gregory, Jr.,

Bridge Program Manager, Fifth Coast Guard District.

[FR Doc. 2012-5978 Filed 3-12-12; 8:45 am]

BILLING CODE 9110-04-P

DEPARTMENT OF HOMELAND SECURITY

Coast Guard

33 CFR Part 117

[Docket No. USCG-2012-0122]

Drawbridge Operation Regulations; Hutchinson River, Bronx, NY

AGENCY: Coast Guard, DHS.

ACTION: Notice of temporary deviation from regulations.

SUMMARY: The Commander, First Coast Guard District, has issued a temporary deviation from the regulation governing the operation of the Amtrak Pelham Bay Railroad Bridge, mile 0.5, across the Hutchinson River at the Bronx, New York. The deviation is necessary to facilitate scheduled maintenance at the bridge. This deviation allows the bridge to remain in the closed position for four days.

DATES: This deviation is effective from 10 p.m. on March 16, 2012 through 4 a.m. on March 26, 2012.

ADDRESSES: Documents mentioned in this preamble as being available in the docket are part of docket USCG-2012-0122 and are available online at www.regulations.gov, inserting USCG-2012-0122 in the “Keyword” and then clicking “Search”. They are also available for inspection or copying at the Docket Management Facility (M-30), U.S. Department of Transportation, West Building Ground Floor, Room W12-140, 1200 New Jersey Avenue SE., Washington, DC 20590, between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

FOR FURTHER INFORMATION CONTACT: If you have questions on this rule, call or email Ms. Judy Leung-Yee, Project Officer, First Coast Guard District, judy.k.leung-ye@uscg.mil, or telephone (212) 668-7165. If you have questions on viewing the docket, call Renee V. Wright, Program Manager, Docket Operations, telephone 202-366-9826.

SUPPLEMENTARY INFORMATION: The Amtrak Pelham Bay Railroad Bridge, across the Hutchinson River, mile 0.5, at the Bronx, New York, has a vertical clearance in the closed position of 8 feet at mean high water and 15 feet at mean

low water. The drawbridge operation regulations are listed at 33 CFR 117.793.

The waterway users are mostly commercial operators.

The owner of the bridge, National Railroad Passenger Company (Amtrak), requested a temporary deviation from the regulations to facilitate scheduled maintenance, to replace fiber optic cables, at the bridge.

Under this temporary deviation the Amtrak Pelham Bay Railroad Bridge may remain in the closed position from 10 p.m. on March 16, 2012 through 4 a.m. on March 19, 2012. In the event of inclement weather the closure will commence at 10 p.m. on March 23, 2012 through 4 a.m. on March 26, 2012. Vessels that can pass under the bridge in the closed position may do so at any time.

The commercial users were notified. No objections were received.

In accordance with 33 CFR 117.35(e), the bridge must return to its regular operating schedule immediately at the end of the designated time period. This deviation from the operating regulations is authorized under 33 CFR 117.35.

Dated: February 23, 2012.

Gary Kassof,

Bridge Program Manager, First Coast Guard District.

[FR Doc. 2012-5979 Filed 3-12-12; 8:45 am]

BILLING CODE 9110-04-P

ENVIRONMENTAL PROTECTION AGENCY

40 CFR Part 52

[EPA-R01-OAR-2011-0118; A-1-FRL-9644-6]

Approval and Promulgation of Air Quality Implementation Plans; Rhode Island; Reasonably Available Control Technology (RACT) for the 1997 8-Hour Ozone Standard

AGENCY: Environmental Protection Agency (EPA).

ACTION: Direct final rule.

SUMMARY: The EPA is approving four State Implementation Plan (SIP) revisions submitted by the Rhode Island Department of Environmental Management (RI DEM). These revisions demonstrate that the State of Rhode Island meets the requirements of reasonably available control technology (RACT) for oxides of nitrogen (NO_x) and volatile organic compounds (VOCs) set forth by the Clean Air Act (CAA) with respect to the 1997 8-hour ozone standard. The intended effect of this action is to approve Rhode Island's

RACT demonstration and the submitted regulations and incorporate them into the Rhode Island SIP. Additionally, EPA is approving Rhode Island's negative declarations for several categories of VOC sources. This action is being taken in accordance with the CAA.

DATES: This rule is effective on May 14, 2012, unless EPA receives adverse comments by April 12, 2012. If adverse comments are received, EPA will publish a timely withdrawal of the direct final rule in the **Federal Register** informing the public that the rule will not take effect.

ADDRESSES: Submit your comments, identified by Docket ID Number EPA-R01-OAR-2011-0118, by one of the following methods:

1. *www.regulations.gov*: Follow the on-line instructions for submitting comments.

2. *Email*: arnold.anne@epa.gov.

3. *Fax*: (617) 918-0047.

4. *Mail*: "Docket Identification Number EPA-R01-OAR-2011-0118," Anne Arnold, U.S. Environmental Protection Agency, EPA New England Regional Office, Office of Ecosystem Protection, Air Quality Planning Unit, 5 Post Office Square—Suite 100, (Mail code OEP05-2), Boston, MA 02109-3912.

5. *Hand Delivery or Courier*. Deliver your comments to: Anne Arnold, Manager, Air Quality Planning Unit, Office of Ecosystem Protection, U.S. Environmental Protection Agency, EPA New England Regional Office, Office of Ecosystem Protection, Air Quality Planning Unit, 5 Post Office Square—Suite 100, (Mail code OEP05-2), Boston, MA 02109-3912. Such deliveries are only accepted during the Regional Office's normal hours of operation. The Regional Office's official hours of business are Monday through Friday, 8:30 to 4:30, excluding legal holidays.

Instructions: Direct your comments to Docket ID No. EPA-R01-OAR-2011-0118. EPA's policy is that all comments received will be included in the public docket without change and may be made available online at *www.regulations.gov*, including any personal information provided, unless the comment includes information claimed to be Confidential Business Information (CBI) or other information whose disclosure is restricted by statute. Do not submit through *www.regulations.gov*, or email, information that you consider to be CBI or otherwise protected. The *www.regulations.gov* Web site is an "anonymous access" system, which means EPA will not know your identity or contact information unless you

provide it in the body of your comment. If you send an email comment directly to EPA without going through *www.regulations.gov* your email address will be automatically captured and included as part of the comment that is placed in the public docket and made available on the Internet. If you submit an electronic comment, EPA recommends that you include your name and other contact information in the body of your comment and with any disk or CD-ROM you submit. If EPA cannot read your comment due to technical difficulties and cannot contact you for clarification, EPA may not be able to consider your comment. Electronic files should avoid the use of special characters, any form of encryption, and be free of any defects or viruses.

Docket: All documents in the electronic docket are listed in the *www.regulations.gov* index. Although listed in the index, some information is not publicly available, i.e., CBI or other information whose disclosure is restricted by statute. Certain other material, such as copyrighted material, is not placed on the Internet and will be publicly available only in hard copy form. Publicly available docket materials are available either electronically in *www.regulations.gov* or in hard copy at Office of Ecosystem Protection, U.S. Environmental Protection Agency, EPA New England Regional Office, 5 Post Office Square—Suite 100, Boston, MA. EPA requests that if at all possible, you contact the contact listed in the **FOR FURTHER INFORMATION CONTACT** section to schedule your inspection. The Regional Office's official hours of business are Monday through Friday, 8:30 to 4:30, excluding legal holidays.

In addition, copies of the state submittal and EPA's technical support document are also available for public inspection during normal business hours, by appointment at the State Air Agency; Office of Air Resources, Department of Environmental Management, 235 Promenade Street, Providence, RI 02908-5767.

FOR FURTHER INFORMATION CONTACT: David Mackintosh, U.S. Environmental Protection Agency, New England Regional Office, Office of Ecosystem Protection, Air Quality Planning Unit, 5 Post Office Square—Suite 100, Mail Code OEP05-02, Boston, MA 02109-3912, telephone 617-918-1584, facsimile 617-918-0584, email mackintosh.david@epa.gov.

SUPPLEMENTARY INFORMATION: