position itself (*e.g.*, the market value of private equity positions).

¹² Currently, companies with significant trading activity include any bank holding company or intermediate holding company that (1) has aggregate trading assets and liabilities of \$50 billion or more, or aggregate trading assets and liabilities equal to 10 percent or more of total consolidated assets, and (2) is not a large and noncomplex firm.. The Board may also subject a state member bank subsidiary of any such bank holding company to the market shock component. The set of companies subject to the market shock component could change over time as the size, scope, and complexity of financial company's trading activities evolve.

4. Approach for Formulating the Macroeconomic Assumptions for Scenarios

a. This section describes the Board's approach for formulating macroeconomic assumptions for each scenario. The methodologies for formulating this part of each scenario differ by scenario, so these methodologies for the baseline and severely adverse scenarios are described separately in each of the following subsections.

b. In general, the baseline scenario will reflect the most recently available consensus views of the macroeconomic outlook expressed by professional forecasters, government agencies, and other public-sector organizations as of the beginning of the annual stress-test cycle. The severely adverse scenario will consist of a set of economic and financial conditions that reflect the conditions of post-war U.S. recessions.

c. Each of these scenarios is described further in sections below as follows: Baseline (subsection 4.1) and severely adverse (subsection 4.2)

4.1 Approach for Formulating Macroeconomic Assumptions in the Baseline Scenario

a. The stress test rules define the baseline scenario as a set of conditions that affect the U.S. economy or the financial condition of a banking organization, and that reflect the consensus views of the economic and financial outlook. Projections under a baseline scenario are used to evaluate how companies would perform in more likely economic and financial conditions. The baseline serves also as a point of comparison to the severely adverse scenario, giving some sense of how much of the company's capital decline could be ascribed to the scenario as opposed to the company's capital adequacy under expected conditions.

* * * * *

4.2 Approach for Formulating the Macroeconomic Assumptions in the Severely Adverse Scenario

The stress test rules define a severely adverse scenario as a set of conditions that affect the U.S. economy or the financial condition of a financial company and that overall are significantly more severe than those associated with the baseline scenario. The financial company will be required to publicly disclose a summary of the results of its stress test under the severely adverse scenario, and the Board intends to publicly disclose the results of its analysis of the financial company under the severely adverse scenario.

5. Approach for Formulating the Market Shock Component

a. This section discusses the approach the Board proposes to adopt for developing the market shock component of the severely adverse scenario appropriate for companies with significant trading activities. The design and specification of the market shock component differs from that of the macroeconomic scenarios because profits and losses from trading are measured in mark-to-market terms, while revenues and losses from traditional banking are generally measured using the accrual method. As noted above, another critical difference is the time-evolution of the market shock component. The market shock component consists of an instantaneous "shock" to a large number of risk factors that determine the mark-to-market value of trading positions, while the macroeconomic scenarios supply a projected path of economic variables that affect traditional banking activities over the entire planning period.

b. The development of the market shock component that are detailed in this section are as follows: Baseline (subsection 5.1) and severely adverse (subsection 5.2).

* * * * *

5.2.2 Approaches to Market Shock Design

a. As an additional component of the severely adverse scenario, the Board plans to use a standardized set of market shocks that apply to all companies with significant trading activity. The market shocks could be based on a single historical episode, multiple historical periods, hypothetical (but plausible) events, or some combination of historical episodes and hypothetical events (hybrid approach). Depending on the type of hypothetical events, a scenario based on such events may

result in changes in risk factors that were not previously observed. In the supervisory scenarios for 2012 and 2013, the shocks were largely based on relative moves in asset prices and rates during the second half of 2008, but also included some additional considerations to factor in the widening of spreads for European sovereigns and financial companies based on actual observation during the latter part of 2011.

By order of the Board of Governors of the Federal Reserve System, January 8, 2019.

Margaret McCloskey Shanks,

 $\label{eq:continuous} Deputy\,Secretary\,of\,the\,Board.\\ [FR Doc.\,2019–00484\,Filed\,2–13–19;\,8:45~am]$

BILLING CODE 6210-01-P

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 39

[Docket No. FAA-2018-1069; Product Identifier 2018-NM-128-AD]

RIN 2120-AA64

Airworthiness Directives; ATR—GIE Avions de Transport Régional Airplanes

AGENCY: Federal Aviation Administration (FAA), DOT.

ACTION: Notice of proposed rulemaking (NPRM).

SUMMARY: We propose to adopt a new airworthiness directive (AD) for all ATR—GIE Avions de Transport Régional Model ATR72 airplanes. This proposed AD was prompted by a determination that new or more restrictive maintenance instructions and airworthiness limitations are necessary. This proposed AD would require revising the existing maintenance or inspection program, as applicable, to incorporate new or more restrictive maintenance instructions and airworthiness limitations. We are proposing this AD to address the unsafe condition on these products.

DATES: We must receive comments on this proposed AD by April 1, 2019.

ADDRESSES: You may send comments, using the procedures found in 14 CFR 11.43 and 11.45, by any of the following methods:

- Federal eRulemaking Portal: Go to http://www.regulations.gov. Follow the instructions for submitting comments.
 - Fax: 202-493-2251.
- *Mail:* U.S. Department of Transportation, Docket Operations, M—

30, West Building Ground Floor, Room W12–140, 1200 New Jersey Avenue SE, Washington, DC 20590.

• Hand Delivery: Deliver to Mail address above between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

For service information identified in this NPRM, contact ATR—GIE Avions de Transport Régional, 1 Allée Pierre Nadot, 31712 Blagnac Cedex, France; telephone +33 (0) 5 62 21 62 21; fax +33 (0) 5 62 21 67 18; email continued.airworthiness@atraircraft.com; internet http://www.atraircraft.com. You may view this service information at the FAA, Transport Standards Branch, 2200 South 216th St., Des Moines, WA. For information on the availability of this material at the FAA, call 206–231–3195.

Examining the AD Docket

You may examine the AD docket on the internet at http://www.regulations.gov by searching for and locating Docket No. FAA-2018-1069; or in person at Docket Operations between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays. The AD docket contains this NPRM, the regulatory evaluation, any comments received, and other information. The street address for Docket Operations (phone: 800-647-5527) is in the ADDRESSES section. Comments will be available in the AD docket shortly after receipt.

FOR FURTHER INFORMATION CONTACT:

Shahram Daneshmandi, Aerospace Engineer, International Section, Transport Standards Branch, FAA, 2200 South 216th St., Des Moines, WA 98198; telephone and fax 206–231–3220.

SUPPLEMENTARY INFORMATION:

Comments Invited

We invite you to send any written relevant data, views, or arguments about this proposal. Send your comments to an address listed under the ADDRESSES section. Include "Docket No. FAA—2018—1069; Product Identifier 2018—NM—128—AD" at the beginning of your comments. We specifically invite comments on the overall regulatory, economic, environmental, and energy aspects of this NPRM. We will consider all comments received by the closing date and may amend this NPRM because of those comments.

We will post all comments we receive, without change, to http://www.regulations.gov, including any personal information you provide. We will also post a report summarizing each substantive verbal contact we receive about this NPRM.

Discussion

The European Aviation Safety Agency (EASA), which is the Technical Agent for the Member States of the European Union, has issued EASA AD 2018–0184, dated August 28, 2018 (referred to after this as the Mandatory Continuing Airworthiness Information, or "the MCAI"), to correct an unsafe condition for all ATR—GIE Avions de Transport Régional Model ATR72 airplanes. The MCAI states:

The airworthiness limitations and certification maintenance requirements (CMR) for ATR aeroplanes, which are approved by EASA, are currently defined and published in the TLD [time limits document]. These instructions have been identified as mandatory for continued airworthiness.

Failure to accomplish these instructions could result in an unsafe condition.

Previously, EASA issued AD 2017–0223 (later revised) to require accomplishment of the actions specified in the TLD at Revision 15

Since EASA AD 2017–0223R1 [which corresponds to FAA AD 2018–14–11, Amendment 39–19331 (83 FR 34031, July 19, 2018)] was issued, ATR published Revision 16 of the TLD for ATR 72 aeroplanes, introducing new and/or more restrictive airworthiness limitations and/or maintenance actions.

For the reasons described above, this [EASA] AD retains the requirements of EASA AD 2017–0223R1, which is superseded, and requires accomplishment of the actions specified in the TLD.

This proposed AD would require revising the existing maintenance or inspection program to incorporate certain maintenance instructions and airworthiness limitations. The unsafe condition is fatigue cracking and damage in principal structural elements, which could result in reduced structural integrity of the airplane. You may examine the MCAI in the AD docket on the internet at http://www.regulations.gov by searching for and locating Docket No. FAA–2018–1069.

Relationship Between Proposed AD and AD 2018–14–11

This NPRM does not propose to supersede AD 2018–14–11. Rather, we have determined that a stand-alone AD is more appropriate to address the changes in the MCAI. This proposed AD would require revising the existing maintenance or inspection program, as applicable, to incorporate new or more restrictive maintenance instructions and airworthiness limitations. Accomplishment of the proposed actions would then terminate all of the requirements of AD 2018–14–11.

Related Service Information Under 1 CFR Part 51

ATR—GIE Avions de Transport
Régional has issued ATR ATR72 Time
Limits Document, Revision 16, dated
January 30, 2018. This service
information describes preventive
maintenance requirements and includes
updated limitations, tasks, thresholds
and intervals to be incorporated into the
maintenance or inspection program.
This service information is reasonably
available because the interested parties
have access to it through their normal
course of business or by the means
identified in the ADDRESSES section.

FAA's Determination

This product has been approved by the aviation authority of another country, and is approved for operation in the United States. Pursuant to our bilateral agreement with the State of Design Authority, we have been notified of the unsafe condition described in the MCAI and service information referenced above. We are proposing this AD because we evaluated all the relevant information and determined the unsafe condition described previously is likely to exist or develop on other products of the same type design.

Proposed Requirements of This NPRM

This proposed AD would require revising the existing maintenance or inspection program, as applicable, to incorporate new or revised maintenance instructions and airworthiness limitations.

This proposed AD would require revisions to certain operator maintenance documents to include new actions (e.g., inspections). Compliance with these actions is required by 14 CFR 91.403(c). For airplanes that have been previously modified, altered, or repaired in the areas addressed by this proposed AD, the operator may not be able to accomplish the actions described in the revisions. In this situation, to comply with 14 CFR 91.403(c), the operator must request approval for an alternative method of compliance according to paragraph (l)(1) of this proposed AD.

Difference Between This Proposed AD and the MCAI

The MCAI specifies that if there are findings from the airworthiness limitations section (ALS) inspection tasks, corrective actions must be accomplished in accordance with Avions de Transport Régional maintenance documentation. However, this proposed AD does not include that requirement. Operators of U.S.-registered airplanes are required by

general airworthiness and operational regulations to perform maintenance using methods that are acceptable to the FAA. We consider those methods to be adequate to address any corrective actions necessitated by the findings of ALS inspections required by this proposed AD.

Costs of Compliance

We estimate that this proposed AD affects 23 airplanes of U.S. registry. We estimate the following costs to comply with this proposed AD:

We have determined that revising the existing maintenance or inspection program takes an average of 90 workhours per operator, although we recognize that this number may vary from operator to operator. In the past, we have estimated that this action takes 1 work-hour per airplane. Since operators incorporate maintenance or inspection program changes for their affected fleet(s), we have determined that a per-operator estimate is more accurate than a per-airplane estimate. Therefore, we estimate the total cost per operator to be \$7,650 (90 work-hours x \$85 per work-hour).

Authority for This Rulemaking

Title 49 of the United States Code specifies the FAA's authority to issue rules on aviation safety. Subtitle I, section 106, describes the authority of the FAA Administrator. Subtitle VII: Aviation Programs, describes in more detail the scope of the Agency's authority.

We are issuing this rulemaking under the authority described in Subtitle VII, Part A, Subpart III, Section 44701: "General requirements." Under that section, Congress charges the FAA with promoting safe flight of civil aircraft in air commerce by prescribing regulations for practices, methods, and procedures the Administrator finds necessary for safety in air commerce. This regulation is within the scope of that authority because it addresses an unsafe condition that is likely to exist or develop on products identified in this rulemaking action.

This proposed AD is issued in accordance with authority delegated by the Executive Director, Aircraft Certification Service, as authorized by FAA Order 8000.51C. In accordance with that order, issuance of ADs is

normally a function of the Compliance and Airworthiness Division, but during this transition period, the Executive Director has delegated the authority to issue ADs applicable to transport category airplanes and associated appliances to the Director of the System Oversight Division.

Regulatory Findings

We determined that this proposed AD would not have federalism implications under Executive Order 13132. This proposed AD would not have a substantial direct effect on the States, on the relationship between the national Government and the States, or on the distribution of power and responsibilities among the various levels of government.

For the reasons discussed above, I certify this proposed regulation:

- 1. Is not a "significant regulatory action" under Executive Order 12866;
- 2. Is not a "significant rule" under the DOT Regulatory Policies and Procedures (44 FR 11034, February 26, 1979);
- 3. Will not affect intrastate aviation in Alaska; and
- 4. Will not have a significant economic impact, positive or negative, on a substantial number of small entities under the criteria of the Regulatory Flexibility Act.

List of Subjects in 14 CFR Part 39

Air transportation, Aircraft, Aviation safety, Incorporation by reference, Safety.

The Proposed Amendment

Accordingly, under the authority delegated to me by the Administrator, the FAA proposes to amend 14 CFR part 39 as follows:

PART 39—AIRWORTHINESS DIRECTIVES

■ 1. The authority citation for part 39 continues to read as follows:

Authority: 49 U.S.C. 106(g), 40113, 44701.

§ 39.13 [Amended]

■ 2. The FAA amends § 39.13 by adding the following new airworthiness directive (AD):

ATR—GIE Avions de Transport Régional: Docket No. FAA–2018–1069; Product Identifier 2018–NM–128–AD.

(a) Comments Due Date

We must receive comments by April 1, 2019.

(b) Affected ADs

This AD affects AD 2018–14–11, Amendment 39–19331 (83 FR 34031, July 19, 2018) ("AD 2018–14–11").

(c) Applicability

This AD applies to ATR—GIE Avions de Transport Régional Model ATR72–101, –102, –201, –202, –211, –212, and –212A airplanes, certificated in any category, with an original certificate of airworthiness or original export certificate of airworthiness issued on or before January 30, 2018.

(d) Subject

Air Transport Association (ATA) of America Code 05, Time Limits/Maintenance Checks.

(e) Reason

This AD was prompted by a determination that new or more restrictive maintenance instructions and airworthiness limitations are necessary. We are issuing this AD to prevent fatigue cracking and damage in principal structural elements, which could result in reduced structural integrity of the airplane.

(f) Compliance

Comply with this AD within the compliance times specified, unless already done.

(g) Maintenance or Inspection Program

Within 90 days after the effective date of this AD, revise the existing maintenance or inspection program, as applicable, to incorporate the information specified in ATR ATR72 Time Limits Document, Revision 16, dated January 30, 2018. The initial compliance time for doing the tasks is at the time specified in ATR ATR72 Time Limits Document, Revision 16, dated January 30, 2018, or within 90 days after the effective date of this AD, whichever occurs later, except as provided by paragraphs (h) and (i) of this AD.

(h) Initial Compliance Times for Certain Tasks

For accomplishing airworthiness limitations (AWL) and certification maintenance requirement (CMR)/maintenance significant item (MSI) tasks identified in table 1 to paragraph (h) of this AD, the initial compliance time is at the applicable time specified in the ALS of the ATR ATR72 Time Limits Document, Revision 16, dated January 30, 2018, or at the applicable compliance time in table 1 to paragraph (h) of this AD, whichever occurs latest.

Table 1 to paragraph (h) of this AD – Grace period for CMR/MSI tasks

| CMR/MSI Tasks | Compliance Time |
|---------------|---|
| 213100-1 | Within 550 flight hours or 3 months after |
| 213100-2 | August 23, 2018 (the effective date of AD 2018-14-11), whichever occurs first |
| 213100-3 | |

(i) Initial Compliance Time: One-time Threshold

For CMR task 220000–5, a one-time threshold, as specified in ATR ATR72 Time

Limits Document, Revision 16, dated January 30, 2018, is allowed as specified in table 2 to paragraph (i) of this AD.

Table 2 to paragraph (i) of this AD – Initial threshold for CMR task

| Configuration | Compliance Time |
|--|--|
| ATR modification 7585 embodied in production | Within 7,000 flight hours since first flight of the airplane |
| ATR Service Bulletin ATR72-34-1154 embodied in service | Within 7,000 flight hours after embodiment of ATR Service Bulletin ATR72-34-1154 |

(j) No Alternative Actions and Intervals

After the maintenance or inspection program has been revised as required by paragraph (g) of this AD, no alternative actions (e.g., inspections) and intervals may be used unless the actions and intervals are approved as an alternative method of compliance (AMOC) in accordance with the procedures specified in paragraph (l)(1) of this AD.

(k) Terminating Action for AD 2018-14-11

Accomplishing the actions required by this AD terminates all requirements of AD 2018–14–11.

(l) Other FAA AD Provisions

The following provisions also apply to this AD:

(1) Alternative Methods of Compliance (AMOCs): The Manager, International Section, Transport Standards Branch, FAA, has the authority to approve AMOCs for this AD, if requested using the procedures found in 14 CFR 39.19. In accordance with 14 CFR 39.19, send your request to your principal inspector or local Flight Standards District Office, as appropriate. If sending information directly to the International Section, send it to the attention of the person identified in paragraph (m)(2) of this AD. Information may be emailed to: 9-ANM-116-AMOC-REQUESTS@faa.gov. Before using any approved AMOC, notify your appropriate principal inspector, or lacking a principal inspector, the manager of the local flight standards district office/certificate holding district office.

(2) Contacting the Manufacturer: For any requirement in this AD to obtain corrective actions from a manufacturer, the action must

be accomplished using a method approved by the Manager, International Section, Transport Standards Branch, FAA; or the European Aviation Safety Agency (EASA); or ATR—GIE Avions de Transport Régional's EASA Design Organization Approval (DOA). If approved by the DOA, the approval must include the DOA-authorized signature.

(m) Related Information

- (1) Refer to Mandatory Continuing Airworthiness Information (MCAI) EASA AD 2018–0184, dated August 28, 2018, for related information. This MCAI may be found in the AD docket on the internet at http://www.regulations.gov by searching for and locating Docket No. FAA–2018–1069.
- (2) For more information about this AD, contact Shahram Daneshmandi, Aerospace Engineer, International Section, Transport Standards Branch, FAA, 2200 South 216th St., Des Moines, WA 98198; telephone and fax 206–231–3220.
- (3) For service information identified in this AD, contact ATR—GIE Avions de Transport Régional, 1 Allée Pierre Nadot, 31712 Blagnac Cedex, France; telephone +33 (0) 5 62 21 62 21; fax +33 (0) 5 62 21 67 18; email continued.airworthiness@atraircraft.com. You may view this service information at the FAA, Transport Standards Branch, 2200 South 216th St., Des Moines, WA. For information on the availability of this material at the FAA, call 206–231–3195.

Issued in Des Moines, Washington, on January 10, 2019.

Jeffrey E. Duven,

Director, System Oversight Division, Aircraft Certification Service.

[FR Doc. 2019-02158 Filed 2-13-19; 8:45 am]

BILLING CODE 4910-13-P

EQUAL EMPLOYMENT OPPORTUNITY COMMISSION

29 CFR Part 1614

RIN 3046-AA97

Federal Sector Equal Employment Opportunity

AGENCY: Equal Employment Opportunity Commission.

ACTION: Notice of proposed rulemaking.

SUMMARY: The Equal Employment Opportunity Commission ("EEOC" or "Commission") is proposing a revision to its federal sector complaint processing regulations in order to bring them into compliance with a federal circuit court decision concerning whether and when a complainant may file a civil action after having previously filed an administrative appeal or request for reconsideration with the EEOC. The EEOC also proposes making certain editorial changes.

DATES: Comments on the Notice of Proposed Rulemaking (hereinafter